

Xerox[®] VersaLink[®] C400 Colour Printer and Xerox[®] VersaLink[®] C405 Colour Multifunction Printer

Revolutionary. Future-proof. Value-packed.



Xerox[®] VersaLink[®] C400 Colour Printer and Xerox[®] VersaLink[®] C405 Colour Multifunction Printer

The VersaLink C400 and C405 revolutionise workplace productivity with next generation features and easy, instant cloud and mobile connectivity. Built for the way you work today, and ready for where you grow tomorrow – with all the flexibility and versatility your business needs to work better with minimal IT support and maximum security.

Powerful performance and peace of mind.

Right out of the box, you'll count on your VersaLink C400 or C405 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go – hassle free.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview¹, and do more with scanned documents with built-in optical character recognition (OCR)¹.

When it comes to safeguarding critical documents and data, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

With the VersaLink C400 and C405, you can be confident that your documents will look their best – making you look your best – giving you the confidence you need when presenting to your customers.

Easy, efficient and entirely new.

With the customisable, capacitive 5-inch colour touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Preloaded Xerox[®] ConnectKey[®] Apps help optimise office efficiency, and on-screen access to the extensive Xerox[®] App Gallery provides expanded functionality – like the Xerox[®] Easy Translator Service app¹, which quickly translates scanned documents into numerous languages.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to taskspecific presets and commonly used apps on a personalised home screen.

To learn more about VersaLink device features, go to www.xerox.com/VersalinkEG

Freedom, and app-based functionality.

The VersaLink C400 Colour Printer and VersaLink C405 Colour Multifunction Printer gives you the freedom to work where and how you want – with out-of-the-box direct connectivity to Google Drive[™], Microsoft[®] OneDrive[®] and DropBox[™], and access to additional options through the Xerox[®] App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with optional Wi-Fi and Wi-Fi Direct, plus Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

¹ VersaLink C405 only

Xerox[®] ConnectKey[®] Technology—the nexus of your complete productivity ecosystem.

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

A vastly improved—and yet entirely familiar way to interact that includes a tablet-like experience, with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to preloaded, cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next-Generation Services

Work more efficiently and manage resources by taking full control of your print environment with remote monitoring for service delivery and consumables, remote configuration and easy integration of Xerox[®] Managed Print Services.

Gateway to New Possibilities

App-based functionality, with the ability to instantly extend your capabilities with access to Xerox® App Gallery featuring real-world apps designed to optimize digital workflows--or commission our partners for innovative, business-specific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.





Choose the option best for your business:

- 1 A 50-sheet Single-pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.
- 2 Card Reader Bay with embedded USB port.²
- 3 A front-side USB port² allows users to quickly print from or scan to³ any standard USB memory device.
- 4 250-sheet output tray with tray-full sensor.
- 5 150-sheet Bypass Tray handles media sizes from 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm.
- 6 With the 550-sheet paper tray, standard paper capacity totals 700 sheets (including Bypass Tray).
- Optional 550-sheet paper tray increases the total paper capacity to 1,250 sheets.
- 8 Optional stand provides storage for toner cartridges, paper and other supplies.

² USB ports can be disabled; ³ VersaLink C405 only.



Xerox[®] VersaLink[®] C400 Colour Printer Print.



Xerox® VersaLink® C405 Colour Multifunction Printer Print. Copy. Scan. Fax. Email.

Introducing touch screen superiority.

Meet our tiltable, 5-inch capacitive colour touch screen – the user interface that sets a higher standard for customisation, personalisation and versatility.

By presenting a familiar "mobile" experience – with support for gestural input and taskfocused apps that share a common look and feel – fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and centre. Don't like where a function or app is located? Customise the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink C400 Colour Printer and VersaLink C405 Colour Multifunction Printer get more work done, faster.



Xerox[®] VersaLink[®] C400 Colour Printer and Xerox[®] VersaLink[®] C405 Colour Multifunction Printer

Device Specifications	VersaLink C400/N	VersaLink C400/DN	VersaLink C405/N	VersaLink C405/DN	
Speed	Up to 36 ppm colour and black	Up to 36 ppm colour and black and white (Letter) / 35 ppm colour and black and white (A4)			
Duty Cycle ¹	Up to 80,000 pages / month ¹				
Processor / Memory	1.05 GHz Dual-Core / 2 GB				
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair				
Controller Features	Unified Address Book (C405), Configuration Cloning, Scan Preview (C405), Xerox Extensible Interface Platform®, Xerox® App Gallery, Xerox® Standard Accounting, Online Support (accessed from the user interface and print driver)				
Paper Handling Paper Input Standar	NA			Single-pass Duplex Automatic Document Feeder (DADF): 50 sheets: Custom Sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 140 x 140 mm to 216 x 356 mm	
Optional	Bypass Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm				
	Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm				
	Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm				
Paper Output	250 sheets				
Automatic Two-sided Printing	N/A	Standard	N/A	Standard	
Print and Copy Resolution	Print: Up to 600 x 600 x 8 dpi	Print: Up to 600 x 600 x 8 dpi		Print: Up to 600 x 600 x 8 dpi Copy: Up to 600 x 600 dpi	
First-print-out Time	As fast as 13 seconds colour / 12 seconds black and white				
First-copy-out Time	As fast as 11 seconds colour / 8 seconds black and white				
Page Description Languages	PCL®5e / PCL 6 / PDF / XPS / TIFF / JPEG / HP-GL / Adobe® PostScript® 3™				
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox [®] Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Skip Blank Pages, Draft Mode				
Mobile Printing	Apple [®] AirPrint [®] , Google Cloud Print [™] , Xerox [®] Print Service Plug-in for Android [™] , Mopria [®] Print Service Plug-in for Android [™] Visit www.xerox.com/officemobileapps for a list of downloadable apps available for smartphones and mobile devices.				
Option	onal @PrintByXerox ² , Wi-Fi Direct Printing ³ , Xerox [®] Mobile Print Solution ³ , Xerox [®] Mobile Print Cloud ³ , Xerox [®] Mobile Link App (C405) ²			le Link App (C405) ²	
Printer/MFP Cloud Connector	Print from/Scan to ⁴ Google Drive, One Drive, DropBox, Microsoft 365, Box, DocuShare				
Cloud Service	es NA		Xerox [®] Easy Translator Serv	vice, Xerox® Healthcare MFP	
	Additional printer/MFP apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of apps.				
Scan Scan Destination	IS		Scan to USB, Scan to Emai	l, Scan to Network (FTP or Browse SMB)	
Scan Feature	NA		to Home, Searchable PDF,	File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF / Password Protected PDF, Linearised PDF / PDF/A	
Fax Fax Feature	55		Walk-up Fax (includes LAN via Unified Address Book (u	Fax, Direct Fax, Fax Forward to Email), Fax dialing up to 2,000 contacts)	
Security Standar	Firmware Verification, Security Certificates, Automatic Self-Signed Certificate Creation, Certificate Path Validation, Certificate Revocation Settings, Smart Card Enablement (CAC/PIV/.NET), FIPS 140-2, SSL/TLS, Port Filtering, IP Address Filtering, Domain Filtering, Cisco® TrustSec Identity Services Engine (ISE) Integration, HDD Overwrite, 256-bit Encryption, Secure Print, Secure Fax (C405), Secure Scan (C405), Secure Email (C405), Network Authentication, SNMPv3, Audit Log, Access Controls, Role Based Permissions, Convenience Authentication				
Option	al Xerox® PrintSafe Software	erox® PrintSafe Software			
Accounting Standar	d Xerox® Standard Accounting (P	rint), Network Accounting Enablement	Xerox [®] Standard Accountir Accounting Enablement	ng (Copy, Print, Scan, Fax, Email), Network	
Option	al Equitrac Express®, Equitrac Offic	ce®, YSoft® SafeQ®, other network accour	nting solutions available through vari	ous Xerox Alliance Partners	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Free option (download from Xerox® App Gallery to your printer/MFP); ³ Purchasable option;

Power: Voltage: 110-127 VAC +/- 10%, Frequency: 50/60 Hz +/- 3 Hz, 10 A; Voltage: 220-240 VAC +/- 10%, Frequency: 50/60

Hz +/- 3 Hz, 6 A; Power consumption: C400: Standby: 76 watts

or less, Printing: 705 watts or less, Sleep: 4 watts or less; C405:

or less; ENERGY STAR® qualified (DN configurations)

To view the latest list of certifications, go to

www.xerox.com/OfficeCertifications

Extra High Capacity Print Cartridges:

Black: 10,500 pages std. pages¹

Yellow: 8,000 pages std. pages

High Capacity Print Cartridges:

Black: 5,000 pages std. pages

Cyan: 4,800 pages std. pages¹

Yellow: 4,800 pages std. pages

Magenta: 4,800 pages std. pages¹

Magenta: 8,000 pages std. pages¹

Cyan: 8,000 pages std. pages¹

Standby: 82 watts or less; Printing: 750 watts or less, Sleep: 4 watts

C400: 19.3 x 19.2 x 15.7 in. / 491 x 488 x 399 mm; Weight: 57 lb.

/ 26 kg; C405: 17 x 21.3 x 23.6 in. / 432 x 540 x 599 mm; Weight:

106R03532

106R03534

106R03535

106R03533

106R03520

106R03522

106R03523

106R03521

Electrical

Dimensions (WxDxH)

72 lb. / 33 kg

Supplies

Certifications

⁴ Scan to available for C405 only; ⁵ Analogue phone line required.

Device Management

Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple® Bonjour®

Print Drivers

Windows® 7, 8, 10 Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012, Mac OS® version 10.9 and higher, Citrix, Redhat® Enterprise, Linux®, IBM® AIX® 5, HP-UX® 11iv2, Oracle® Solaris 9, 10, Fedora Core 12-15, SUSE®, Xerox® Global Print Driver®, Xerox® Mobile Express Driver®

Font Capability

136 PostScript fonts; 82 PCL fonts

Media Handling

Single-pass Duplex Automatic Document Feeder: 16 lb. Bond – 45 lb. cover / 60 – 125 gsm; Bypass Tray and Trays 1 and 2: 16 lb. bond – 80 lb. cover / 60 – 220 gsm

Operating Environment

Temperature: Storage: 32° to 95° F / 0° to 35° C; Operating: 50° to 90° F / 10° to 32° C; Humidity: 10% to 85%; Sound pressure levels: C400: Printing (Colour): 53.1 dB(A), Standby: 29.2 dB(A); C405: Printing (Colour): 52.3 dB(A), Standby: 28.7 dB(A); Sound power levels: C400: Printing (Colour) 6.88 B(A), Standby: 5.0 B(A); C405: Printing (Colour): 6.88 B(A), Standby: 5.0 B(A); Boot Time (from Off to UI Ready): as fast as 6 seconds.

Configurations vary by geography.

For more detailed specifications, go to www.xerox.com/VersalinkC400Specs or www.xerox.com/VersalinkC405Specs.

For more information, visit us at www.xerox.com/office.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, Global Print Driver®, Mobile Express Driver®, Phaser®, Scan to PC Desktop®, WorkCentre® and Xerox eConcierge® are trademarks of Xerox Corporation in the United States and/or other countries. As an ENERGY STAR or partner, Xerox Corporation has determined that this product meets the ENERGY STAR guidelines for energy efficiency (DN configurations). ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. The information in this brochure is subject to change without notice. 4/17 BR20530 VC4BR-012B



Standard Capacity Print Cartridges: Black: 2,500 pages std. pages ¹ Cyan: 2,500 pages std. pages ¹ Magenta: 2,500 pages std. pages ¹ Yellow: 2,500 pages std. pages ¹	106R03508 106R03510 106R03511 106R03509
Routine Maintenance Items: Imaging Unit (includes 4 imaging units): 60,000 std. pages each ² Waste Cartridge: 30,000 std. pages ²	108R01121 108R01124
Options 550-sheet Feeder Productivity Kit with 320 GB HDD Stand Wireless Network Adapter (Wi-Fi Kit) Foreign Device Interface Kit	097S04400 097S04914 497K13660 497K16750 497K17830

¹ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

² Approximate pages. Declared yield based on an average job size of 3 A4-/

letter-size pages. Vield will vary depending on job run length and media size and orientation.

ConnectKey®