

# **22B2DM**

# 21.5 inch (54.7 cm) LCD MONITOR

Modern and sleek 21.5" 3-sides borderless monitor with Full HD and eye-caring LowBlue and FlickerFree technology

**75**<sub>Hz</sub>















Wide viewing angle

Wide Viewing Angle features display color accurately at viewing angles of up to 178°. This way, it does not matter where you choose to view it from, colors will be displayed perfectly.



### **Frameless**

Besides looking modern and attractive, frameless designs enable seamless multi-monitor setups. Your cursor/windows will not be lost anymore in the dark abyss of bezels, when many displays are placed side by side.



## **Full HD Resolution**

Want to watch a Blu-ray movie in full quality, enjoy games in high resolution or read crisp text in office applications? Thanks to its Full HD resolution of 1920 x 1080 pixels, this monitor lets you do just that. Whatever you are viewing, with Full HD it will be displayed in rich detail without requiring a high-end graphics card or consuming a lot of your system's resources.



### **HDMI**

HDMI (High-Definition Multimedia Interface) is supported by the current gaming consoles, current GPUs, set-top boxes, supporting the HDCP digital content protection system. HDMI 1.3-1.4b versions support up to 144 Hz refresh rate@1080p and 75 Hz@1440p, while HDMI 2.0-2.0b versions support 240Hz@1080p, 144Hz@1440p and 60 Hz@2160p (4K).



### **MVA Panel**

The MVA (Multi-Domain Vertical Alignment) panel displays deeper blacks and a -high contrast for extra vivid and bright images.

General	
Model name	22B2DM
EAN	4038986199971
Product Line	Basic-line
Series	B2
Channel	B2C
Classification	Mainstream
Section	Consumer
Launch date	15-06-2021
Continent	Europe
Product status (EU)	Launch

Screen	
Resolution	1920x1080
Refresh rate	75Hz
Screen size (inch)	21.5 inch
Screen size (cm)	54.7 cm
Flat / Curved	Flat
Backlight	WLED
Panel Type	VA
Aspect ratio	16:9
Display Colours	16.7 Million
Panel Colour in Bits	8
NTSC coverage (%) (CIE 1931)	72 %
Active Screen Area (HxW)	476,64x268,11 mm mm
Pixel Pitch	0.2482
Response time (GtG)	4 ms
Contrast (static)	3000:1
Contrast (dynamic)	20M:1
Brightness (typical)	250 cd/m²
Viewing angle (CR10)	178/178 º
Hard Glass	Antiglare + 3H
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

less

<b>Ergonomics</b>	
Vesa Wallmount	100×100
Tilt	-5/21.5 °

Multimedia	
Audio output	Headphone out (3,5mm)

Company to the and Marking dis	
Connectivity and Multimedia	
Signal Input	HDMI 1.4 x 1, VGA, DVI

What's in the Box?	
HDMI cable	1,5 m
Power Cable C13	1,5 m

Power / Environmental	
Powersupply	External
Powersource	100 - 240V 50/60Hz
Power Consumption Standby	0.3 watt
Power Consumption Off	0.3 watt

Approbations / Regulations		
TUV-GS	1	
CE	1	
EAC	1	
ISO 9241-307 class I	1	
Rohs compliant	1	
Reach compliant	,	

Warranty	
Warranty Period	3 Years

Dimensions / Weights	
Product dimensions incl base	388.11(H) * 492.78(W) * 162.94(D)
Product dimensions excl base	292.68(H) * 492.78(W) * 36.2(D)
Packaging Dimensions (L x W x H)	370(H) *550(W) * 120(D) mm
Product Dimensions (incl base)	388.11(H) * 492.78(W) * 162.94(D) mm
Gross Weight (including package)	3.5 Kg
Net Weight (excluding package)	2.1 Kg

Features	
Sync Technology	AdaptiveSync
Flicker-free	•
Blue Light Technology	Low blue light
Kensington Lock	•

Sustainability	
HF	•
Mercury Free	
Recyclable packaging material	100%