



#23897

### Ultra-thin 10.000 mAh Powerbank

Ultra-thin powerbank for fast on-the-go charging (10.000 mAh)

### **Key features**

- Ultra-thin and lightweight design fits in any pocket or bag
- Fast and smart: automatically delivers the maximum power for your devices
- Compatible with all phones and tablets, including Apple and Samsung
- Stay connected: recharge your phone up to 4x
- Up to 46 extra hours of phone battery or 12 extra hours on your tablet
- Charge 3 devices at once thanks to 2 USB-A ports and 1 USB-C port



### What's in the box

- Powerbank
- Micro-USB charge cable
- User guide

### **System requirements**

• USB charger to charge the powerbank



**POWER** 












## Fast Power on-the-go

The days of empty phone batteries have come to an end. Fast-charging, the Trust Primo Powerbank 10.000 mAh is your convenient source of power when you're on-the-go. Compact in size, fully compatible via USB-A or USB-C ports, and charging three devices at once, you can now stay connected anywhere, anytime.

## **Portable with High Capacity**

Small in size, but big in functionality, the Primo offers 10.000 mAh capacity in a compact design and slips easily into any bag. With this travel companion you can stay connected when you're out and about, fully charging your phone up to 4 times and granting you up to 46 extra hours of phone battery or 12 extra hours on your tablet.\*\*Depends on brand/model and battery condition. For indication only



# OUTPUT PORTS USB-C 2X USB-A

#### Three Devices at Once

With 2 USB-A ports and 1 USB-C port you can charge virtually any device from any brand, including Apple and Samsung. You can also charge three devices simultaneously; plug in your phone, tablet and camera alike.

# **Speedy Charge and Recharge**

The Trust Primo Powerbank 10.000 mAh is fast and smart: it automatically delivers the maximum power for your devices\*\*. You can also quickly recharge the powerbank with the included micro-USB cable or via the USB-C port. The smart LED level indicator on the powerbank lets you know when it's time to recharge.\*\*Fast-charge with maximum speed via USB-C (15W) or USB-A (12W). Charging speed varies between devices







| ESENERAL       Number of USB ports     3     Height of main product (in mm)     15 mm       Width of main product (in mm)     72 mm     Depth of main product (in mm)     138 mm       (in mm)     240 g     Weight of main unit     230 g       PROTECTION       Protections     Over-charge, over-current, over-discharge, over-heat, over-load, short-circuit       INPUT       Input port     Micro-USB USB-C     Input power     5V/2A/10W       Fast re-charging     True     Battery composition (Alkaline, Li-lon, etc.)     Lithium-ion polymer       Battery capacity (mAh)     10.000 mAh     Battery voltage (Volt)     3.7 V       Recharge time     6 hours     Watt-hour rating     37 Wh       Number of charges- tablets     1.25     Number of charges- phones     3.3       Extra usage time- tablets     12 hours     Extra usage time- phones     46 hours       OUTPUT       USB port A types     2     USB port C types     1       Charging technology     USB-C, auto-detect     Output specification- Port 1     2.4A/12W, auto-detect       Output specification- Port 3       Jobal Salve (max): A, W  |                                |                            | Fillio Ollia-tillii Pow      | reibalik 10.000 iliAli - Pilik |
|--|--------------------------------|----------------------------|------------------------------|--------------------------------|
| Midth of main product (in mm)  | GENERAL                        |                            |                              |                                |
| Cin mm  Total weight   | Number of USB ports            | 3                          |                              | 15 mm                          |
| PROTECTION Protections Over-charge, over-current, over-discharge, over-heat, over-load, short-circuit  INPUT Input port Input port Fast re-charging True  Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) Input port Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) Input port Battery capacity (mAh) Input port Battery composition (Alkaline, Li-ion, etc.) Battery composition (Alkaline, Li-ion, etc.) It input port Battery composition (Alkaline, Li-ion, etc.) Battery composition (Alkaline,  |                                | 72 mm                      |                              | 138 mm                         |
| Protections Over-charge, over-current, over-discharge, over-heat, over-load, short-circuit  INPUT Input port Input port Fast re-charging True  POWER Safe & certified battery Battery capacity (mAh) Input pome Features Input pome Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) Input pome Battery capacity (mAh) Input pome Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) Input pome Battery capacity (mAh) Input pomposition (Alkaline, Li-ion, etc.) Input pomposition (Alkalin | Total weight                   | 240 g                      | Weight of main unit          | 230 g                          |
| INPUT Input port Micro-USB USB-C Input power 5V/2A/10W  Fast re-charging True  POWER Safe & certified battery True Battery composition (Alkaline, Li-ion, etc.) Ithium-ion polymer (Alkaline, Li-ion, etc.) Safe & certified battery Battery capacity (mAh) 10.000 mAh Battery voltage (Volt) 3.7 V  Recharge time 6 hours Watt-hour rating 37 Wh  Number of charges - 1.25 Number of charges - phones 1.25 Number of charges - phones 46 hours  OUTPUT  USB port A types 2 USB port C types 1  Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - 2.4A/12W, auto-detect Output specification - Port 1  Total output power (max): A, W  FEATURES Flashlight No Accessories Micro-USB cable   | PROTECTION                     |                            |                              |                                |
| Input port Micro-USB USB-C Input power 5V/2A/10W  Fast re-charging True  POWER  Safe & certified battery True Battery composition (Alkaline, Li-ion, etc.)  Battery capacity (mAh) 10.000 mAh Battery voltage (Volt) 3.7 V  Recharge time 6 hours Watt-hour rating 37 Wh  Number of charges - tablets 1.25 Number of charges - phones 3.3  Extra usage time - tablets 12 hours Extra usage time - phones 46 hours  OUTPUT  USB port A types 2 USB port C types 1  Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - Port 2  Total output power (max): A, W  FEATURES  Flashlight No Accessories Micro-USB cable  CONNECTIVITY   | Protections                    | over-discharge, over-heat, |                              |                                |
| POWER Safe & certified battery True Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) 10.000 mAh Battery voltage (Volt) 3.7 V Recharge time 6 hours Watt-hour rating 37 Wh Number of charges - 1.25 Number of charges - phones Extra usage time - 12 hours Extra usage time - phones  DUTPUT USB port A types 2 USB port C types 1 Charging technology USB-C, auto-detect Output specification - port 1 Output specification - 2.4A/12W, auto-detect Output specification - Port 2  Total output power (max): A, W  FEATURES Flashlight No Accessories Micro-USB cable  CONNECTIVITY   | INPUT                          |                            |                              |                                |
| POWER Safe & certified battery True Battery composition (Alkaline, Li-ion, etc.) Battery capacity (mAh) 10.000 mAh Battery voltage (Volt) Recharge time 6 hours Watt-hour rating 37 Wh Number of charges - tablets 1.25 Number of charges - phones Extra usage time - tablets 12 hours Extra usage time - phones  Extra usage time - phones  OUTPUT USB port A types 2 Charging technology USB-C, auto-detect Output specification - Port 1 Output specification - Port 2 Total output power (max): A, W  PEATURES Flashlight No Accessories  Battery composition Lithium-ion polymer (Alkaline, Li-ion, etc.) S.7 V  S. | Input port                     | Micro-USB USB-C            | Input power                  | 5V/2A/10W                      |
| Safe & certified batteryTrueBattery composition (Alkaline, Li-ion, etc.)Lithium-ion polymerBattery capacity (mAh)10.000 mAhBattery voltage (Volt)3.7 VRecharge time6 hoursWatt-hour rating37 WhNumber of charges - tablets1.25Number of charges - phones3.3Extra usage time - tablets12 hoursExtra usage time - phones46 hoursOUTPUTUSB port A types2USB port C types1Charging technologyUSB-C, auto-detectOutput specification - Port 12.4A/12W, auto-detectOutput specification - Port 22.4A/12W, auto-detectOutput specification - Port 33.0A/15W, USB-CTotal output power (max): A, W3A/15WMicro-USB cableFEATURESFlashlightNoAccessoriesMicro-USB cable   | Fast re-charging               | True                       |                              |                                |
| Battery capacity (mAh) 10.000 mAh Battery voltage (Volt) 3.7 V  Recharge time 6 hours Watt-hour rating 37 Wh  Number of charges - 1.25 Number of charges - phones 3.3  Extra usage time - tablets 12 hours Extra usage time - phones 146 hours  OUTPUT  USB port A types 2 USB port C types 1  Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - Port 2  Total output power (max): A, W  FEATURES  Flashlight No Accessories Micro-USB cable  CONNECTIVITY  | POWER                          |                            |                              |                                |
| Recharge time 6 hours Watt-hour rating 37 Wh Number of charges - 1.25 Number of charges - phones 3.3  Extra usage time - 12 hours Extra usage time - phones 46 hours  OUTPUT  USB port A types 2 USB port C types 1 Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - 2.4A/12W, auto-detect Port 3  Total output power (max): A, W  FEATURES  Flashlight No Accessories Micro-USB cable  CONNECTIVITY   | Safe & certified battery       | True                       |                              | Lithium-ion polymer            |
| Number of charges - tablets 1.25 Number of charges - phones 3.3  Extra usage time - tablets 12 hours Extra usage time - phones 46 hours  OUTPUT  USB port A types 2 USB port C types 1 Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - 2.4A/12W, auto-detect Output specification - Port 3  Total output power (max): A, W 3A/15W  FEATURES Flashlight No Accessories Micro-USB cable   | Battery capacity (mAh)         | 10.000 mAh                 | Battery voltage (Volt)       | 3.7 V                          |
| Extra usage time - tablets  DUTPUT  USB port A types Charging technology  USB-C, auto-detect Port 1  Output specification - Port 2  Total output power (max): A, W  FEATURES Flashlight  No  Accessories  Light auto-detect phones  Extra usage time - define - | Recharge time                  | 6 hours                    | Watt-hour rating             | 37 Wh                          |
| OUTPUT  USB port A types 2 USB port C types 1 Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - 2.4A/12W, auto-detect Output specification - Port 2  Total output power (max): A, W  FEATURES  Flashlight No Accessories Micro-USB cable  CONNECTIVITY  | Number of charges -<br>tablets | 1.25                       |                              | 3.3                            |
| USB port A types 2 Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - Port 2  Total output power (max): A, W  FEATURES Flashlight No Accessories  I Output specification - 2.4A/12W, auto-detect Output specification - 3.0A/15W, USB-C Port 3  Accessories  Micro-USB cable   |                                | 12 hours                   | Extra usage time -<br>phones | 46 hours                       |
| Charging technology USB-C, auto-detect Output specification - Port 1  Output specification - Port 2  Total output power (max): A, W  FEATURES Flashlight No Accessories  Output specification - Port 3  3.0A/15W, USB-C  Accessories  Micro-USB cable  | OUTPUT                         |                            |                              |                                |
| Output specification - 2.4A/12W, auto-detect Port 2  Total output power (max): A, W  FEATURES Flashlight No Accessories Micro-USB cable  CONNECTIVITY  | USB port A types               | 2                          | USB port C types             | 1                              |
| Port 2  Total output power (max): A, W  FEATURES Flashlight  No  Accessories  Micro-USB cable  | Charging technology            | USB-C, auto-detect         |                              | 2.4A/12W, auto-detect          |
| FEATURES Flashlight No Accessories Micro-USB cable  CONNECTIVITY   |                                | 2.4A/12W, auto-detect      |                              | 3.0A/15W, USB-C                |
| Flashlight No Accessories Micro-USB cable  CONNECTIVITY  |                                | 3A/15W                     |                              |                                |
| CONNECTIVITY   | <u>FEATURES</u>                |                            |                              |                                |
|  | Flashlight                     | No                         | Accessories                  | Micro-USB cable                |
|  | CONNECTIVITY                   |                            |                              |                                |
|  |                                | Yes                        |                              |                                |



Smartphone and tablet

Compatible Device Types Smartphone, tablet

**COMPATIBILITY** 

**General compatibility** 



**CONTROL** Indicators

Battery level

### **COLOUR VERSIONS**

Primo Ultra-thin Powerbank 10.000 mAh - Pink 23897



Primo Ultra-thin Powerbank 10.000 mAh 23595



Primo Ultra-thin Powerbank 10.000 mAh - Turquoise 23898









**PRODUCT VISUAL 1** 



**PRODUCT PICTORIAL 1** 



**PRODUCT PICTORIAL 2** 



**PRODUCT PICTORIAL 3** 



**PRODUCT PICTORIAL 4** 



**PRODUCT PICTORIAL 5** 



**PRODUCT PICTORIAL 6** 



**PRODUCT ESHOT 1** 



**PRODUCT VISUAL 2** 



**PRODUCT FRONT 1** 



**PRODUCT TOP 1** 



**PRODUCT EXTRA 1**