



#23901

Compact 15.000 mAh powerbank

Fast and high-capacity powerbank in compact design (15.000 mAh)

Key features

- High-capacity and compact design that fits in any pocket or bag
- Stay connected: recharge your phone up to 6x
- Compatible with all phones and tablets, including Apple and Samsung
- Fast and smart: automatically delivers the maximum power for your devices
- Up to 69 extra hours of phone battery or 18 extra hours on your tablet
- Charge 3 devices at once thanks to 2 USB-A ports and 1 USB-C port



What's in the box

- Powerbank
- Micro-USB charge cable
- User guide

System requirements

- USB charger to charge the powerbank



**15.000 MAH
POWER**



**FAST CHARGE
3A/15W**



**SAFE FOR
FLYING**




Fast Power on-the-go

The days of empty phone batteries have come to an end. Fast-charging and with high capacity, the Primo Powerbank 15.000 mAh is your convenient source of power when you're on-the-go. Compact in size, fully compatible via USB-A or USB-C ports, and charging three devices at once, you can now stay connected anywhere, anytime.

Portable with High Capacity

Small in size, but big in functionality, the Primo offers 15.000 mAh capacity in a compact design and slips easily into any bag. With this travel companion you can stay connected when you're out and about, fully charging your phone up to 6 times and granting you up to 69 extra hours of phone battery or 18 extra hours on your tablet.**Depends on brand/model and battery condition. For indication only



Three Devices at Once

With 2 USB-A ports and 1 USB-C port you can charge virtually any device from any brand, including Apple and Samsung. You can also charge three devices simultaneously; plug in your phone, tablet and camera alike.

Speedy Charge and Recharge

The Primo Powerbank 15.000 mAh is fast and smart: it automatically delivers the maximum power for your devices**. You can also quickly recharge the powerbank with the included micro-USB cable or via the USB-C port. The smart LED level indicator on the powerbank lets you know when it's time to recharge.**Fast-charge with maximum speed via USB-C (15W) or USB-A (10W). Charging speed varies between devices



GENERAL

Number of USB ports	3	Height of main product (in mm)	20 mm
Width of main product (in mm)	72 mm	Depth of main product (in mm)	138 mm
Total weight	340 g	Weight of main unit	330 g

PROTECTION

Protections	Over-charge, over-current, over-discharge, over-heat, over-load, short-circuit
-------------	--

INPUT

Input port	USB-C micro-USB	Input power	5V/2A/10W
Fast re-charging	True		

POWER

Safe & certified battery	True	Battery composition (Alkaline, Li-ion, etc.)	Lithium-ion polymer
Battery capacity (mAh)	15.000 mAh	Battery voltage (Volt)	3.7 V
Recharge time	9 hours	Watt-hour rating	55.5 Wh
Number of charges - tablets	1.75	Number of charges - phones	5
Extra usage time - tablets	18 hours	Extra usage time - phones	69 hours

OUTPUT

USB port A types	2	USB port C types	1
Charging technology	USB-C, auto-detect	Output specification - Port 1	2.4A/12W, auto-detect
Output specification - Port 2	2.4A/12W, auto-detect	Output specification - Port 3	3.0A/15W, USB-C
Total output power (max): A, W	3A/15W		

FEATURES

Flashlight	No	Accessories	Micro-USB cable
------------	----	-------------	-----------------

CONNECTIVITY

Cables included	Yes
-----------------	-----

COMPATIBILITY

Compatible Device Types	Smartphone, tablet	General compatibility	Smartphone and tablet
-------------------------	--------------------	-----------------------	-----------------------

CONTROL

Indicators

Battery level

COLOUR VERSIONS

**Primo Compact Powerbank
15.000 mAh - Pink**
23901



**Primo Compact Powerbank
15.000 mAh**
23594




**Primo Compact Powerbank
15.000 mAh - Turquoise**
23902






PRODUCT VISUAL 1



PRODUCT PICTORIAL 1



PRODUCT PICTORIAL 2



PRODUCT PICTORIAL 3



PRODUCT PICTORIAL 4



PRODUCT PICTORIAL 5



PRODUCT PICTORIAL 6




PRODUCT ESHOT 1



PRODUCT VISUAL 2



PRODUCT FRONT 1



PRODUCT TOP 1



PRODUCT EXTRA 1