# WD Blue<sup>™</sup>

DATA SHEET



## Highlights

- Reliable everyday computing
- Western Digital quality and reliability
- Free Acronis® True Image™ WD Edition cloning software
- Massive capacity up to 6TB
- Two year limited warranty

INTERFACE SATA 6 Gb/s FORM FACTOR	<b>MODEL NUMBERS</b> WD60EZAZ WD60EZRZ WD40EZRZ
3.5-inch	WD30EZRZ WD20EZAZ
PERFORMANCE CLASS 5400 RPM Class 7200 RPM Class	WD20EZRZ WD10EZRZ WD10EZEX WD5000AZRZ
CAPACITIES 500GB to 6TB	WD5000AZLX

#### THE WESTERN DIGITAL ADVANTAGE

Western Digital puts our products through extensive Functional Integrity Testing (F.I.T.) prior to any product launch. This testing ensures our products consistently meet the highest quality and reliability standards of the Western Digital brand.

Western Digital also has a detailed Knowledge Base with more than 1,000 helpful articles as well as helpful software and utilities. Our customer support lines have longer operational hours to ensure you get the help you need when you need it. Our tollfree customer support lines are here to help or you can access our Western Digital Support site for additional details. Western Digital WD Blue™ 3.5-inch PC hard drives deliver solid reliability for office and web applications, and they are perfect for extra storage for desktop PC computing.

#### **Tested For Compatibility**

We perform tests on hundreds of systems and a multitude of platforms in our F.I.T. Lab to give our customers confidence that our drives will work in their systems.

#### Low Power Consumption

State-of-the-art seeking algorithms and advanced power management features help ensure low power consumption.

## NoTouch™ Ramp Load Technology

Safely positions the recording head off the disk surface to protect your data.

#### Upgrading Your Drive is Easy

Seamlessly migrate your current system to your new Western Digital drive using Acronis® True Image™ WD Edition cloning software, available as a free download on the WD Support site. This software enables you to copy all your data to a new drive so you don't have to reinstall your operating system to get all the benefits of a new drive.

#### Two Year Limited Warranty

As an industry-leading hard drive manufacturer, Western Digital stands behind their PC storage solutions with a 2-year limited warranty included with every WD Blue hard drive.

WD Blue <sup>™</sup>
----------------------

#### DATA SHEET

Specifications	6ТВ	6ТВ	4TB	ЗТВ	2ТВ	2ТВ	1TB	1TB	500GB	500GB
Model Number <sup>2</sup>	WD60EZAZ	WD60EZRZ	WD40EZRZ	WD30EZRZ	WD20EZAZ	WD20EZRZ	WD10EZRZ	WD10EZEX	WD5000AZRZ	WD5000AZLX
Formatted capacity <sup>1</sup>	6TB	6TB	4TB	3TB	2TB	2TB	1TB	1TB	500GB	500GB
Form factor	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch	3.5-inch
Advanced Format (AF)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
RoHS compliant <sup>3</sup>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Performance										
Interface transfer rate (max) <sup>1</sup> Buffer to host Host to/from drive (sustained)	6 Gb/s 180 MB/s	6 Gb/s 170 MB/s	6 Gb/s 175 MB/s	6 Gb/s 147 MB/s	6 Gb/s 180 MB/s	6 Gb/s 147 MB/s	6 Gb/s 150 MB/s	6 Gb/s 150 MB/s	6 Gb/s 150 MB/s	6 Gb/s 150 MB/s
Cache (MB) <sup>1</sup>	256	64	64	64	256	64	64	64	64	32
Performance Class	5400 RPM	5400 RPM	5400 RPM	5400 RPM	5400 RPM	5400 RPM	5400 RPM	7200 RPM	5400 RPM	7200 RPM
Reliability/Data Integrity										
Load/unload cycles <sup>4</sup>	300,000	300,000	300,000	300,000	300,000	300,000	300,000	300,000	300,000	300,000
Non-recoverable read errors per bits read	<1 in 10 <sup>15</sup>	<1 in 1015	<1 in 10 <sup>14</sup>	<1 in 10 <sup>14</sup>	<1 in 1014	<1 in 1014	<1 in 1014	<1 in 10 <sup>14</sup>	<1 in 10 <sup>14</sup>	<1 in 1014
Limited warranty (years) <sup>5</sup>	2	2	2	2	2	2	2	2	2	2
Power Management <sup>6</sup>										
Average power requirements (W) 12VDC ±10% (A, peak) Read/Write Idle Standby and Sleep	1.75 4.8 3.1 0.6	1.75 5.3 3.4 0.4	1.75 4.5 2.9 0.4	1.73 4.1 3.0 0.4	1.31 4.1 2.3 0.6	1.73 4.1 3.0 0.4	1.2 3.3 2.5 0.4	2.5 6.8 6.1 1.2	2.0 3.3 2.5 0.4	2.0 3.3 2.5 0.4
Environmental Specificatio	ns <sup>7</sup>									
Temperature (°C, on the base cas Operating Non-operating	ting) 0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70	0 to 60 -40 to 70
Shock (Gs) Operating (2 ms, read/write) Operating (2 ms, read) Non-operating (2 ms)	30 65 250	30 65 250	30 65 250	30 65 250	30 65 350	30 65 250	30 65 350	30 65 350	30 65 350	30 65 350
Acoustics (dBA) <sup>8</sup> Idle Seek (average)	23 27	25 28	23 27	23 27	21 26	23 27	21 24	29 30	29 30	29 30
Physical Dimensions										
Height (in./mm, max)	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1	1.028/26.1
Length (in./mm, max)	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147	5.787/147
Width (in./mm, ± .01 in.)	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6	4/101.6
Weight (lb/kg, ± 10%)	1.40/0.64	1.65/0.75	1.40/0.64	1.40/0.715	0.99/0.45	1.32/0.60	0.99/0.45	0.99/0.45	0.99/0.45	0.99/0.45

<sup>1</sup> As used for storage capacity, one gigabyte (GB) = one billion bytes and one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment. As used for buffer or cache, one megabyte (MB) = 1,048,576 bytes. As used for transfer rate or interface, megabyte per second (MB/s) = one million bytes per corond acidabit par cached (Gb (b) = one billion bits second, and gigabit per second (Gb/s) = one billion bits per second. Effective maximum SATA 6 Gb/s transfer rate calculated according to the Serial ATA specification published by the SATA-IO organization as of the date of this specification sheet. Visit www.sata-io.org for details.

<sup>2</sup> Not all products may be available in all regions of the world. non-operating tests. <sup>3</sup> WD hard drive products manufactured and sold worldwide after June 8, 2011, meet or exceed Restriction of Hazardous <sup>8</sup>Sound power level.

Substances (RoHS) compliance requirements as mandated

by the RoHS Directive 2011/65/EU.

<sup>4</sup> Controlled unload at ambient condition.

<sup>5</sup> See http://support.wd.com/warranty for regional specific warranty details.

<sup>7</sup> Power measurements at room-ambient temperature.

<sup>6</sup> No non-recoverable errors during operating tests or after

## Western Digital.

5601 Great Oaks Parkway San Jose, CA 95119, USA US (Toll-Free): 800.801.4618 International: 408.717.6000

www.westerndigital.com

© 2018 Western Digital Corporation or its affiliates. All rights reserved. Produced 6/18. Western Digital, the Western Digital Coportion on its animates. An ingine test-rect induced with western Digital, the Western Digital Coportion or its affiliates in the US and/or other countries. All other marks are the property of their respective owners. Product specifications subject to change without notice. Picture shown may vary from actual product. Not all products are available in all regions of the world.

