


# EB-L1070U (white)

## DATASHEET / BROCHURE



The fit-and-forget laser projector with interchangeable lenses, that's ideal for scenarios that demand large, detailed and powerful images.

This affordable 7,000 lumens installation projector, with interchangeable lenses and laser image quality, is sold as 'body only' which allows the user to choose the most appropriate lens from Epson's wide range. With flexible installation, low maintenance, and a modern and compact design, this laser projector can be used in a range of large venues.

### Superior image quality

The EB-L1070U projects clear whites, vivid details, deep blacks, defined shadows and high contrast imagery.

### Flexible installation

The compact, unobtrusive design allows this projector to blend seamlessly into most environments. Its 360 degree usage arc and tilt-free technology, mean you can project in any direction.

### Interchangeable lenses

Just as a specific scenario dictates which camera lens is most appropriate to use – the same is true with different projection environments. That's why we've designed our projector body to accommodate different lenses. There are 11 interchangeable Epson lenses available, covering short to long-throw projection.

### Reliable

Epson has developed a 'maintenance-free light source' alternative laser projector range that's truly fit-and-forget.

## KEY FEATURES

- **Fit and forget**  
Fit almost anywhere. 360 degree angle projection freedom
- **Lens support**  
Supports a wide selection of Epson interchangeable lenses
- **Enhanced design**  
Clean, simple, compact and discreet design. White version.
- **Image quality**  
7,000 lumens, 4K enhancement, CLO, 3LCD, 2000:1 native contrast
- **Support**  
Five year / 20,000 hour warranty



**EPSON**  
EXCEED YOUR VISION

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0.76 inch with C2 Fine

### IMAGE

Colour Light Output	7,000 lumen- 4,900 lumen (economy) in accordance with IDMS15.4
White Light Output	7,000 lumen - 4,900 lumen (economy) in accordance with ISO 21118:2012
Portrait Colour Light Output	7,000 lm
Portrait White Light Output	7,000 lm
Resolution	WUXGA, 1920 x 1200, 16:10
High Definition	4K enhancement
Aspect Ratio	16:10
Contrast Ratio	Over 2,500,000 : 1
Native Contrast	2,000 : 1
Light source	Laser
Laser Light source	20,000 Hours Durability High, 30,000 Hours Durability Eco
Keystone Correction	Manual vertical: $\pm 45^\circ$ , Manual horizontal $\pm 30^\circ$
Colour Reproduction	upto 1.07 billion colours

### OPTICAL

Projection Ratio	1.44 - 2.33:1
Zoom	Motorized, Factor: 1 - 1.6
Lens Shift	Motorized - Vertical $\pm 67\%$ , horizontal $\pm 30\%$
Image Size	50 inches - 1,000 inches
Projection Lens F Number	1.7 - 2.3
Focal Distance	24 mm - 38.2 mm
Focus	Motorized
Interchangeable Lens	Yes
Projection Distance Wide	1.5 m - 31.6 m ( 50 inch screen)

### CONNECTIVITY

Interfaces	USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), WLAN (2x), VGA in, VGA out, DVI in, HDMI in, BNC in, HDBaseT, Stereo mini jack audio out, Stereo mini jack audio in (3x), HDMI (HDCP 2.2), Wireless LAN IEEE 802.11b/g/n (WiFi 4) (optional)
------------	--

### GENERAL

Energy Use	416 W, 299 W (economy), 0.5 W (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	545 x 436 x 164 mm (Width x Depth x Height)
Product weight	16.9 kg
Noise Level	Normal: 36 dB (A) - Economy: 30 dB (A)
Colour	White

### OTHER

Warranty	60 months Carry in or 20,000 h
----------	--------------------------------

## EB-L1070U (white)

### WHAT'S IN THE BOX

- CD Manual
- Cable cover
- Lens cap
- Power cable
- Quick Start Guide
- Remote control incl. batteries

---

## OPTIONAL ACCESSORIES

---

EB-L1070U (white)

- ELPHD02 - HDBaseT Transmitter [240v]  
V12H007A16
- Ceiling Pipe (700mm) - ELPFP14  
V12H003P14
- Ceiling Pipe (450mm) - ELPFP13  
V12H003P13
- HDBaseT Transmitter - ELPHD01  
V12H547041
- Ceiling Mount (White) - ELPMB22  
V12H003B22
- Air Filter - ELPAF46  
V13H134A46
- Ceiling Mount - ELPMB48 High EB-G7000/L1000  
V12H803010
- Wireless LAN Adapter - ELPAP10  
V12H731P01
- 3D Polarizer - ELPPL01  
V12H618A01

---

## OPTIONAL LENSES

---

- Lens - ELPLL08 - Long throw - G7000/L1000 series  
V12H004L08
- Lens - ELPLM11 - Mid throw 4 - G7000/L1000 series  
V12H004M0B
- Lens - ELPLU03 - G7000 & L1000 Series ST off axis 1  
V12H004U03
- Lens - ELPLM08 - Mid throw 1 - G7000/L1000 series  
V12H004M08
- Lens - ELPLX01W - UST lens G7000 series & L1100,1200,1300,1400/5U  
V12H004Y01
- Lens - ELPLX01 - UST lens G7000 series & L1100,1200,1300,1400/5U  
V12H004X01
- Lens - ELPLM10 - Mid throw 3 - G7000/L1000 series  
V12H004M0A
- Lens - ELPLW06 - L1500U/1505U wide zoom 2  
V12H004W06
- Lens - ELPLW08 - Wide throw  
V12H004W08
- Lens - ELPLW05 - G7000 & L1000 Series wide zoom 1  
V12H004W05
- Lens - ELPLU04 - G7000 & L1000 Series ST off axis 2  
V12H004U04

---

## LOGISTICS INFORMATION

---

SKU	V11H940940
EAN code	8715946672496
Country of Origin	China

---



For more information please contact:

Home users: 0343 90 37766  
Business users\*: 0871 42 37766  
Republic of Ireland: 01 436 7742  
Or visit us at <https://www.epson.co.uk/contactus>  
\* 10p per minute plus network extras.

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.  
Last extracted: 2019-09-26

**EPSON**<sup>®</sup>