C9462Series[LC]-SDS_UK-EU English-02.pdf

C9462Series[LM]-SDS_UK-EU English-03.pdf



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

C9462Series[LC]

Use of the

Substance/Preparation

Inkjet printing

Version #

02

Revision date

01-Mar-2011

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and

diarrhea.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *2-pyrrolidone*

Contact with skin may result in irritation.

Alkyldiol

Contact with skin may result in irritation.

Polymer 683-K salt

Contact with skin may result in irritation.

Eye contact *2-pyrrolidone*

Contact with eyes may result in irritation.

Alkyldiol

Contact with eyes may result in irritation.

Polymer 683-K salt

Contact with eyes may result in irritation.

Inhalation *2-pyrrolidone*

Inhalation may result in respiratory irritation.

Alkyldiol

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Polymer 683-K salt

Swallowing large amounts may cause digestive discomfort. Ingestion may result in nausea,

vomiting and diarrhea.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Material name: C9462Series[LC]

9391 Version #: 02 Revision date: 01-Mar-2011 Print Date: 01-Mar-2011 1 / 5

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This cyan ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION	'INFORMATION ON	INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
Water	7732-18-5	70 - 80	231-791-2	
2-pyrrolidone	616-45-5	5 - 7.5	210-483-1	Xi;R36/38
Alkyldiol	Proprietary	5 - 7.5	Proprietary	
Diethylene glycol	111-46-6	1 - 2.5	203-872-2	Xn;R22
Polymer 683-K salt		1 - 2.5		

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media CO2, water, dry chemical, or foam

Extinguishing media which

must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

Combustion generates toxic fumes of fluoride/fluoine compounds; aldehydes; ketones; potential

for acetylene.

Specific methods **Hazardous combustion**

None established.

products

Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Keep in a dry place. Keep away from excessive heat or cold. Store away from strong oxidizers. **Storage**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

United Kingdom

Components	Туре	Value	
Diethylene glycol (111-46-6)	TWA	23.0000 ppm	
		101.0000 mg/m3	

Material name: C9462Series[LC]

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

Eye protection Not required under intended use.

Skin and body protection Protected gloves not required under intended use.

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liquid

FormNot available.ColorLight CyanOdorNot available.Odour thresholdNot available.

pH 9.2

Boiling point Not determined

Flash point > 93.3 °C (> 200 °F) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressureNot determinedRelative densityNot available.Solubility (water)Soluble in waterPartition coefficient
(n-octanol/water)Not available

Viscosity
Not available.

Vapor density
Not available.

Evaporation rate
Not determined
Melting point
Not available.

Freezing point
Not available.

Auto-ignition temperature
Not determined

Specific gravity 1 - 1.1 **VOC** < 190 q/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

hydrogen fluoride fluorinated hydrocarbons

ketones aldehydes

Stability Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/l

 Material name:
 C9462Series[LC]

 9391
 Version #: 02
 Revision date: 01-Mar-2011
 Print Date: 01-Mar-2011
 3 / 5

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

Not regulated as dangerous goods.

ΤΔΤΔ

Proper shipping name Not applicable **Hazard class** Not applicable

UN number None **Packing group** N/A **Packaging exceptions** None

Not regulated as dangerous goods.

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 2-pyrrolidone, Alkyldiol, Diethylene glycol, Polymer 683-K salt, Water **EC Label** This product does not require a label according to EU Directive 1999/45/EC.

All chemical substances in this HP product have been notified or are exempt from notification **Regulatory information**

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

Other information Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 01-Mar-2011

This data sheet contains changes from the previous version in section(s):

EXPOSURE CONTROLS/PERSONAL PROTECTION: Respiratory protection EXPOSURE CONTROLS/PERSONAL PROTECTION: Eye protection

EXPOSURE CONTROLS/PERSONAL PROTECTION: Skin and body protection

PHYSICAL AND CHEMICAL PROPERTIES: Color

PHYSICAL AND CHEMICAL PROPERTIES: Other information TOXICOLOGICAL INFORMATION: Further information TRANSPORT INFORMATION: Further information

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9462Series[LC] SDS UK

9391 Version #: 02 Revision date: 01-Mar-2011 Print Date: 01-Mar-2011

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9462Series[LC]



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

C9462Series[LM]

Use of the

Substance/Preparation

Inkjet printing

Version #

03

Revision date

02-Mar-2011

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and

diarrhea.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *2-pyrrolidone*

Contact with skin may result in irritation.

Alkyldiol

Contact with skin may result in irritation.

Polymer 683-K salt

Contact with skin may result in irritation.

Eye contact *2-pyrrolidone*

Contact with eyes may result in irritation.

Alkyldiol

Contact with eyes may result in irritation.

Polymer 683-K salt

Contact with eyes may result in irritation.

Inhalation *2-pyrrolidone*

Inhalation may result in respiratory irritation.

Alkyldiol

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Polymer 683-K salt

Swallowing large amounts may cause digestive discomfort. Ingestion may result in nausea,

vomiting and diarrhea.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Material name: C9462Series[LM]

9393 Version #: 03 Revision date: 01-Mar-2011 Print Date: 02-Mar-2011

1 / 5

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This light magenta ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
Water	7732-18-5	70 - 80	231-791-2	
2-pyrrolidone	616-45-5	5 - 7.5	210-483-1	Xi;R36/38
Alkyldiol	Proprietary	5 - 7.5	Proprietary	
Diethylene glycol	111-46-6	1 - 2.5	203-872-2	Xn;R22
Polymer 683-K salt		1 - 2.5		

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If material is ingested, immediately contact a physician or poison control centre.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media CO2, water, dry chemical, or foam

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

Combustion generates toxic fumes of fluorides/ fluorine compounds; aldehydes; ketones; potential

for acetylene.

Specific methods

None established.

Hazardous combustion

products

Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Use personal protective equipment to minimize exposure to skin and eye. See

also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong **Storage**

oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

United Kingdom

Components	Туре	Value	
Diethylene glycol (111-46-6)	TWA	23.0000 ppm	

Material name: C9462Series[LM]

Components **Type Value**

101.0000 mg/m3

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

Not required under intended use. Eye protection

Skin and body protection Protected gloves not required under intended use.

General Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice. **Hygiene measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liauid

Form Not available. Color Light Magenta Odor Not available. **Odour threshold** Not available.

pН 9.2

Not determined **Boiling point**

93.3 °C (200 °F) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Not available. **Relative density** Solubility (water) Soluble in water **Partition coefficient** Not available

(n-octanol/water)

Viscosity Not available.

Not available. Vapor density **Evaporation rate** Not determined Not available. **Melting point** Not available. Freezing point **Auto-ignition temperature** Not determined

Specific gravity

VOC < 183 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride,

fluorinated hydrocarbons

Stability Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Material name: C9462Series[LM] SDS UK 9393 Version #: 03 Revision date: 01-Mar-2011 Print Date: 02-Mar-2011

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Proper shipping name Not applicable **Hazard class** Not applicable

UN number None **Packing group** N/A **Packaging exceptions** None

IMDG

Not regulated as dangerous goods.

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

2-pyrrolidone, Alkyldiol, Diethylene glycol, Polymer 683-K salt, Water **Contains EC Label** This product does not require a label according to EU Directive 1999/45/EC.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

Other information Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 02-Mar-2011

This data sheet contains changes from the previous version in section(s):

EXPOSURE CONTROLS/PERSONAL PROTECTION: Respiratory protection EXPOSURE CONTROLS/PERSONAL PROTECTION: Eye protection

EXPOSURE CONTROLS/PERSONAL PROTECTION: Skin and body protection

PHYSICAL AND CHEMICAL PROPERTIES: Color

PHYSICAL AND CHEMICAL PROPERTIES: Other information TOXICOLOGICAL INFORMATION: Further information TRANSPORT INFORMATION: Further information

Manufacturer information

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9462Series[LM] 9393 Version #: 03 Revision date: 01-Mar-2011 Print Date: 02-Mar-2011

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

National Institute for Occupational Safety and Health **NIOSH**

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C9462Series[LM]