Fujitsu recommends Windows 10 Pro for business.



# Data Sheet FUJITSU Notebook LIFEBOOK U7410

### Ultra-Mobile Meets Ultra Secure

The new FUJITSU Notebook LIFEBOOK U7410 is a slim and light ultra-mobile notebook based on the 10h generation Intel® Core™ processor for business professionals seeking optimum mobility for business trips and ergonomics in the office. The 35.6cm (14-inch) screen, light weight of 1.49 kg (3.15 lbs.), Intel® Thunderbolt™ ports, and 11,5 hours battery runtime enables it to provide excellent mobility and portability. Ergonomic viewing, outstanding security with the integrated PalmSecure™ or finger print sensor, and a smart design makes it the notebook of choice in today's modern workstyle.

### Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

A remarkably slim 19 mm ultra-mobile notebook starting from 1.49 kg, HD or FHD display, antiglare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and number pad

### Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Webcam Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

### Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 3 USB Type-C connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G and eSIM ready

### Convenient upgradeability

Direct access to key components reduces upgrade time and costs

■ Battery, memory and internal storage can be changed easily

### Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

 Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and Bit Image across the ultra-mobile LIFEBOOK U7 family













# Components

Base unit	LIFEBOOK U7410	
Operating systems		
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro for business. Windows 10 Home	
Operating system notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.	
Processor	Intel® Core™ i7-10610U processor (4 Cores / 8 T	hreads, 1.8 GHz, up to 4.9 GHz)
	Intel® Core™ i7-10510U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz) *	
	Intel® Core™ i5-10310U processor (4 Cores / 8 T	hreads, 1.7 GHz, up to 4.4 GHz)
	Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) *	
	Intel® Core™ i3-10110U processor (2 Cores / 4 Threads, 2.1 GHz, up to 4.1 GHz) *	
	*Processor only for retail, SMB, education and government	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, , SO DIMM	
•	8 GB (1 module(s) 8 GB) DDR4, , SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, , SO DIMM	
	32 GB (1 module(s) 32 GB) DDR4, , SO DIMM	
Hard disk drives (internal)	PCIe-SSD, 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module, SED	
	PCIe-SSD, 256 GB M.2 NVMe module	
	PCIe-SSD, 32 GB Optane + 512 GB M.2 NVMe module, SED	
	PCIe-SSD, 1 TB M.2 NVMe module, SED	
Hard disk notes	Accessible capacity may vary, also depending on used software.	
Interface add on cards/components (optional)		
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat.6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)	
	LTE Fibocom L850-GL (Cat.9) (Downlink speed up to 450 Mbit/s, Uplink speed up to 50 Mbit/s)	
Multimedia		
Camera	Built-in webcam (HD) with Status LED	Built-in Infrared webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720	720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter
Microphone	dual digital array microphone	

## Base unit

LIFEBOOK U7410
Integrated
4 GB
64 GB
2 SO DIMM (DDR4, 2666 MHz)
Dual channel support

General system information		
LAN	10/100/1,000 MBit/s Intel® I219LM	
Integrated WLAN	Intel WiFi 6 AX201	
BIOS version	UEFI Specification 2.7	
BIOS features	InsydeH20 BIOS	
Audio type	On board	
Audio codec	Realtek ALC255 with MaxxAudio	
Audio features	2x built-in speakers (stereo)	
Display		
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 4: FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 8	
Brightness - typical	HD - 220cd/m <sup>2</sup> , FHD - 300 cd/m <sup>2</sup> , Touch - 300 cd/m <sup>2</sup>	
Contrast - typical	HD - 350:1, FHD - 700:1, Touch - 700:1	
Graphics		
Base unit	LIFEBOOK U7410	
TFT resolution (HDMI)	up to 3,840 x 2,160 @ 30 Hz	
TFT resolution (VGA)	up to 1,920 x 1,200	
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	
TFT resolution (DisplayPort on Port	up to 4,096 x 2,160 @ 60Hz	
Replicator)		
Graphics brand name	Intel® UHD Graphics	
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5	
Graphics notes	Shared memory depending on main memory size and	d operating system
Interfaces	7 1 3 7	
DC-in	1	
Audio: line-out / headphone	1 (combo port with Audio line in)	
Audio: line-in / microphone	1 (combo port with Audio line-in) 1 (combo port with Audio line-out)	
Internal microphones	2x digital array microphones (optional)	
USB 3.2 Gen 1 (5 Gbps) total	2x Type-A (1 with Anytime USB charge functionality)	
USB 3.2 Gen 2 (10 Gbps) total	2x type-A (1 with Anythine osb charge infictionality)  1x Type-C Intel® Thunderbolt™ 3 (with Power Delivery functionality)	
USB Type-C	USB 3.2 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP out	
VGA	1	
DisplayPort	1 (via USB Type-C adapter) - v1.2	
HDMI	1 v1.4	
Ethernet (RJ-45)	1 (with status LED)	
Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)	
SmartCard slot	1 (optional)	
SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE	module)
eSIM card	supported	
Port Replicator interfaces (optional)		
	Model: NPR46 (mech. PR)	Model: Thunderbolt 3 PR
DC-in	1 (19V)	1 (19V)
Power on switch	1	1
Audio: headphone	1	

Port Replicator interfaces (optional			
Audio: comments		Combo jack for headset usage	
USB 3.1 Gen1 (USB 3.0) total	4x Type-A		
	2x Type-C		
USB 3.1 Gen2 total		1x USB3.1 Gen.2 Type A - 5V, 2,4A, 4,5W charging port 2x USB3.1 Gen.2 Type A - 5V, 09A, 4,5W charging ports 2x USB3.1 Gen.2 Type C - 5V, 1,5A, 15W charging port 1x USB3.1 Gen.2 Type C - TBT3 up to 60 W (PD v2.0-1.1), 5-20V, 3.0A upstream (PC) 1x USB3.1 Gen.2 Type C - TBT3 up to 15 W (PD v2.0-1.1), 5V, 3.0A downstream 4.5W power output to client	
USB 3.2 Gen 1 (5 Gbps) total		2x Type-A - 4,5W 1x Type-A - 12W	
USB 3.2 Gen 2 (10 Gbps) total		1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	
DisplayPort	2	2	
VGA	1		
DVI	1		
HDMI text		1	
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)	1	
Notes		RJ-45: 10/100/1000 MBits/s LAN WoL from S3 state WoL from S4 / S5 / G3 state depending on Fujitsu mobile client PXE launching for dedicated FJ mobile C clients Set the MAC address by the user MAPT	
Keyboard and pointing devices			
		uchstick, Backlight keyboard w/o touchstick (spill-resistant)	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, K	eyboard stroke: 1.7 mm	
	Multi gesture touchpad with two mouse buttons Status LED Power Button		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional		
Bluetooth	v5.0		
Integrated WLAN	Intel WiFi 6 AX201		
WLAN encryption	WPA/WPA2 (Wi-Fi Protected Access)		
WLAN notes	Import and usage according to country-specific regulation	ons.	
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (cat.6) LTE Fibocom L850-GL (cat.9)		
GPS	Embedded in 4G module if configured with WWAN		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator		
1st battery options	3,490 mAh, 50 Wh	, , , , , , , , , , , , , , , , , , , ,	
1st battery	Lithium polymer battery 4-cell, 50 Wh		
Battery features	Quick Charge: 80% in 1h		
Runtime 1st battery	up to 11 h 30 min		
<u> </u>	I .		

Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between	
	manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	332.6 x 234 x 19.0mm (non-touch and touch) mm	
	13.09 x 9.21 x 0.75 (non-touch and touch) inch	
Weight	From 1.46kg (non-touch). 1.47 kg (touch)	
Weight (lbs)	From 3.22 (non-touch), 3.24 (touch) lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 80 %	
 Compliance		
Product	LIFEBOOK U7410	
Model	7U14A1	
Germany	GS planned (Full HD Display only)	
Еигоре	CE	
	СВ	
JSA/Canada	FCC (depending on configuration)	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 7.1 EPEAT® in progress (dedicated regions) TCO Certified 8.0 (depending on configuration)	
China	CCC (depending on configuration)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)	
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology	
Manageability software	DeskView Client DeskView Instant BIOS Management	

Inventory Management BIOS Management Driver Management Security Management Alarm Management
WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
http://www.fujitsu.com/fts/manageability
EraseDisk Trusted Platform Module (TPM 2.0)
Embedded PalmSecure™ sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password

Warranty		
Warranty period	2 years (for countries within EMEIA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
<b>Product Support Services - the perfo</b>	ect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	5 years after end of product life	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

## Recommended Accessories

Wireless Mouse Touch WI910



The Fujitsu Wireless Mouse Touch WI910 has a special touch sensitive surface that recognizes when your hand touches the mouse even before you move it. This provides nearly instantaneous wake-up from the intelligent energy saving sleep mode. Unbeatable responsiveness combines with features like switchable resolution, and three programmable buttons for a unique user experience.

Order Code: S26381-K465-L100

The Plevier Manasse 14 leather case is a compact and classic carrier for on the go. Available for notebooks up to 14 inches with a padded compartment, the sleeve ensures protection for your device while providing a sleek and subtle design in a black leather nappa shade.

Order Code: S26391-F1193-L62



MANASSE 14

### More information

### Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK U7410, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU Notebook LIFEBOOK U7410, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html

Copyright 2020 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2020-05-27 EM-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020 Fujitsu Technology Solutions GmbH