HP Scanjet Pro 2000 s2 Sheet-feed Scanner



(6FW06A)

From paper stacks to clear desks – for a great value.

Fast, affordable, and designed to handle everything from simple colour jobs to complex workflows. Quickly and reliably digitise larger projects with scan speeds up to 35 ppm/70 ipm and a 50-page ADF. Recommended for 3,500 pages per day.





Small size. Fast scans. Same reliable results.

- Produce scans at up to 35 ppm/70 ipm¹ with two-sided scanning that captures both sides at once.
- Free up space for work. This HP ScanJet Pro is small and slim a modern design perfect for the desktop.
- Don't wait for warm-up HP Instant-on Scanning lets you begin scanning quickly.
- Load up to 50 pages into the automatic document feeder for fast, unattended scanning.

Optimise workflows with one-touch scanning

- Streamline routine work with one-touch scanning create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, searchable PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Capture and organise documents, business cards, and other file types with feature-rich software.
- Produce clear, legible scans up to 1200 dpi resolution.

Accessories and services

Accessories	8PA50A HP Scanjet 2000s2/3000s4/4000snw1 Sheet Kit
	C9943B HP ADF Cleaning Cloth Package
	L2756A HP ScanJet 5000 s4/7000 s3 Roller Replacement Kit
Service and Support	U9JR0E - HP 3 year Standard Exchange Scanjet Pro 3xxx Service U9JR1E - HP 3 year Next Business Day Exchange Scanjet Pro 3xxx Service U9JR3E - HP 3 year Next Business Day Onsite Exchange Scanjet Pro 3xxx Service U9JR3E - HP 3 year Return to Depot Scanjet Pro 3xxx Service U9JR4PE - HP 1 year Post Warranty Standard Exchange Scanjet Pro 3xxx Service U9JR5PE - HP 1 year Post Warranty Next Business Day Exchange Scanjet Pro 3xxx Service U9JR6PE - HP 1 year Post Warranty Next Business Day Onsite Exchange Scanjet Pro 3xxx Service U9JR7PE - HP 1 year Post Warranty Return to Depot Scanjet Pro 3xxx Service U9JR7PE - HP 1 year Post Warranty Return to Depot Scanjet Pro 3xxx Service U9JT1E - HP Installation Service wireless/network Personal Scanner & Printer

Technical specifications

Control panel	Scan button, Power button with a LED and a LED for Error indication
Scanner specifications	Scanner type Sheetfed; Scan technology: CMOS CIS; Scan input modes: One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA; Twain version: Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a; Colour scanning: Yes; Output resolution dpi settings: 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling.
Scan speed ³	Up to 35 ppm/70 ipm
Scan resolution	Optical Up to 600 dpi; Hardware: 600 x 600 dpi
Scan file format	For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (.txt), Rich Text (.rtf) and Searchable PDF
Scanner advanced features	Auto-colour detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, colour drop out, straighten the page, scan to cloud, scan to email, PDF security, Citrix Ready
Grayscale levels/Bit depth	256/24-bit (external), 48-bit (internal)
Auto document feeder capacity	Standard, 50 sheets
Connectivity	Standard USB 3.0;
Memory	Standard 256 MB;
Media handling	
Media types	Cut Sheet Paper; Printed Paper (Laser and ink); Pre-Punched Paper; Bank Checks; Business Cards; Freight Bills; Carbonless forms; Plastic Carrier sheets for easily damaged documents; Previously stapled media with staple removed; Plastic cards (up to 1.24 mm)
Media size (ADF)	$ISO \ A4: 210 \times 297 \ mm \ (8.3 \times 11.7 \ in); \ JIS \ B5: 182 \times 257 \ mm \ (7.2 \times 10.1 \ in); \ ISO \ B5: 176 \times 250 \ mm \ (7.0 \times 9.9 \ in); \ ISO \ A5: 148 \times 210 \ mm \ (5.8 \times 8.3 \ in); \ ISO \ A6: 105 \times 148 \ mm \ (5.8 \times 4.1 \ in); \ ISO \ A7: 74 \times 104 \ mm \ (2.9 \times 4.1 \ in); \ ISO \ A8: 52 \times 74 \ mm \ (2.0 \times 2.9 \ in); \ Custom: 5.08 \times 7.36 \ cm \ to 21.6 \times 309.9 \ cm \ (2.0 \times 2.9 \ in \ to \ 8.5 \times 122 \ in)$
Media weight (ADF)	40 to 210 g/m2
Compatible operating systems	Microsoft® Windows® (10, 8.1, 7, XP: 32/64 bit, 2008 R2, 2012 R2, 2016, 2019); MacOS (Catalina 10.15, Mojave 10.14, High Sierra 10.13); Linux (Ubuntu, Fedora, Debian, RHEL, Linux Mint, Open Suse, Manjaro); Citrix ready
Minimum system requirements	PC: macOS Catalina 10.15, macOS Mojave 10.14, macOS High Sierra 10.13, Microsoft® Windows® 10, 8.1, 7, XP: 32/64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Software included	Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan, HP Scanner Tools Utility, I.R.I.S Readiris Pro, I.R.I.S Cardiris, OpenText ISIS
Print Server Specifications	
Security management	Power button to on/off device
Dimensions and weight	
Product dimensions (W x D x H)	Minimum: 300 x 172 x 154 mm; Maximum: 300 x 410 x 310 mm
Package dimensions (W x D x H)	397 x 248 x 242 mm
Product weight	2.7 kg
Package weight	4.2 kg
Operating environment	Temperature: 17.5 to 25°C Humidity: 30% to 70% relative humidity (RH)
Storage	Temperature: -40 to 60°C
Power ¹	Requirements: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use; Consumption: 4.4 Watts (ready), 24 Watts (scanning), 1.2 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off); ENERGY STAR: Yes
Certifications	IEC 60950-1:2005+A1:2009+A2:2013/EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013; IEC 62479:2010/EN 62479:2010; IEC 62471:2006/EN 62471:2008 Electromagnetic compatibility: CISPR 22:2008 & CISPR 32:2012/EN 55032:2012 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010 CECP; ENERGY STAR® 3.0 certified; EPEAT® Silver
What's in the box	6FW06A HP Scanjet Pro 2000 s2 Sheet-feed scanner; Power cord; Power adapter; USB cable; Scanner engine; Flyers; Install guide
Warranty	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP world-class service and support options in your region.

Footnotes

1 Scan speed measured at 300 dpi (black-and-white, grayscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

- 1 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

 ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 ³ Sheet feed speeds: (All resolutions up to and including 300 ppi). Simplex 35 A4 pages per minute. Duplex 70 A4 images per minute.

















