

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

HP Color LaserJet CF358A Imaging Drum Cartridge

designation of the mixture

Registration number N/A
Synonyms None.
Issue date 08-Nov-2013

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesThis product is a black toner preparation that is used in HP Color LaserJet Enterprise flow MFF

M880 series printers.

Uses advised against None known.

Company identification Hewlett-Packard, Ltd.

Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 44 (0) 879 013 0790

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Hazard summary

Physical hazardsNot classified for physical hazards. **Health hazards**Not classified as a health hazard.

Environmental hazards Not classified for hazards to the environment.

Specific hazardsNot available.Main symptomsNot available.

2.2. Label elements

Label according to Directive 67/548/EEC or 1999/45/EC as amended

Contains: Amorphous silica, Carbon black, Styrene acrylate copolymer, Titanium dioxide, Wax

R-phrase(s)
Not available.
S-phrase(s)
Not available.
Not available.
Supplemental label
Information
Not applicable.

2.2.04....

2.3. Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. This preparation contains no component

classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very

Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: CF358A SDS UK

Version No.: 01 Print date: 08-Nov-2013

1/8

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer		<85	Trade Secret	-	-	
Classification:	DSD:	-	-			
	CLP:	-				
Carbon black		<10	1333-86-4 215-609-9	-	-	
Classification:	DSD:	-				
	CLP:	-				
Wax		<10	Trade Secret	-	-	
Classification:	DSD:	-				
	CLP:	-				
Amorphous silica		<3	7631-86-9 231-545-4	-	-	
Classification:	DSD:	-				
	CLP:	-				
Titanium dioxide		<1	13463-67-7 236-675-5	-	-	
Classification:	DSD:	-				
	CLP:	Carc. 2;H351				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician. Not available.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any

immediate medical attention and special treatment

needed

No notes to physicians.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

Version No.: 01 Print date: 08-Nov-2013

None known.

5.2. Special hazards arising

media

Not available.

from the substance or

mixture

Material name: CF358A SDS UK

2/8

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Minimize dust generation and accumulation.

personnel

For emergency responders

Not available.

6.2. Environmental

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

precautions

6.3. Methods and material for

Not available.

containment and cleaning up

6.4. Reference to other

Not available.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers.

Store at room temperature.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
		10 mg/m3	Inhalable

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level

(DNEL)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Respiratory protection Not available. Thermal hazards Not available. **Hygiene measures** Not available.

Material name: CF358A SDS UK

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceFine powderPhysical stateSolid.FormsolidColorBlack.

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and Not applicable

boiling range

Flash point

Flash point

Evaporation rate

Not applicable

Not applicable

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not flammable

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not applicable Relative density 1 - 1.2

Solubility(ies) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not applicable

Decomposition temperature > 392 °F (> 200 °C)

Viscosity Not applicable

ViscosityNot applicable **Explosive properties**Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous Will not occur.

reactions

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General informationNot available.Information on likely routes of exposureIngestionNot available.InhalationNot available.Skin contactNot available.Eye contactNot available.SymptomsNot available.

11.1. Information on toxicological effects

Material name: CF358A SDS UK

Acute toxicity Test Results Components **Species** Amorphous silica (CAS 7631-86-9) **Acute** Oral LD50 > 15000 mg/kgMouse > 22500 mg/kg Rat Carbon black (CAS 1333-86-4) **Acute** Oral LD50 Rat > 8000 mg/kgSkin corrosion/irritation Not available. Serious eye damage/eye Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU irritation Directive 67/548/EEC and as amended.

Respiratory sensitization Not available.

Skin sensitization Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Germ cell mutagenicity Carcinogenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not available.

Aspiration hazard

information

Not available. Mixture versus substance Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

Product Species Test Results CF358A LC50 > 100 mg/l, 96 Hours Fish Fish **Components Test Results Species** Titanium dioxide (CAS 13463-67-7) **Aquatic** EC50 > 1000 mg/l, 48 hours Crustacea Water flea (Daphnia magna) Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

Material name: CF358A SDS UK

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Not available.

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects

This product has not been tested for ecological effects.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Material name: CF358A SDS UK

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulationsAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

National regulations 15.2. Chemical Safety Not available. Not available.

Assessment

SECTION 16: Other information

References Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

H351 Suspected of causing cancer.

Revision information None.

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CF358A SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF358A SDS UK