# HIGH-PERFORMANCE BLACK AND WHITE LASER PRINTERS FOR BUSY SMALL BUSINESSES



#### i-SENSYS MF540 series

Ultra-fast results from a compact and reliable multifunctional black and white laser printer, ideal for hard-working small businesses











APPLICATION LIBRARY Customisable on screen application





PRODUCTIVITY
Double-sided printing

#### Productivity boosting print speeds

The Canon i-SENSYS MF540 series benefits from superior printing speeds for first-class productivity. Ideal for heavy workloads, both MF542x and MF543x are capable of print speeds of up to 43ppm in A4. Printing is made even more efficient with double-sided printing and single-pass double-sided scanning, for enhanced levels of productivity.

### Customise to your business

Keep operation straightforward with customised on-screen controls. The Application Library means you can tailor your on-screen buttons for superior efficiency and intuitive use – print saved forms, scan to email and copy with just a single tap of a button.

#### Security as standard

Put security questions to rest with a secure PIN document release function, which allows businesses

greater control over confidential material. The Universal Login Manager (ULM) also offers user authentication for even greater privacy.

#### Mobile connectivity

A must for small business owners and sole traders, printing from mobile devices is only ever a tap away with the Canon i-SENSYS MF540 series. The versatile range of mobile connections includes AirPrint (iOS) and Mopria (Android) support, as well as the Canon PRINT Business app.

#### Top performance

Whether you are printing a sales presentation or a small document for internal use, the Canon i-SENSYS MF540 series ensures prints are always of the highest quality. It also produces better yields thanks to improved toner cartridges.







MF542x

N A		Е	1	7	٠,
IVI	_	7	4	. <u>`</u>	X

Fax		•
A4 print speed	43ppm	43ppm
Display	12.7cm Colour Touch Screen	12.7cm Colour Touch Screen
Secure PIN print	•	•
Auto Duplex Print	•	•
ULM/uniFLOW Compatibility	•	•
Application Library	•	•
Single Pass Duplex Scan	•	•
Wi-Fi	•	•

## **OPTIONAL ACCESSORIES**

#### Paper feeder PF-C1

 Additional 550 sheet paper cassette, 3 x units can be added to main unit.

#### Telephone 6 Kit (available on MF543x)

• Optional telephone handset for fax function

#### Barcode Printing Kit-E1E

 Installs barcode fonts for bar code printing. This kit, which is delivered electronically, includes a license access certificate for activation

#### Send PDF Security Feature Set-E1

 Send encrypted PDF and add digital device signature to PDF files. This kit, which is delivered electronically, includes a license access certificate for activation

#### Plain Pedestal-V2

Printer stand for use with additional optional paper cassettes



#### **TECHNICAL SPECIFICATIONS**

# i-SENSYS MF540x Series

Machine type Available functions Mono Laser All-In-One

PRINTER Print speed

Printing method Print resolution Print quality with Image Refinement Technology Warm-up time

First Print Out Time Printer languages Fonts

Print margins

Tonor savor modo Advanced printing features

COPIER Copy speed

First Copy Output Time Copy resolution Copy modes

Double sided copying Multiple copy Reduction / Enlargement

SCANNER

Scan resolution Scan speed

Colour scanning depth Greyscales

Compatibility Max. scan width Scan to E-mail

Scan to PC Scan to USB memory key Scan to FTP Scan to Cloud

iFAX Modem speed

Receive mode Fax resolution

FAX memory Speed dials Group dials/destinations Sequential broadcast Memory backup

Double sided faxing

MF542x: Print, Copy, Scan MF543x: Print, Copy, Scan and Fax

Single sided : Up to 43 ppm (A4) Up to 65.2 ppm(A5-Landscape) Double sided : Up to 36.0 ipm (A4) Monochrome laser beam printing

Up to 1200 x 1200 dpi

iqb 000 x 000

Approx. 14 seconds or less from power on Approx: 5.7 seconds or less UFRII, PCL 5e1, PCL6, Adobe® PostScript

93 PCI fonts 136 PostScript fonts

5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)

MF542x

MF542x: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print<sup>2</sup> Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app

Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in

MF543x: Secure Print Print from USB memory key (JPEG/TIFF/PDF) Barcode Print<sup>2</sup> Touch & Print (NFC) Google Cloud Print Ready Gosgle Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon PRINT Business app, Canon Print Service Plug-in

Single sided (A4): Up to 43 ppm Double sided (A4): Up to 34.4 ipm

ADF (A4): Approx. 6.4 seconds or less Platen (A4): Approx. 6.3 seconds or less Up to 600 x 600 dpi

Text, Text/Photo (Default),Text/Photo (High Quality), Photo

2-sided to 2-sided (Automatic)

Up to 999 copies 25-400% in 1% increments

Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy

Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Single sided mono: 38ipm (300x600dpi)

Single sided colour: 13ipm (300x600dpi) Double sided mono: 70ipm (300x600dpi) Double sided colour: 26ipm (300x600dpi) 24 bit/24 bit (input/output)

256 levels TWAIN, WIA, ICA

TIFF/JPEG/PDF/Compact PDF/Searchable PDF/ Encrypted PDF3/PDF (Digital signature)<sup>3</sup>

TIFF/JPEG/PDF/PNG4

ITU-T.37

MF543X ONLY

33.6 Kbps (Up to 3 seconds/page<sup>5</sup>) Fax only, Fax/Tel Auto Switch, Answer Mode, Manual

Standard: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi Ultra fine: 400 x 400 dpi Up to 512 pages<sup>5</sup> Up to 281 dials

Max. 299 dials / Max. 299 destinations

Max. 310 destinations Permanent fax memory backup (Backup with flash memory) Yes (Transmit and Receive)

Other features

MEDIA HANDLING Scanner type Paper input (Standard)

Paper input (Option) Paper output Media types

Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports

Platen, 2-sided ADF (single pass) 550-sheet cassette 100-sheet multi-purpose tray 50-sheet ADF

550-sheet cassette x 3

150-sheet

Plain paper, Recycled paper, Heavy Paper, Thin paper, Label, Post card, Envelope

Cassette (Standard and optional): A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Custom sizes: Min. 105 x 148 mm

Max. 216.0 x 355.6 mm.

Multi-purpose tray:
A4, A5, A5 (Landscape), A6, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Postcard, Indexcard, Envelope (COMIO, Monarch, C5, DL), Custom sizes: Min 76.2 x 127 mm Max 216 0 x 355 6 mm

A4, A5, A6, B5, Legal, Letter, Statement, Custom sizes: Min. 105 x 128 mm Max 215.9 x 355.6 mm

Cassette (standard and optional): 60 to 120 g/m² Multi-purpose tray: 60 to 199 g/m² ADF: 50 to 105 g/m²

A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO,

Foolscap Custom size - Min. 210  $\times$  279.4 mm Max. 216.0  $\times$ 60 to 120 g/m<sup>2</sup>

INTERFACE & SOFTWARE Interface type

Double sided printing

Operating System compatibility

Network Protocol

management

USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection

Windows\* 10 / Windows\* 8.1 / Windows\* 7 / Server\* 2019 / Server\* 2016 / Server\* 2012R2 / Server\* 2012 / Server\* 2008R2 / Server\* 2008 Mac OS X version 10.9.5 & up / Mac OS 10.14 & up

Linux

Print: LPD, RAW, Port9100, IPP, IPPS, WSD (IPv4,IPv6)

Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX

Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFA TCP/IP Application Services: Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6) DHCP, ARP+PING, Auto IP, WINS (IPv4) DHCPv6 (IPv6)

Management: SNMPv1, SNMPv3 (IPv4,IPv6)

SNMPv3, SNMPv3 (IPv4,IPv6) Security (wired): IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS) Security (wireless): WEP(64/128 bit), WPA-PSK(TKIP/AES),

WPA2-PSK(AES)

WPA2-PSK(AES)
Infrastructure Mode:
WEP(64/128 bit), WPA-PSK(TKIP/AES),
WPA2-PSK(TKIP/AES)
Access Point Mode:
WPA2-PSK(AES)

MF Scan Utility, Remote User Interface (RUI), Software and printer Department ID Management, Toner Status Tool.

Toner Status Tool, iW Management Console: Server-based software for centralised management of a fleet of devices eMaintenance: embedded RDS allows remote eMaintenance services such as meter capture, automatic consumables management and remote diagnostics. Universal Log-in Manager / uniFLOW online / uniFLOW online Express / uniFLOW Compatibility

Application Library

GENERAL FEATURES Recommended Monthly Print Volume

Duty cycle **Processor Speed** Memory Control panel Dimensions with trays (W x D x H) Installation space (W x D x H) Weight

2.000 - 7.500 pages per month

Max, 150,000 pages per month<sup>7</sup>

800MHz x 2 1GB

12.7 cm LCD Colour Touch Screen

MF543x: 494 mm x 464 mm x 452 mm MF542x: 480 mm x 464 mm x 452 mm 741 mm x 1.105 mm x 1.214 mm

Approx 19 8 Kg



#### **TECHNICAL SPECIFICATIONS**

# i-SENSYS MF540x Series

Operating environment

Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)

Power Source Power Consumption 220-240V(±10%) 50/60Hz (±2Hz) Maximum: Approx. 1,430 W Standby: Approx. 13.6 W Sleep mode: Approx. 0.9 W Typical Electricity Consumption (TEC): 1.4 kWh/week

(230V)\* For detailed information relating to Lot26 regulation, please go to: http://www.canon-europe.com/For\_Work/ Lot26/index.aspx

Sound Pressure<sup>8</sup>: Active: 54 dB Standby: 24 dB Sound Power<sup>8</sup>: Active: 72.9 dB<sup>9</sup> Standby: Inaudible

CONSUMABLES

Cartridges

Noise Levels

Cartridge 056L (5,100 pages <sup>10</sup>)<sup>11</sup> Cartridge 056 (10,000 pages <sup>10</sup>)<sup>11</sup> Cartridge 056H (21,000 pages <sup>10</sup>)<sup>11</sup>

ACCESSORIES/OPTIONS Items

MF542x:

MF542x:
Paper Feeder PF-C1 (550-sheet cassette)
Barcode Printing Kit-E1E
MiCard Multi (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Plus (Card reader for identification with RFID or
magnetic cards with uniFLOW)
MiCard Attachment Kit-B1
Send PDF Security Feature Set-E1

Send PDF Security Feature Set-E1 Plain Pedestal-V2

MF543x:

PIF 943X:
Paper Feeder PF-C1 (550-sheet cassette)
TEL 6 Kit Long Cord (Telephone handset)
Barcode Printing Kit-E1E
MiCard Multi (Card reader for identification with RFID or

MICard Multi (Card reader for identification with RFID or magnetic cards with uniFLOW)
Micard Plus (Card reader for identification with RFID or magnetic cards with uniFLOW)
MiCard Attachment Kit-B1
Send PDF Security Feature Set-E1
Plain Pedestal-V2

- $^{\scriptsize{ ext{II}}}$  A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.
- [2] Accessory Barcode Printing Kit-E1E is required
- [3] Accessory Send PDF Security Feature Set-E1 is required
- [4] Scan by MF Scan Utility or Canon PRINT Business app
- [5] Based on ITU-T Standard Chart No. 1
- [6] Linux support both printing and scanning

Available from December 2019.

- Duty cycle is defined as the maximum number of printed pages for a single peak month. Any usage above the recommended duty cycle may decrease the life of the product
- [8] Declared noise emission in accordance with ISO 9296
- (9) Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779
- [10] Based on ISO/IEC 19752
- Printer ships with Cartridge 056L (5,100 pages)
- [12] As per US ENERGY STAR\* version2.0.



# HIGH-PERFORMANCE BLACK AND WHITE LASER PRINTERS FOR BUSY SMALL BUSINESSES

Ultra-fast results from a compact and reliable multifunctional black and white laser printer, ideal for hard-working small businesses



#### PRODUCT DETAILS:

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF542x	3513C004AA	4549292133622
I-SENSYS MF543x	3513C003AA	4549292133615

#### ACCESSORIES:

PRODUCT NAME	Mercury Code	EAN Code
Paper Feeder PF-C1	0865C001AA	4549292050691
Copy Card Reader-F1	4784B001AA	4960999679686
Copy Card Reader Attachment-J1	5140B002AA	4549292027228
Copy Control Interface Kit-C1	5145B001AA	4960999780269
MiCard Attachment kit-B1	5146B002AA	4549292027235
Barcode Printing Kit-E1E	5143B002AA	N/A (e-delivery)
Send PDF Security Feature Set-E1	9594B002AA	N/A (e-delivery)
Telephone 6 Kit EU (CW)	0752A054AA	4960999453910
Plain Pedestal-V2	2223C040AA	8714574664118

#### CONSUMABLES:

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 056L	3006C002AA	4549292136173
Cartridge 056	3007C002AA	4549292136197
Cartridge 056H	3008C002AA	4549292136210



Canon Inc. canon.com

Canon Europe canon-europe.com

English edition © Canon Europa N.V.,2019

