



Enduro EUN314LA-51W Specifications (v6-0-4)			
Category		Description	Footnotes
Operating system	1	Windows 11 Pro (Acer recommends Windows 11 Pro for business.) Windows 11 Home	
CPU and chipset	1	<p>Intel® Core™ i7-1255U processor (12 MB Smart Cache, 1.7 GHz Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.7 GHz), supporting hybrid core architecture with Performance-core and Efficient-core</p> <p>Intel® Core™ i5-1235U processor (12 MB Smart Cache, 1.3 GHz Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.4 GHz), supporting hybrid core architecture with Performance-core and Efficient-core</p> <p>Intel® Core™ i3-1215U processor (10 MB Smart Cache, 1.2 GHz Performance-core with Intel® Turbo Boost Technology 2.0 up to 4.4 GHz), supporting hybrid core architecture with Performance-core and Efficient-core</p>	
Memory	1, 2, 3	<p>Dual-channel DDR4 SDRAM support</p> <ul style="list-style-type: none"> Up to 8 GB of onboard DDR4 system memory Upgradable to 24 GB of dual-channel DDR4 system memory using a single soDIMM module. <p>Memory Frequency : Up to 3200 MT/s</p>	
Display		<p>14" HD 1366 x 768 resolution, high-brightness (450 nits) Acer ComfyView™ LED-backlit TFT LCD 16:9 aspect ratio Ultra-slim design Mercury free, environment friendly</p> <p>14.0" display with IPS (In-Plane Switching) technology, Full HD 1920 x 1080, high-brightness (450 nits) Acer ComfyView™ LED-backlit TFT LCD 16:9 aspect ratio, NTSC 45%. Wide viewing angle up to 170 degrees Mercury free, environment friendly</p>	4 4
Graphics	1	<p>Intel® Iris® X^e Graphics, supporting OpenGL® 4.5, OpenCL™ 2.2, Microsoft® DirectX® 12</p> <p>Intel® UHD Graphics, supporting OpenGL® 4.5, OpenCL™ 2.2, Microsoft® DirectX® 12</p>	5 5
Audio		<ul style="list-style-type: none"> Acer Purified.Voice technology with two built-in microphones. Features include far-field pickup, keystroke suppression, voice tracking, adaptive beam forming, voice recognition enhancement, 	

Enduro EUN314LA-51W Specifications (v6-0-4)		
		<p>three pre-defined modes: voice recognition, personal call, conference call</p> <ul style="list-style-type: none"> • Acer TrueHarmony technology for lower distortion, wider frequency range, headphone-like audio and powerful sound • Two built-in stereo speakers
Storage		<p>Solid state drive</p> <ul style="list-style-type: none"> • 128 GB / 256 GB / 512 GB / 1 TB, PCIe Gen3 8 Gb/s up to 4 lanes, NVMe <p>Hard disk drive</p> <ul style="list-style-type: none"> • Optional 2nd HDD 1 TB, 2.5-inch 5400 RPM
Webcam	1	<p>Video conferencing</p> <p>UFC with</p> <ul style="list-style-type: none"> • T-Type HD camera • Compatible with Windows only • 1280 x 720 resolution • 720p HD video at 30 fps with Temporal Noise Reduction • Blue Glass lens • Dual Mic (33 mm + 33 mm) • 78 x 3.2 (5.2) x 3 mm
Wireless and networking	1	<p>WLAN</p> <ul style="list-style-type: none"> • Wi-Fi 6E Wireless LAN • 802.11 a/b/g/n/ac/ax wireless LAN • Band: 2.4 GHz, 5 GHz, and 6 GHz • 2X2 MU-MIMO technology • Supports Bluetooth® 5.1 or above • 802.11a/b/g/n/ac+ax wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Supports Bluetooth® 5.1 or above <p>LAN</p> <ul style="list-style-type: none"> • Gigabit Ethernet, Wake-on-LAN ready
Security		<p>Discrete Trusted Platform Module (TPM) solution</p> <p>BIOS user, supervisor, HDD passwords</p> <p>Kensington lock slot</p>
Color options		<p>Polaris Blue</p> <p>Shale Black</p>
Dimensions and weight	7, 8	<p>Dimensions</p> <ul style="list-style-type: none"> • 338.8 (W) x 242.5 (D) x 20.95 (H) mm (13.34 x 9.55 x 0.82 inches) <p>Weight</p> <ul style="list-style-type: none"> • 1.65 kg (3.64 lbs.) with 3-cell battery pack, solid state drive • 1.72 kg (3.79 lbs.) with 3-cell battery pack, one hard drive and one SSD
Power adapter and battery		<p>Power adapter</p> <p>USB Type-C 45 W PD AC adapter:</p>

Enduro EUN314LA-51W Specifications (v6-0-4)		
	<ul style="list-style-type: none"> • 95 (W) x 40 (D) x 26.5 (H) mm (3.74 x 1.57 x 1.04 inches) • 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 2.25 A as output power • 200 g with 150 cm DC cable 3-pin 45 W AC adapter: <ul style="list-style-type: none"> • 94 (W) x 39 (D) x 26.5 (H) mm (3.70 x 1.54 x 1.04 inches) • 142 g with 150 cm DC cable Battery <ul style="list-style-type: none"> • 50 Wh 3-cell Li-ion battery (for models with HD Panel + SSD) Battery life: Up to 10 hours (based on MobileMark® 2018 test results) Up to 10.5 hours (based on video playback test results) Up to 9 hours (based on web browsing test results)	9, 10, 11
Input and control	Keyboard 80-/81-/84-key Acer backlight keyboard layout with international language support including indicators of CapsLock and F4/Microphone mute. Anti-bacteria treatment (QV03P_AM10BWL) 80-/81-/84-key Acer keyboard layout with international language support including indicators of CapsLock and F4/Microphone mute. Anti-bacteria treatment (QV03T_AM10B) Media Keys Media control keys (printed on keyboard): volume up, volume down TouchPad Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; application commands <ul style="list-style-type: none"> • Microsoft Precision Touchpad certification • Moisture resistant • Antimicrobial coating 	
Input and output	USB Type-C USB Type-C™ port supporting: <ul style="list-style-type: none"> • USB 3.2 Gen 2 (up to 10 Gbps) • Thunderbolt™ 4 • DC-in port 20 V; 65 W USB Standard A Three USB Standard-A ports, supporting: <ul style="list-style-type: none"> • One port for USB 3.2 Gen 1 featuring power off USB charging • Two ports for USB 3.2 Gen 1 HDMI® 2.1 port with HDCP support 3.5 mm headphone/speaker jack, supporting headsets with built-in microphone DC-in jack for AC adapter	
Windows Store Apps	Productivity EnduroSelect	12

Enduro EUN314LA-51W Specifications (v6-0-4)		
	<ul style="list-style-type: none"> • ENDURO devices and related accessories • Third-party solutions 	
Windows Desktop Apps 12	In-House <ul style="list-style-type: none"> • Acer Product Registration Lifestyle EnduroSense <ul style="list-style-type: none"> • EnduroSelect introduction and connectivity solutions • Performance mode switching • Battery charging management • Programmable keys 	
System compliance	EPEAT® registered ENERGY STAR®	13
Warranty	One-year International Travelers Warranty (ITW)	
Quality and reliability tests	Military Reliability Test: Mechanical Shock (Packaged), Transit Drop 122 cm (MIL-STD 810H) Military Reliability Test: Mechanical Shock (Unpackaged), Transit Drop 122 cm (MIL-STD 810H) Military Reliability Test: Vibration (MIL-STD 810H) Military Reliability Test: Sand and Dust (MIL-STD 810F) Military Reliability Test: Salt Fog (MIL-STD 810H) Military Reliability Test: Humidity (MIL-STD 810H) Military Reliability Test: Low Temperature (MIL-STD 810H) Military Reliability Test: High Temperature (MIL-STD 810H) IP (Ingress Protection) Rating IP51	
<ol style="list-style-type: none"> 1. Specifications vary depending on model. 2. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment. 3. Memory speed may vary, depending on the CPU, chipset or memory fitted. 4. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products. 5. Not all features indicated are supported on all SKUs 6. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space. 7. Minor variations in system dimensions are possible due to the manufacturing process. 8. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options. 9. Listed battery life is based on testing using video playback. The test clip loops and continues to run, without interruption or any other inputs, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: 12th Gen Intel® Core™ i3, Intel® UHD Graphics, HD, SSD only, 8GB of DDR4 memory. Battery life test 		

Enduro EUN314LA-51W Specifications (v6-0-4)

condition: LCD brightness 150 nits, connected headphones, WLAN off, Bluetooth off and Better Battery Mode on.

10. Listed battery life is based on testing using Web browsing. The test clip loops the loading of 50 selected websites using Microsoft Edge every 30 seconds, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: 12th Gen Intel® Core™ i3, Intel® UHD Graphics, HD, SSD only, 8GB of DDR4 memory. Battery life test condition: 100 nits LCD brightness, 50% speaker volume, WLAN on, Bluetooth on, no WW direct Internet connection.
11. *Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.*
12. Bundled software may vary depending on hardware configuration, OS and regional availability.
13. EPEAT® registration varies by country. See <http://www.epeat.net/> for registration status for each country.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



Enduro EUN314LA-51W Specifications (v6-0-4)



Antimicrobial Corning® Gorilla® Glass



Appendix

v2-0-2 (Ver. 2)

Power adapter and battery and Battery's footnote

v3-0-3 (Ver. 3)

Wireless and networking

v4-0-4 (Ver. 4)

Display

v5-0-4 (Ver. 5)

Wireless and networking

v6-0-4 (Ver. 6)

Input and control