HP LaserJet Enterprise MFP M528 series

Redefine long-term expectations

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP JetIntelligence toner. Keep up with the demands of growing business with a printer you can rely on.





Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies





Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.

The world's most secure printing¹

- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Each printer in your fleet checks its operating code and repairs itself from attacks.

Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Save energy intelligent power features prepare you to print right away, and turn your unused MFP off. $^{\rm 3}$
- This MFP fits in tight places to boost performance in almost any workspace.

A whole fleet at your control

- Centralise control of your printing environment with HP Web Jetadmin⁴ and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁵

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimised.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.



Product walkaround

HP LaserJet Enterprise Flow MFP M528z shown

- 1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 2. 2nd generation Hardware Integration Pocket
- 3. Easy-access USB port
- 4.250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- 6. 100-sheet multipurpose tray 1 supports media sizes up to 216 \times 356 mm
- 7. 550-sheet input tray 2 supports media sizes up to 216 x 356 mm
- 8. 20.3 cm pivoting colour touchscreen
- 9. Pull-out keyboard
- 10. Convenience stapler
- 11. Automatic two-sided printing
- 12. Dual-band Wi-Fi® with Bluetooth® Low Energy
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices

Series at a glance





1



10

11 12

13

14

15

16

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z
Product number	1PV64A	1PV65A	1PV67A
Functions	Print, scan, copy (fax optional)	Print, scan, copy, fax	
Print speed (black)	Up to 43 pages per minute (ppm) (A4)		
Convenience stapler	Not available	Yes	
Advanced workflow features	Not ava	Not available	
Automatic two-sided printing	Yes		
100 sheet multipurpose tray 1, 550 sheet input tray 2	Yes		
Optional 550 sheet paper tray	Add up to 3		
Optional printer cabinet	Add up to 1		
Input capacity (standard/max)	Up to 650/2,300 sheets		
Recommended Monthly Page Volume	2,000 to 7,500 pages		
Cartridge yield	Black: 5,000 sheets (standard)/10,000 sheets (high-yield)/20,000 sheets (extra-high-yield)		
HP High-Performance Secure Hard Disk	Not available	Yes	
Wireless direct printing/NFC touch-to-print	Optional		Built-in wireless direct printing; Optional NFC touch to-print
Dual-band Wi-Fi® with Bluetooth® Low Energy	Optional		Built-in



Accessories, Supplies and Support

Supplies	CF289A HP 89A Black Original Laser Jet Toner Cartridge (5,000 pages)		
	CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages)		
	CF289Y HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (20,000 pages)		
Accessories	E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM		
	F2A72A HP LaserJet 550-sheet Paper Tray		
	F2A73A HP LaserJet Printer Cabinet		
Service and Support	UB7B2E HP 3 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7B3E HP 4 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7B4E HP 5 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C4PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C5PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service		

Technical specifications

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z
Product number	1PV64A	1PV65A	1PV67A
Functions	Print, copy, scan and optional fax	Print, copy, scan, fax	
Control panel	20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)		20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Integrated keyboard
Print	•		·
Print technology	Laser		
Print speed ¹	Black (A4, normal) Up to 43 ppm; Black (A4, duplex): Up to 34 ipm;		
First page out ²	Black (A4, ready): As fast as 5.2 sec; Black (A4, sleep): As fast as 6.7 sec;		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200;		
Monthly duty cycle	Up to 150,000 pages A4; Recommended monthly page volume ³ : 2,000 to 7,500		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 212 x 352 mm		
Duplex printing	Automatic (standard)		
Сору			
Copy speed ⁴	Black (A4): Up to 43 cpm		
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Bookle Job build; Edge-to-edge job storage; ID copy; Book copy; A-to-B copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%;		
Scan			
Scan speed ⁵	Normal (A4) : Up to 43 ppm/43 ipm (black and wl (black and white), up to 38 ipm (colour)	hite), up to 38 ppm/38 ipm (colour); Duplex (A4) : Up to 43 ipm	Normal (A4): Up to 45 ppm/64 ipm (black and white), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (black and white), up to 58 ipm (colour)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications; Duplex ADF scanning: Yes, single pass duplex scanning; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi		

FP M528f HP LaserJet Enterprise Flow MFP M528z 1PV67A Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto- tone 8000 to 14,000 x 148 mm Maximum media size (ADF): 216 x 864 mm Save-to-Network Folder; to FTP; Send to LAN Fax; al Address Book; SMTP over ; Edge Erase; Auto Colour ent; Compact PDF; Optional: (Send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Internet Fax; OCR; Local Address Book; SMTP over ; Edge Erase; Auto Colour ent; Compact PDF; Optional: (Send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 196 dpi; 20 r 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired.ES; S2 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom Suprivals as required by individual countries. Telecom		
Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto- tone 8000 to 14,000 x 148 mm Maximum media size (ADF): 216 x 864 mm Save-to-Network Folder; Is Address Book; SMTP over ; Edge Erase; Auto Colour ent; Compact PDF; Optional: Address Book; SMTP over ; Edge Erase; Auto Colour ent; Compact PDF; Optional: Address Book; SMTP over ; Edge Erase; Auto Colour ent; Compact PDF; Optional: Multi-Pick Detect; Auto Straighten; Auto Crop To Content; multi-Pick Detect; Auto Straighten; Auto Crop To Page OCR; Optional: Authentication; Digital fax (send to LAM; Isternet); HP Local Address Book; OCR; printer; Send-to-workflow ages; Fax resolution: ine: Up to 203 x 196 dpi; 20 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecorn wired: Es soad; 22 47 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 300 328 V2.11; EN 301 893 V2.11; Other Telecom		
x 148 mm Maximum media size (ADF): 216 x 864 mm Save-to-Network Folder; Save-to-Network Folder; to FTP; Send to LAN Fax; al Address Book; SMTP over; Edge Erase; Auto Colour erase; Auto Colour corpact PDF; Optional: (Send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow Address Book; COR; printer; Send-to-workflow Address Book; OCR; printer; Send-to-workflow Address Book; OCR; printer; Send-to-workflow Fax memory: Up to 500 pages; Fax resolution: standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 196 dpi; 207 300 x 300 dpi; Quick erstinations); Telecom compliance: Telecom Wireless: mpliance: Telecom wired: Es S021-2 v2.1.2/ES 203 021-3		
Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Save-to-USB drive; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour ent; Compact PDF; Optional: (send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow ages; Fax resolution: ine: Up to 203 x 196 dpi; 20 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired: ES S402 247 Save 22, 2017 & RSS 102 Sov 25, 215; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom Standard: V2.1.1; EN 301 893 V2.1.1; Other Telecom Standard: V2.1.1; EN 301 893 V2.1.1; Other Telecom		
Save-to-Network Folder; to FTP; Send to LAN Fax; al Address Book; SMTP over Edge Erase; Auto Colour ent; Compact PDF; Optional: (Send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow ages; Fax resolution: in: Up to 203 x 196 dpi; 20 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Telecom Wireless: Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 100 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Telecom Wireless: Souther Standard: 203 x 98 dpi; Size 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom Standard: 203 x 98 dpi; Size 5, 2015; EN		
Save-to-Network Folder; to FTP; Send to LAN Fax; al Address Book; SMTP over Edge Erase; Auto Colour ent; Compact PDF; Optional: (Send to LAN, Internet); HP Local Address Book; OCR; printer; Send-to-workflow ages; Fax resolution: in: Up to 203 x 196 dpi; 20 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired:Es Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Telecom Wireless: Souther Standard: 203 x 98 dpi; Fine: Up to 203 x 100 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Telecom Wireless: Souther Standard: 203 x 98 dpi; Size 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom Standard: 203 x 98 dpi; Size 5, 2015; EN		
ages; Fax resolution: ine: Up to 203 x 196 dpi; 20 r 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired: ES 021-2 v2.1.2/ES 203 021-3		
ages; Fax resolution: ine: Up to 203 x 196 dpi; 20 r 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired: ES 021-2 v 2.1.2/ES 203 021-3		
ages; Fax resolution: ine: Up to 203 x 196 dpi; 20 r 300 x 300 dpi; Quick ers (each with 210 mpliance: Telecom wired: ES 021-2 v 2.1.2/ES 203 021-3		
provals as required by a strength of the stren		
g; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number schedule		
0; 2 Hi-Speed USB 2.0 Host; dware Integration Pocket; 1 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy		
ssory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A		
Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory J3N69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A		
Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing; Wireless Direct Printing		
Via built-in networking solution: TCP/IP; IPv4; IPv6; Print: TCP-IP port 9100 Direct Mode; LPD (raw queue support only); Web Services Printing; IPP 2.0; Apple AirPrint HP ePrint; FTP Print; Google Cloud Print; Discovery: SLP; Bonjour; Web Services Discovery; IP Config: IPv4 (BootP; DHCP; AutolP; Manual; TFTP Config; ARP-Ping); IPv6 (Stateless Link-Local and via Router; Stateful via DHCPv6); Management: SNMPv2/v3; HTTP/HTTPs; Telnet; TFTP Config; Syslog; Security: SNMPv3; SSL Cert Management; IPSec/Firewall; ACL; 802.1x		
GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)		
when Accessory DIMM is installed		
abels; Cardstock; Transparencies; User-defined		
abels; Cardstock; Transparencies; User-defined 15.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm ; 16 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: Dptional 550 sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, ADF : Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS);		
15.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm ; 16 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: Dptional 550 sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K,		

Model	HP LaserJet Enterprise MFP M528dn	HP LaserJet Enterprise MFP M528f	HP LaserJet Enterprise Flow MFP M528z		
Product number	1PV64A	1PV65A	1PV67A		
Input capacity	Tray 1: Sheets: 100; Transparencies: 50; Envelopes: 10 Tray 2: Sheets: 550 Tray 3: Sheets: 550 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets				
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 75 sheets Maximum: Up to 250 sheets				
Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems, for more information on the supported operating systems, for more information on the supported operating systems.				
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux for more information see http://www.developers.hp.com/hplinuximagingandprinting, Unix for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd				
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see http://www.apple.com				
Software included	No software solutions are included in the Box, only on http://www.hp.com, http://www.123.hp.com				
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SIMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessable in ArcSight, Splunk, and McAfee(ESM) SIEMs				
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator)				
Dimensions and weight	•				
Printer dimensions (W x D x H)	Minimum 482 x 496 x 497 mm; Maximum : 507 x 631 x 497 mm;				
Package dimensions (W x D x H)	735 x 592 x 613 mm				
Printer weight ⁷	21.41 kg	21.95 kg	22.13 kg		
Package weight	28.6 kg	29.2 kg	29.3 kg		
Operating environment	Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH		•		
Storage conditions	Temperature: -20 to 40°C;				
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressu	re emissions: 54 dB(A)			
Power ⁹	Requirements: Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 4 A; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ¹⁰ : Energy Star: 1.412 kWh/Week; Blue Angel: 1.414 kWh/Week; Power supply type: Built-in 115V or 220V Power Supply;				
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy				
Certifications	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, CISPR32:2012 (International) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Blue Angel compliant Yes, Blue Angel DE-UZ 205 Blue Angel compliant Yes, Blue Angel DE-UZ 205 Blue Angel compliant Yes, Blue Angel DE-UZ 205 Blue Angel compliant Yes, Blue Angel DE-UZ 205				
What's in the box ¹²	HP Laser Jet Managed Flow E52645c Printer; Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards	HP Laser Jet Managed Flow M528f Printer; Regulato flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list; Fax cable	HP LaserJet Managed Flow M528z Printer; Regulator flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list; Control panel overlay label sets (Flow); Fax cable		
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region.				

Footnotes

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect, For more information; http://www.hp.com/go/printersecurityclaims,

² High Yield Black Original LaserJet Toner Cartridges not included, please purchase separately.

³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
⁴ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.

⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see

http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.

⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth[®] Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.

⁷ With print cartridges.

⁸ Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm.

⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

10 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

¹¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

12 In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.



http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Published in EMEA 4AA7-4852, March 2019

