

HS-HUB-GaN67 EU

Introduction

GaN67 is GaN fast wall charger with 1 USB-C port and 1 retractable USB-C cable. Its maximum output power is 67W. It has passed CE, ROHS certification with overheat, overvoltage, overcurrent and short circuit protection function. It is an ideal product for office, family and travel.




Features

- High-Speed Charging:
 Max. PD 67W Output Power. Fast charge your Phones, Tablet,
 Laptop, Switch and other compatible devices.
- One-pull Charging
 USB-C port and USB-C retractable cable can be used at the same time and the power distribution is reasonable.
- Pocket-friendly Size
 Adopting GaN II Chip, ensure your charger's extreme portability.
- Ultimate Compatibility:
 Support QC3.0、PD2.0、PD3.0、PPS、SCP、FCP、APPLE2.4A、Samsung 2.0A protocol.

Safe & Reliable:

Built-in Mechanism of Over-Temperature Protection, Over-Voltage Protection, Short-Circuit Protection and Over-Current Protection protect your device and your safety

Ordering Information





Please contact your local sales representative for detailed ordering information.





Specification

Model	HS-HUB-GaN67 EU
Туре	67W USB 2C Fast Wall Charger
Plug	EU
Output Port	USB-C*1 USB-C Cable*1
Input Power	100V- 240V
Frequency	50/60Hz
Output Power	USB-C1:5V- 3A,9V- 3A,12V- 3A,15V- 3A,20V- 3.25A 20.3V- 3.3A 67W Max USB-C2:5V- 3A,9V- 3A,12V- 3A,15V- 3A,20V- 3.25A 20.3V- 3.3A 67W Max C1+C2 (Intelligent Distribution): 5V- 3A,9V- 3A,12V- 3A,15V- 3A,20V- 2.25A 45W_max +5V- 3A,9V- 2.22A,12V- 1.67A 20W_max
Max. Output Power	67W
Overcurrent Protection	≤4.0A
Charging Protocol	QC3.0、PD3.0、PPS、SCP、FCP、APPLE2.4A、Samsung 2.0A
Colour	White
Material	Fire-Resistant PC (UL 94-V0)
Dimension	47.5*52*51mm
Warranty	1 Year
Accessories	Retractable USB-C Cable*1 70cm





Revision History

Version	Description	Date
V1.0.0	HS-HUB-GaN67 EU	20240703

Data subject to change without notice.

© 2024 HANGZHOU HIKSTORAGE TECHNOLOGY CO.LTD. All rights reserved.

Unless otherwise expressly stated herein, HIKSTORAGE does not make any warranties, guarantees or representations, express or implied, regarding to the manual, any information contained herein.

The manual includes instructions for using and managing the product, pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the manual is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version of this manual at the HIKSTORAGE website (www.hiksemitech.com).

