



Nitro ANV16-41 Specifications (v11-0-8)		
Category	Description	Footnotes
<b>Operating system</b> 1	Windows 11 Home	
<b>CPU and chipset</b> 1	<b>AMD Ryzen™ 7 8845HS</b> octa-core processor (up to 8 MB L2 cache, up to 16 MB L3 cache, 3.8 GHz with boost up to 5.1 GHz) <b>AMD Ryzen™ 5 8645HS</b> hexa-core processor (up to 6 MB L2 cache, up to 16 MB L3 cache, 4.3 GHz with boost up to 5.0 GHz)	
<b>Memory</b> 1, 2, 3	Dual-channel DDR5 SDRAM support <ul style="list-style-type: none"> <li>Up to 32 GB of DDR5 system memory</li> </ul> Dual-channel DDR5 SDRAM support <ul style="list-style-type: none"> <li>Up to 16 GB of DDR5 system memory</li> </ul> Memory Frequency : Up to 5600 MT/s	
<b>Display</b>	16.0" Display with IPS (In-Plane Switching) technology, WQXGA 2560 x 1600, high-brightness Acer ComfyView™ LED-backlit TFT LCD, supports up to 165 Hz, 3 ms (GTG) via LCD Overdrive. 16:10 Aspect Ratio, sRGB 100% Wide Viewing Angle up to 170 Degrees Ultra-slim Design Mercury-free, Environmentally Friendly	4
	16.0" display with IPS (In-Plane Switching) technology, WUXGA 1920 x 1200, high-brightness (300 nits) Acer ComfyView™ LED-backlit TFT LCD, supporting 165 Hz. 16:10 aspect ratio, sRGB 100% Wide viewing angle up to 170 degrees Ultra-slim design Mercury free, environment friendly	4
	16.0" display with IPS (In-Plane Switching) technology, WUXGA 1920 x 1200, Acer ComfyView™ LED-backlit TFT LCD, supporting high frame rate 165 Hz 16:10 aspect ratio, color gamut NTSC 45% Wide viewing angle up to 170 degrees Ultra-slim design Mercury free, environment friendly	4
<b>Graphics</b> 1	<b>NVIDIA® GeForce RTX™ 4060</b> with 8 GB of dedicated GDDR6 VRAM, supporting 3072 NVIDIA® CUDA® Cores. <ul style="list-style-type: none"> <li>With 5th gen MAXQ technology design</li> <li>1470 - 2370 MHz Boost Clock</li> <li>Third Gen Ray Tracing Cores</li> <li>Fourth Gen Tensor Cores</li> </ul>	

## Nitro ANV16-41 Specifications (v11-0-8)

- Ada Lovelace NVIDIA® Architecture
- Microsoft DirectX® 12 Ultimate.
- NVIDIA® DLSS 3.5
- NVIDIA® Reflex
- NVIDIA® Broadcast
- PCI Express Gen 4
- NVIDIA®Resizable BAR
- NVIDIA® GeForce Experience™
- NVIDIA® Ansel
- NVIDIA® FreeStyle
- NVIDIA® ShadowPlay®
- NVIDIA® Highlights
- NVIDIA® G-SYNC®
- NVIDIA® Game Ready Drivers
- NVIDIA® Studio Drivers.
- NVIDIA® Omniverse
- NVIDIA® GPU Boost™
- Vulkan RT API, OpenGL 4.6
- HDMI
- DisplayPort
- NVIDIA® Dynamic Boost 2.0
- NVIDIA® Whisper Mode 2.0
- NVIDIA® Advanced Optimus
- NVIDIA® Battery Boost
- NVIDIA® Rapid Core Scaling
- NVIDIA® CPU Optimizer

**NVIDIA® GeForce RTX™ 4050** with 6 GB of dedicated GDDR6 VRAM, supporting 2560 NVIDIA® CUDA® Cores.

- With 5th gen MAXQ technology design
- 1605 - 2370 MHz Boost Clock
- Third Gen Ray Tracing Cores
- Fourth Gen Tensor Cores
- Ada Lovelace NVIDIA® Architecture
- Microsoft DirectX® 12 Ultimate.
- NVIDIA® DLSS 3.5
- NVIDIA® Reflex
- NVIDIA® Broadcast
- PCI Express Gen 4
- NVIDIA®Resizable BAR

## Nitro ANV16-41 Specifications (v11-0-8)

- NVIDIA® GeForce Experience™
- NVIDIA® Ansel
- NVIDIA® FreeStyle
- NVIDIA® ShadowPlay®
- NVIDIA® Highlights
- NVIDIA® G-SYNC®
- NVIDIA® Game Ready Drivers
- NVIDIA® Studio Drivers.
- NVIDIA® Omniverse
- NVIDIA® GPU Boost™
- Vulkan RT API, OpenGL 4.6
- HDMI
- DisplayPort
- NVIDIA® Dynamic Boost 2.0
- NVIDIA® Whisper Mode 2.0
- NVIDIA® Advanced Optimus
- NVIDIA® Battery Boost
- NVIDIA® Rapid Core Scaling
- NVIDIA® CPU Optimizer

**NVIDIA® GeForce® RTX™ 3050** with 6 GB of dedicated GDDR6 VRAM, supporting 2560 NVIDIA® CUDA® Cores.

- 990 - 1740 MHz Boost Clock
- Second Gen Ray Tracing Cores
- Third Gen Tensor Cores
- Ampere NVIDIA Architecture
- Microsoft DirectX® 12 Ultimate.
- NVIDIA DLSS 2.0
- NVIDIA Reflex
- NVIDIA Broadcast
- PCI Express Gen 4
- NVIDIA Resizable BAR
- NVIDIA GeForce Experience™
- NVIDIA Ansel
- NVIDIA FreeStyle
- NVIDIA ShadowPlay®
- NVIDIA Highlights
- NVIDIA G-SYNC®
- NVIDIA Game Ready Drivers
- NVIDIA Studio Drivers.
- NVIDIA Omniverse
- NVIDIA GPU Boost™

Nitro ANV16-41 Specifications (v11-0-8)		
	<ul style="list-style-type: none"> <li>• Vulkan RT API, OpenGL 4.6</li> <li>• HDMI</li> <li>• DisplayPort</li> <li>• NVIDIA Dynamic Boost 2.0</li> <li>• NVIDIA Whisper Mode 2.0</li> <li>• NVIDIA Advanced Optimus</li> <li>• NVIDIA Battery Boost</li> <li>• NVIDIA Rapid Core Scaling</li> <li>• NVIDIA CPU Optimizer</li> </ul> <p><b>NVIDIA® GeForce RTX™ 2050</b> with 4 GB of dedicated GDDR6 VRAM, supporting 2048 NVIDIA® CUDA® Cores.</p> <ul style="list-style-type: none"> <li>• 1155 - 1477 MHz Boost Clock</li> <li>• Real-Time Ray Tracing</li> <li>• NVIDIA GeForce Experience</li> <li>• NVIDIA Ansel</li> <li>• NVIDIA Highlights</li> <li>• NVIDIA Optimus Technology</li> <li>• NVIDIA BatteryBoost</li> <li>• NVIDIA WhisperMode</li> <li>• Game Ready Drivers</li> <li>• Microsoft® DirectX® 12 API, Vulkan API, OpenGL 4.6</li> <li>• NVIDIA GPU Boost</li> <li>• 7th Generation NVIDIA Encoder(NVENC)</li> </ul>	
<b>Audio</b>	<ul style="list-style-type: none"> <li>• DTS® X:Ultra Audio, featuring optimized Bass, Loudness, Speaker Protection with up to 6 custom content modes via smart amplifier</li> <li>• Supported in Windows Spatial Sound for PC Gaming with DTS Sound Unbound license integrated</li> <li>• Immersive audio rendering over headphones and internal speakers</li> <li>• High SNR DAC with 2.1 Vrms out capability and can driver high impedance headphone (up to 600 ohm)</li> <li>• Acer Purified.Voice technology with AI noise reduction in 3 mics array built-in microphones to support Advanced Privacy Mode. Features include far-field pickup, dynamic noise reduction through neural network, adaptive beam forming, and pre-defined personal and conference call modes.</li> <li>• Compatible with Cortana with Voice</li> <li>• Acer TrueHarmony Technology for lower distortion, wider frequency range, headphone-like audio and powerful sound</li> </ul>	
<b>Storage</b>	<p><b>Solid state drive</b></p> <ul style="list-style-type: none"> <li>• 1 TB / 2 TB, PCIe Gen4, 16 Gb/s, NVMe</li> <li>• 512 GB / 1 TB, PCIe Gen4, 16 Gb/s, NVMe</li> </ul>	1, 5 1, 5
<b>Webcam</b> 1	<p><b>Video conferencing</b></p> <p>UFC with</p> <ul style="list-style-type: none"> <li>• T-Type HD camera</li> </ul>	

Nitro ANV16-41 Specifications (v11-0-8)		
	<ul style="list-style-type: none"> <li>• Compatible with Windows only</li> <li>• 1280 x 720 resolution</li> <li>• 720p HD video at 30 fps with Temporal Noise Reduction</li> <li>• Blue Glass lens</li> <li>• Dual Mic (33 mm + 33 mm)</li> <li>• 78 x 3.2 (5.2) x 3 mm</li> </ul>	
<b>Wireless and networking</b>	<p>1</p> <p><b>WLAN</b></p> <ul style="list-style-type: none"> <li>• Wi-Fi 6E Wireless LAN</li> <li>• 802.11 a/b/g/n/ac/ax</li> <li>• Band: 2.4 GHz, 5 GHz, and 6 GHz</li> <li>• 2x2 MIMO technology</li> </ul> <p><b>LAN</b></p> <ul style="list-style-type: none"> <li>• Gigabit Ethernet</li> </ul> <p><b>WPAN</b></p> <p>Supports Bluetooth® 5.3 or above</p>	
<b>Security</b>	<p>MSFT Pluton Security Processor as Firmware TPM solution</p> <p>BIOS user, supervisor passwords,</p> <p>Kensington lock slot</p>	
<b>Dimensions and weight</b>	<p>6, 7</p> <p><b>Dimensions</b></p> <ul style="list-style-type: none"> <li>• 361.24 (W) x 278.4 (D) x 24.74/25.46 (H) mm (14.22 x 10.96 x 0.97/1 inches) with Plastic A Cover</li> </ul> <p><b>Weight</b></p> <ul style="list-style-type: none"> <li>• 2.5 kg (5.51 lbs.) with 4-cell battery pack, WQXGA display</li> </ul>	
<b>Power adapter and battery</b>	<p><b>Power adapter</b></p> <p>3-pin 135 W AC adapter</p> <ul style="list-style-type: none"> <li>• 136.5 (W) x 68.2 (D) x 24.0 (H) mm (5.37 x 2.68 x 0.94 inches)</li> <li>• 435 g (0.95 lbs) with 180 cm DC cable</li> </ul> <p><b>Battery</b></p> <ul style="list-style-type: none"> <li>• 57 Wh 4-cell Li-ion battery</li> <li>• For models with WQXGA Panel</li> </ul> <p>Battery life:</p> <p>Up to 4.5 hours (based on MobileMark® 2025 test results)</p> <p>Up to 7 hours (based on video playback test results)</p> <p>Up to 7 hours (based on web browsing test results)</p> <p>(Notes: Notes: 57W Battery for GN21-X4 SKU</p> <p>Video Playback: R7+GN21-X4 + WQXGA 165Hz+ DDR5 16GB MEM+ 1TB = 7.6hr</p> <p>Web Browsing : R7+GN21-X4 + WQXGA 165Hz+ DDR5 16GB MEM+ 1TB = 7.2hr</p> <p>MM25:R7+GN21-X4 + WQXGA 165Hz+ DDR5 16GB MEM+ 1TB = 4.5hr)</p>	8, 9, 10
<b>Input and control</b>	<p><b>Keyboard</b></p> <p>103-/104-/107-key FineTip Amber-backlit keyboard with independent standard numeric keypad, international language support</p> <p>&lt;&gt; NitroSense Key</p>	

Nitro ANV16-41 Specifications (v11-0-8)		
	<> Copilot Key <b>TouchPad</b> Multi-gesture touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; application commands <ul style="list-style-type: none"> <li>• Microsoft Precision Touchpad certification</li> <li>• Moisture resistant</li> </ul> <b>Control Keys</b> Mode Key Nitro Sense Key Copilot Key	
<b>Input and output</b>	<b>USB Type-C</b> USB Type-C™ port supporting: <ul style="list-style-type: none"> <li>• USB4® 40Gbps</li> <li>• DisplayPort over USB-C</li> <li>• USB charging 5 V; 3 A</li> <li>• DC-in port 20 V; 65 W</li> </ul> <b>USB Standard A</b> Two USB Standard-A ports, supporting: <ul style="list-style-type: none"> <li>• One port for USB 3.2 Gen 1</li> <li>• One port for USB 3.2 Gen 2 featuring power off USB charging</li> </ul> HDMI® 2.1 port with HDCP support 3.5 mm headphone/speaker jack, supporting headsets with built-in microphone Ethernet (RJ-45) port DC-in jack for AC adapter	
<b>Windows Desktop Apps</b> 11	<b>Games</b> <ul style="list-style-type: none"> <li>• Planet9 Stub (For Gaming)</li> </ul> <b>In-House</b> <ul style="list-style-type: none"> <li>• Acer Product Registration</li> <li>• Acer QuickPanel</li> <li>• NitroSense V5 (NB)</li> </ul>	
<b>Warranty</b>	One-year International Travelers Warranty (ITW)	
1. Specifications vary depending on model. 2. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment. 3. Memory speed may vary, depending on the CPU, chipset or memory fitted. 4. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products. 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space. 6. Minor variations in system dimensions are possible due to the manufacturing process.		

## Nitro ANV16-41 Specifications (v11-0-8)

7. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
8. Listed battery life is based on testing using video playback. The test clip loops and continues to run, without interruption or any other inputs, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: AMD Ryzen™ 7 8040, NVIDIA® GeForce RTX™ 4060, WQXGA, Dual SSD, 32GB of DDR5 memory. Battery life test condition: LCD brightness 150 nits, connected headphones, WLAN off, Bluetooth off and Better Battery Mode on.
9. Listed battery life is based on testing using Web browsing. The test clip loops the loading of 50 selected websites using Microsoft Edge every 30 seconds, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: AMD Ryzen™ 7 8040, NVIDIA® GeForce RTX™ 4060, WQXGA, Dual SSD, 32GB of DDR5 memory. Battery life test condition: 100 nits LCD brightness, 50% speaker volume, WLAN on, Bluetooth on, no WW direct Internet connection.
10. *Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.*
11. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2024. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

### **About Acer**

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit [www.acer.com](http://www.acer.com) for more information.

Nitro ANV16-41 Specifications (v11-0-8)



PurifiedVoice with  
AI Noise Reduction



Data Access



TPM



FineTip Keyboard



COMBO  
AUDIO JACK





# Appendix

## **v2-0-2 (Ver. 2)**

About

Dimensions and weight

Power adapter and battery and Battery's footnote

## **v3-0-3 (Ver. 3)**

Wireless and networking

## **v4-0-4 (Ver. 4)**

CPU and chipset

Display

## **v5-0-4 (Ver. 5)**

Graphics

Audio

## **v6-0-5 (Ver. 6)**

Software

## **v7-0-6 (Ver. 7)**

Power adapter and battery and Battery's footnote (Notes Changed)

## **v8-0-7 (Ver. 8)**

No changes found!

## **v9-0-7 (Ver. 9)**

Wireless and networking

## **v10-0-8 (Ver. 10)**

Power adapter and battery (Notes Changed)

## **v11-0-8 (Ver. 11)**

Display