

12.8V200Ah









LFP Li-ion Battery




Dimension:











SAFETY

- Prismatic LiFePO4 cells (205Ah), High consistency, long cycle life and much more safety.
- UN38.3, CE certification for system.
- The cycle life over 3500 times @80%DOD

DESIGN

- ABS container, replace VRLA battery perfectly.
- Fast charge performance.
- -20~+55° C widely temperature range.
- Maintenance free.

BATTERY MANAGEMENT SYSTEM (BMS)

- Integrated hardware BMS inside.
- Independent protection for charge and discharge.
- Over voltage, low voltage, over temperature and short circuit protection.

Unit: mm



Li-ion Battery

12.8V200Ah

Specification

Model	R-LFP12.8V200Ah
Part Number	8010128020001
Nominal Voltage [V]	12.8
Nominal Capacity [Ah]	200
Total Energy [Wh]	2560
Max. Charging Current [A]	100
Recommended Charging Current [A]	80
Charging Voltage [V]	14.6
Max. Discharging Current [A]	100
End of Dicharge Voltage [V]	11.2
Pulse Discharge Current	270A @ 10s
Dimension [W*D*H, mm]	522*240*219
Weight [Kg]	25.6
Operation Humidity	0~95% RH (No condensing)
Operating Temperature Range	Charge: 0 ~ +50 °C; Discharge: -20 ~ +55 °C
BMS Protection	Over charge Over discharge, Over temperature, Short circuit
Parallel Support	Yes, Max 2 Sets
Series Support	Yes, Max 4 Sets
Cycle Life	>3500
Designed Calendar Life	>10 Years
Certification	UN38.3, CE, MSDS

1. 80% DOD and to 80% of initial capacity.

The datasheet is subject to change without prior notification

For more information, contact with: sales@ritarpower.com

Hengyang Ritar Power Co., Ltd. Hengyang Rich Power Co., Ltd.