

A range of intelligent devices for all your office printing needs

The IM 2500(A), IM 3000(A), IM 3500(A), IM 4000A, IM 5000A and IM 6000 are designed to effortlessly boost office productivity thanks to features such as high scanning speeds, Always Current Technology and an extensive range of finishing options.

Suitable for organisations of all sizes across multiple industries, the entire range enables more streamlined and efficient document workflows to adapt to changing office requirements without compromising on quality and productivity.

With these intelligent devices in place, printing is smarter, faster and always up-to-date with the very latest technological updates and advancements.

This is the go-to range that delivers consistent results whatever your printing or scanning requirements may be. And with various different models to choose from, you're guaranteed to find a multifunction device that 100% meets your needs.

- Work smarter access new applications, features and upgrades whenever you need them
- Work your way wide range of finishing options ranging from internal finisher to booklet finisher
- Work faster scan between 120 and 240 impressions per minute in B&W and colour
- Work securely multi-layered security for risk-proof document management

This range of intelligent black and white multifunction devices is powerful, reliable and constantly updated with the latest technology to provide you with high-quality printing and scanning, any time, any place, anywhere.

Ricoh intelligent devices: Scalable. Secure. Sustainable. Simple.

Technology that never becomes dated

With our range of intelligent devices, you can benefit from the outstanding quality, reliability and security that you can expect from Ricoh, plus on-demand access to the latest technology.



Always up-to-date

Simply add software solutions, applications and cloud services as you need them to optimise your document management workflows, helping your people work smarter, faster and more securely.

Ricoh's Always Current Technology allows new features, applications and upgrades to be downloaded and installed directly to your device.

Technology and security, made easy

Connecting your Ricoh intelligent device to external cloud services and installing apps with workflow capabilities are easy. Convert paper-based information to digital by scanning directly to services such as Dropbox™ or SharePoint™ or scan direct to folders on your corporate network. Get quick access to a range of 'scan-to' functionality as new services become available.

Prevent your data and printing from being compromised with multi-layered security features that make document management risk-proof.



Expert document management and outstanding quality

Digitise your document processes enabling swift yet secure access to and routing of information as needed and authorized –it's the hub of your business' document management workflow.

Get sharp text and graphics without saturation using Ricoh's advanced printing technologies that deliver the best quality print results every time.

Straightforward printing for busy offices

Streamlined workplaces require streamlined systems

Working environments are becoming more streamlined. From apps and smart devices to virtual meetings and data accessed via cloud environments, every element of office working is evolving. Rightfully, people expect their office equipment to facilitate this streamlined way of working.

The latest devices, with their intuitive features are being continuously updated to incorporate up-to-the-minute developments, catering to all requirements whilst keeping pace with these technological developments.



About the range - at a glance

A3 B&W intelligent devices are designed to boost office productivity without complex user interfaces, thanks to the Smart Operation Panel.

With features such as high scanning speeds, Always Current Technology and an extensive range of finishing options, this improved productivity is also effortless.

All the way up to a blistering 60 pages per minute, the range perfectly tailors to a wide range of business needs and sectors. Along with the print speed performance you need, the range offers impressive scan speeds between 120 - 240 ipm in B&W and colour.

In addition, all devices can be specified with various finishers and paper bank options to fully match your specific needs or workflows.

Industry-leading suite of finishing options

The wide variety of paper support and finishing options enable you to configure your device to your needs.

Booklet finishers can print booklets and magazines, whilst the hybrid finisher offers staple-free binding.

Finishers can punch and staple. And with the multifolding unit, you can fold leaflets.

The different paper options offer additional paper capacity reducing refill jobs.



Making every day tasks easier


- The Latest Technology: Ricoh Always Current Technology provides access to required applications, the latest features and upgrades
- Total Integration: Ricoh's Smart Integration Platform provides cloud-based apps and document workflow integration across multiple devices.
- Productivity: The intuitive Smart Operation Panel makes using the devices quick and easy and workflows more intuitive.
- Safety: Ricoh's Smart Device Connector enables touchless operation on the MFP that takes place via a single app which enables you to control all print, copy, scan and fax functions from Android and iOS devices smartly and safely.
- Quality: The combination of high scanning speeds and finishing options enables users to effortlessly boost their printing and scanning output.

About those industry-leading features – in more detail...

Ricoh Always Current Technology

Always Current Technology delivers timely solutions to meet your changing needs. With Ricoh Always Current Technology enabled, the capabilities of your Ricoh intelligent device continually adapts to the changing demands of your workforce.

Available on most of Ricoh's intelligent devices, it quietly and continually supports you, automatically upgrading your machine with the latest technology. And, just like your smartphone, prompts you to activate the update at your convenience. The process is simple and secure.



Smart Integration Platform


This platform provides cloud-based apps and document workflow integration across devices.

Simply connect your Ricoh MFP, products and other smart devices to external cloud services, such as Dropbox, Google Drive, Microsoft 365 and DocuWare, enabling you to work smarter and increase productivity.

Smart Operation Panel

With our latest 10.1" Smart Operation Panel, complete with soft-key operation, your Ricoh multifunction printer is even easier to touch, swipe and get the job done, thanks to a range of helpful features, including a completely customisable home screen and full internet browser capability.

When you want to simplify and improve document processes in your office, Ricoh's new range of A3 B&W intelligent MFPs -featuring Smart Operation Panel technology- brings you high quality printing, high efficiency workflows and low running costs.



Smart Device Connector

Smart devices are seeing greater and greater use on the business scene, but procedures for connection to office equipment are complex and still by no means stress-free. With our Smart Device Connector, those complex procedures become simple, and you can seamlessly connect to various smart devices.

You can also operate a multifunction product by NFC or QR code, simply holding the smart device over it, and you're connected.

Smart. Secure. Sustainable. Simple.

Smart: Print more quickly

We all know time equals money. Incorporating intelligent features that deliver super-fast printing and scanning results, this new range of devices enables you to effortlessly work smarter and faster.

With print speeds up to 60 ppm there's always a device that caters to your needs.



Secure: Work more securely

Cyber security is a growing threat. Prevent your data and printing from being compromised with multi-layered security features that risk-proof document management.

Ricoh Always Current Technology not only ensures you benefit from all the latest features and Apps, it also ensures your device is always running the latest security update too.

Protection and safety are important factors for office equipment today due to increasing demand for sanitation. Therefore, we will provide safe and convenient ways to access your device's touch panel. Antimicrobial overlays allow for safe and protected operation of the touch panel.

Sustainable: Improve your carbon footprint

Since 1946 when Kiyoshi Ichimura founded Ricoh's principles, we continue to leverage the power of business through incorporating social and environmental sustainability by undertaking a range of initiatives in keeping with our sustainability message, which is Driving Sustainability for Our Future.

Sustainability is at the heart of everything we do. Therefore, this product series contains recycled materials (recycled steel and post-consumer recycled plastics).




Simple: Cut your printing costs

Organisations are under pressure to keep company-wide costs down. Consolidate your printing equipment down into one highly productive and reliable unit.

B&W printing is notable for reducing printing costs and alongside highly quality and efficient scanning will reduce paper usage overall.

We also offer a selection of cost control software products. From tracking energy, paper and consumables consumption to ensuring that the most efficient settings have been activated across all your print devices.

Configuration possibilities



IM 2500(A)/IM 3000(A)/IM 3500(A)/IM 4000A/IM 5000A/IM 6000 Main Specifications

GENERAL	IM 2500(A)	IM 3000(A)	IM 3500(A)	IM 4000A	IM 5000A	IM 6000
Varm-up time	18 seconds	17.7 seconds	18.6 seconds	17.9 seconds	19.1 seconds	18.8 seconds
First copy speed: B/W	4.1 seconds	3.9 seconds	3.8 seconds	3.6 seconds	2.7 seconds	2.3 seconds
Continuous output speed	25 ppm	30 ppm	35 ppm	40 ppm	50 ppm	60 ppm
lemory: maximum		FF	2.0		PF	**
•						
DD: maximum			320			
RDF capacity (IM 2500(A), IM			100 sł	neets		
000(A), IM 3500(A))						
PDF capacity			220 sł	neets		
Veight			with ARE	F71 ka		
3			with SPD	-		
imensions: W x D x H			with ARDF587 x	-		
MITIETISIOTIS. W X D X I I			with SPDF587 x			
Power source			220 - 240 V,	50 - 60 Hz		
OPIER						
Aultiple conving			Lin to 000	Conico		
Multiple copying			Up to 999			
Resolution			600	dpi		
loom			From 25% to 40	0% in 1% steps		
RINTER						
PU			ntel® Atom Processor	•		
Printer language: standard		PCL5e, F	PCL6, PostScript 3 (em	ulation), PDF direct (e	emulation)	
Printer language: option		Genuine A	dobe® PostScript®3™	, IPDS, PDF Direct fro	om Adobe®	
rint resolution; maximum			1,200 x 1			
	_	H		•	LIOD David UE =	. D
letwork interface: standard	E		base-TX/1000 base-T,			ЭВ
letwork interface: option		Bi-directional IEEE 1	284, Wireless LAN (IEE	E 802.11a/b/g/n), Ad	ditional NIC (2nd port)	
Mobile printing capability		Apple Ai	rPrint, Mopria®, NFC, F	Ricoh Smart Device C	Connector	
Vindows® environments	Windows® 8.1 Wir		Server 2012, Window			6 Windows® Ser
VIII GOWGO GITVII GITTICITO	**************************************	idovide 10, vviildovide	20		VIII GOWO O COIVOI ZO II	5, ************************************
4						
Mac OS environments			Macintosh OS X			
JNIX environments	UNIX Sun® Solari	s, HP-UX, SCO Open	Server, RedHat® Linux		nApp (7.6 LTSR, 7.15	LTSR, VirtualApp
			Desktops 7 1912	LTSR and later)		
SAP® environments			SAP® R/3®,	SAP® S/4®		
SAP® environments Other supported environments			NDPS G	ateway	n	
Other supported environments				ateway	n	
Other supported environments			NDPS G AS/400® using OS/400	ateway I Host Print Transforn	n	
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF,			NDPS G	ateway I Host Print Transforn	n	
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/W full colour)			NDPS G AS/400® using OS/400 80 ipm (20	ateway I Host Print Transforn 0/300 dpi)	n	
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, BW full colour) Scanning speed: SPDF (A4 LEF, A4 LEF, A4 LEF, A5			NDPS G AS/400® using OS/400	ateway I Host Print Transforn 0/300 dpi)	n	
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour)			NDPS G AS/4008 using OS/400 80 ipm (20 120 ipm (simplex)	ateway I Host Print Transform 0/300 dpi) 240 ipm (duplex)	n	
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/M full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/M full colour) Resolution: maximum			NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex)	ateway Host Print Transform 0/300 dpi) 240 ipm (duplex) dpi		
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour)	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression	n PDF, Single page PI	DF/A, Multi page ∖
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex)	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression	n PDF, Single page PI	DF/A, Multi page T
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 3/M full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/M full colour) Resolution: maximum	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression mpression PDF, Mult	n PDF, Single page PI	DF/A, Multi page ไ
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 8/W full colour) Scanning speed: SPDF (A4 LEF, 8/00dpi, B/W full colour) Resolution: maximum File formats Scan modes	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 Ile page PDF, Single pa DF, Multi page High co	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression mpression PDF, Mult	n PDF, Single page PI	0F/A, Multi page [™]
Other supported environments CCANNER CCANNER CCANNIER CCA	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB	n PDF, Single page PI	DF/A, Multi page ¹
Other supported environments CCANNER Coanning speed: ARDF (A4 LEF, SW full colour) Coanning speed: SPDF (A4 LEF, Oodor), BW full colour) Resolution: maximum Cile formats Coan modes CAX Circuit	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB	n PDF, Single page PI)F/A, Multi page ⁻
Other supported environments CCANNER Coanning speed: ARDF (A4 LEF, SW full colour) Coanning speed: SPDF (A4 LEF, Oodor), BW full colour) Resolution: maximum Cile formats Coan modes CAX Circuit	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca	ateway Host Print Transform 2/300 dpi) 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB	n PDF, Single page PI	DF/A, Multi page T
CANNER CANNER Canning speed: ARDF (A4 LEF, VW full colour) canning speed: SPDF (A4 LEF, VW full colour) canning speed: SPDF (A4 LEF, VW full colour) tesolution: maximum ille formats can modes AX Circuit ransmission speed	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca	ateway Host Print Transform 2/300 dpi) 2/40 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands	n PDF, Single page PI	DF/A, Multi page ⊺
CANNER CCANNER CCANNER CCANNIER	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.6 i	ateway Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX onds Kbps	n PDF, Single page PI	DF/A, Multi page [*]
CANNER CCANNER CCANNER CCANNER CCANNER CCANNIER CC	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 lt 8x3.85 line/mm	ateway Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX conds (bps , 200x100 dpi	n PDF, Single page PI)F/A, Multi page ⁻
Other supported environments CANNER	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.6 l 8x3.85 line/mm 8x7.7 line/mm	ateway Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands kbps 1, 200x100 dpi 200x200 dpi	n PDF, Single page PI)F/A, Multi page [*]
CCANNER CCANNER CCANNER CCANNING Speed: ARDF (A4 LEF, WW full colour) CCANNING Speed: SPDF (A4 LEF, 000dpi, BW full colour) CRESOLUTION: maximum CRESOLUTION: maximum CRESOLUTION: MAX CIrcuit Cransmission speed CRACK Colour Maximum CRESOLUTION: Standard CRESOLUTION: Standard CRESOLUTION: Option	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 i 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands (kps 1, 200x100 dpi 1, 200x200 dpi 1, 400x400 dpi	n PDF, Single page PI	DF/A, Multi page
CCANNER CCANNER CCANNER CCANNING Speed: ARDF (A4 LEF, WW full colour) CCANNING Speed: SPDF (A4 LEF, 000dpi, BW full colour) CRESOLUTION: maximum CRESOLUTION: maximum CRESOLUTION: MAX CIrcuit Cransmission speed CRACK Colour Maximum CRESOLUTION: Standard CRESOLUTION: Standard CRESOLUTION: Option	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.6 l 8x3.85 line/mm 8x7.7 line/mm	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands (kps 1, 200x100 dpi 1, 200x200 dpi 1, 400x400 dpi	n PDF, Single page PI	DF/A, Multi page ¹
CCANNER CCA	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 i 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands Abps , 200x100 dpi 200x200 dpi n, 400x400 dpi MR, JBIG	n PDF, Single page PI)F/A, Multi page ¹
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 83W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum Sile formats	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.61 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32	ateway 1 Host Print Transform 240 ipm (duplex) 240 ipm (duplex) 240 ipm (duplex) 240 ipm (duplex) 250 ipm (duplex) 26 ipm compression 27 ipm compression 27 ipm compression 28 ipm compression 29 ipm compression 20 i	n PDF, Single page PI	DF/A, Multi page T
Other supported environments CCANNER CCANNER CCANNIER CCANNIER	Single Page TIFF, Si	ingle page JPEG, Sing	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 Ile page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.61 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M	ateway 1 Host Print Transform 240 ipm (duplex) 240 ipm (duplex) 240 ipm (duplex) 240 ipm (duplex) 250 ipm (duplex) 26 ipm compression 27 ipm compression 27 ipm compression 28 ipm compression 29 ipm compression 20 i	n PDF, Single page PI	DF/A, Multi page ⁻
CCANNER CCA	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mn MH, MR, M 4 MB, (32 60 MB, (4,8)	ateway I Host Print Transform 240 ipm (duplex) dipi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX chods (bps , 200x100 dpi , 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages)	n PDF, Single page PC i page PDF/A	DF/A, Multi page [*]
Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, 87W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum File formats Scan modes FAX Circuit Transmission speed Modem speed: maximum Resolution: standard Resolution: option Compression method Memory: standard	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.6 l 8x3.85 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A4, A4	ateway 1 Host Print Transform 240 ipm (duplex) 250 ipm (duplex) 260 ipm (duplex) 270 ipm (duplex)	n PDF, Single page PC i page PDF/A	0F/A, Multi page 1
CCANNER CCA	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A4, A4, A4, A4, A4, A4, A4, A4, A4	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX chds (bps , 200x100 dpi , 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages) 25, A6, B4, B5, B6, E	n PDF, Single page PC i page PDF/A invelopes nvelopes)F/A, Multi page [*]
CCANNER CCA	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 sec 33.6 l 8x3.85 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A4, A4	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX chds (bps , 200x100 dpi , 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages) 25, A6, B4, B5, B6, E	n PDF, Single page PC i page PDF/A invelopes nvelopes	DF/A, Multi page
CANNER CCANNER CCAN	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, N 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1 l paper tray(s)A3, A4, A4, A3, A4, A5, A6, B4, B5,	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX conds kbps , 200x100 dpi , 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages) A5, A6, B4, B5, B6, E , E6, E6, E6, E6, E6, E6, E6, E6, E7, E0velopes, Custo	n PDF, Single page PC i page PDF/A invelopes nvelopes)F/A, Multi page [*]
CANNER CCANNER CCANNER CCANNER CCANNER CCANNIER CC	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1, paper tray(s)A3, A4, A1, A3, A4, A5, A6, B4, B5, 1,200 s	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX 200x100 dpi 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages) 35, A6, B4, B5, B6, E 86, Envelopes, Custo sheets	n PDF, Single page PC i page PDF/A invelopes nvelopes)F/A, Multi page ⁻
canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, 200dpi, BW full colour) tesolution: maximum ille formats can modes AX dircuit ransmission speed lodem speed: maximum tesolution: standard lemory: standard lemory: standard lemory: maximum APER HANDLING tecommended paper size	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 ille mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1, A3, A4, A5, A6, B4, B5, 1,200 s 4,700 s	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands (bps 1, 200x100 dpi 200x200 dpi 1, 400x400 dpi MR, JBIG 0 pages) 00 pages) 35, A6, B4, B5, B6, E 15, B6, B6, B6, B6, B6, B6, B6, B6, B6, B6	n PDF, Single page PC i page PDF/A invelopes nvelopes	DF/A, Multi page 1
canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, 20dpi, BW full colour) esolution: maximum lile formats can modes AX ircuit ransmission speed lodem speed: maximum esolution: standard esolution: option ompression method lemory: standard lemory: maximum APER HANDLING ecommended paper size aper input: standard aper input: maximum	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1, paper tray(s)A3, A4, A1, A3, A4, A5, A6, B4, B5, 1,200 s	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands (bps 1, 200x100 dpi 200x200 dpi 1, 400x400 dpi MR, JBIG 0 pages) 00 pages) 35, A6, B4, B5, B6, E 15, B6, B6, B6, B6, B6, B6, B6, B6, B6, B6	n PDF, Single page PC i page PDF/A invelopes nvelopes	DF/A, Multi page
CANNER CCANNER CCAN	Single Page TIFF, Si	ingle page JPEG, Sing Multi page P Standar Optiona	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 le page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 ille mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1, A3, A4, A5, A6, B4, B5, 1,200 s 4,700 s	ateway I Host Print Transform 240 ipm (duplex) dpi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX ands (bps 1, 200x100 dpi 200x200 dpi 1, 400x400 dpi MR, JBIG 0 pages) 00 pages) 35, A6, B4, B5, B6, E 15, B6, B6, B6, B6, B6, B6, B6, B6, B6, B6	n PDF, Single page PC i page PDF/A invelopes nvelopes	
CANNER CCANNER CCAN		ingle page JPEG, Sing Multi page P Standar Optiona Bypass trayA	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 i 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1 li paper tray(s)A3, A4, A2 3, A4, A5, A6, B4, B5, 1,200 s 4,700 s 500 si	ateway I Host Print Transform 240 ipm (duplex) dipi ge High compression mpression PDF, Mult rd, URL, FTP, SMB PBX chds (Abps , 200x100 dpi , 200x200 dpi n, 400x400 dpi MR, JBIG 0 pages) 00 pages) A5, A6, B4, B5, B6, Ei B6, Envelopes, Custo theets theets theets 3,625 sheets	n PDF, Single page PD i page PDF/A nvelopes nvelopes om Size paper	
CANNER CCANNER CCANNER CCANNER CCANNIER C		ingle page JPEG, Sing Multi page P Standar Optiona Bypass trayA	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seo 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A4, A1, A4, A5, A6, B4, B5, 1,200 s 4,700 s 500 st 1,625 sheets	ateway 1 Host Print Transform 240 ipm (duplex) 250 ipm (duplex) 260 ipm (duplex) 270 ipm (duplex)	n PDF, Single page PD i page PDF/A nvelopes nvelopes om Size paper	
CANNER CCANNER CCAN		ingle page JPEG, Sing Multi page P Standar Optiona Bypass trayA	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1 paper tray(s)A3, A4, A1 paper tray(s)A3, A4, A1 paper tray(s)A3, A4, F 1,200 s 4,700 s 500 sl 1,625 sheets Trays60 -	ateway I Host Print Transform 240 ipm (duplex) I dpi ge High compression pression PDF, Mult dr, URL, FTP, SMB PBX 200x100 dpi 200x200 dpi 1, 400x400 dpi MR, JBIG 0 pages) 00 pages) A5, A6, B4, B5, B6, E B6, Envelopes, Custo theets theets 13,625 sheets 300 g/m² 300 g/m²	n PDF, Single page PD i page PDF/A nvelopes nvelopes om Size paper	DF/A, Multi page T
canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, 200dpi, BW full colour) canning speed: SPDF (A4 LEF, 200dpi, BW full colour) esolution: maximum ille formats can modes AX carricuit ransmission speed lodem speed: maximum esolution: standard lodem speed: maximum losolution: standard lemory: standard lemory: maximum APER HANDLING lecommended paper size aper input: standard aper input: maximum laper output: standard aper output: standard aper output: standard aper output: max.	1,625 sheets	ingle page JPEG, Sing Multi page P Standar Options Bypass trayA	NDPS G AS/400® using OS/400 80 ipm (20 120 ipm (simplex) 1,200 lle page PDF, Single pa DF, Multi page High co E-mail, USB, SD Ca PSTN, 2 seco 33.6 l 8x3.85 line/mm 8x7.7 line/mm 16x15.4 line/mm MH, MR, M 4 MB, (32 60 MB, (4,8) d paper tray(s)A3, A4, A1 l paper tray(s)A3, A4, A2 3, A4, A5, A6, B4, B5, 1,200 s 4,700 s 500 st 1,625 sheets Trays60 - Bypass52	ateway I Host Print Transform 240 ipm (duplex) I dpi ge High compression gersion PDF, Mult drid, URL, FTP, SMB PBX 200x100 dpi 200x200 dpi 1, 400x400 dpi MR, JBIG 0 pages) 00 pages) 25, A6, B4, B5, B6, E 86, Envelopes, Custo sheets heets heets heets 13,625 sheets 1300 g/m² 140 ym² 150 ym²	n PDF, Single page PE i page PDF/A nvelopes nvelopes om Size paper 3,625 sheets	3,625 sheets

IM 2500(A)/IM 3000(A)/IM 3500(A)/IM 4000A/IM 5000A/IM 6000

Main Specifications

	IM 2500(A)	IM 3000(A)	IM 3500(A)	IM 4000A	IM 5000A	IM 6000
ECOLOGY						
Power consumption: max.	1,600W	1,600W	1,600W	1,780W	1,780W	1,780W
Power consumption: operation	446 W	475 W	553 W	568 W	767 W	821 W
Power consumption: ready	56.4 W	56.4 W	56.4 W	64.7 W	64.7 W	64.7 W
Power consumption: sleep	0.57 W					
TEC*	0.29 kWh/week	0.35 kWh/week	0.41 kWh/week	0.47 kWh/week	0.63 kWh/week	0.74 kWh/week
* It is a reference value based on the ENERGY STAR Ver.3.0 test method.						



















OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray	Paper size: (A3, A4, A5, A6, B4, B5, B6), Paper weight: (60-300 g/m²)
2x 550-sheet paper tray	Paper size: (A3, A4, A5, A6, B4, B5, B6), Paper weight: (60-300 g/m²)
2,000-sheet Large capacity tray	Paper size: (A4), Paper weight: (60-300 g/m²)
1,500-sheet side Large capacity tray	Paper size: (A4, B5), Paper weight: (60-300 g/m²)
1,000-sheet Hybrid finisher	Paper size: (SRA3, A3, A4, A5, A6, B4, B5), B6), Paper weight: (52-300 g/m²), 1,000 sheets, Staple capacity: (50 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 Staples)
3,000-sheet finisher (IM 6000, IM 5000A, IM 4000A)	Paper size: (A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²), Stack capacity: (3,000 sheets), Staple capacity: (50 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples, Top-slant)
1,000-sheet Booklet finisher	Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²), Stack capacity: (1,000 sheets), Staple capacity: (50 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples, Booklet)
2,000-sheet Booklet finisher (IM 6000, IM 5000A, IM 4000A)	Paper size: (A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²), Stack capacity: (2,000 sheets), Staple capacity: (50 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples, Booklet)
250-sheet Internal finisher (IM 2500(A), IM 3000(A), IM 3500(A))	Paper size: (A3, A4, B4, B5), Paper weight: (52-300 g/m²), Stack capacity: (250 sheets), Staple capacity: (5 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (64-80 g/m²), Staple positions: (Top)
500-sheet Internal finisher	Paper size: (A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²), Stack capacity: (500 sheets), Staple capacity: (50 sheets), Staple paper size: (A3, A4, B4, B5), Staple paper weight: (52-105 g/m²), Staple positions: (Top, Bottom, 2 staples)
Internal shift tray	Tray capacity: (250 sheets), Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²)
One-bin tray	Tray capacity: (125 sheets), Paper size: (SRA3, A3, A4, A5, A6, B4, B5, B6), Paper weight: (52-300 g/m²)

OTHER OPTIONS

Fax unit, G3 Interface, Fax memory unit, Cabinet, Caster table, Memory unit, Side Tray, Punch units, Internal Multi-fold unit, IPDS unit, PostScript 3, Bi-directional IEEE 1284, IEEE 802.11 a/b/g/n, Device server unit, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Small paper feeding unit, Page keeper, ADF handle, External keyboard bracket, Counter I/F unit, Key counter bracket, NFC card reader, Smart card reader built-in unit

CONSUMABLES

Toner (black)	24,000 prints	24,000 prints	24,000 prints	37,000 prints	37,000 prints	37,000 prints
Consumable yield based on 5%						
coverage/A4						

COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh Europe (Netherlands) B.V.

"Nieuw Kronenburg" Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5774111



ricoh-europe.com

