

Cotogony		
Category	Description	Footnotes
Operating 1 system	Windows 11 Home	
CPU and chipset 1	Intel <sup>®</sup> Core <sup>™</sup> Ultra 9 processor 185H (24 MB Smart Cache, 2.3 GHz P-	
	core base core frequency with Intel® Turbo Boost Max Technology 3.0 up	
	to 5.1 GHz, Intel <sup>®</sup> AI Boost capable, and Intel <sup>®</sup> vPro <sup>™</sup> Enterprise eligibility), supporting hybrid core architecture with Performance-core, Efficient-core, and Low-Power Efficient-core	
	Intel <sup>®</sup> Core <sup>™</sup> Ultra 7 processor 155H (24 MB Smart Cache, 1.4 GHz P-	
	core base core frequency with Intel® Turbo Boost Max Technology 3.0 up	
	to 4.8 GHz, Intel <sup>®</sup> Al Boost capable), supporting hybrid core architecture with Performance-core, Efficient-core and Low-Power Efficient-core	
	Intel <sup>®</sup> Core <sup>™</sup> Ultra 7 processor 155U (12 MB Smart Cache, 1.7 GHz P-	
	core base core frequency with Intel® Turbo Boost Technology 2.0 up to	
	4.8 GHz, Intel <sup>®</sup> Al Boost capable), supporting hybrid core architecture with Performance-core, Efficient-core and Low-Power Efficient-core	
	Intel <sup>®</sup> Core <sup>™</sup> Ultra 5 processor 125H (18 MB Smart Cache, 1.2 GHz P-	
	core base core frequency with Intel® Turbo Boost Technology 2.0 up to	
	4.5 GHz, Intel <sup>®</sup> Al Boost capable), supporting hybrid core architecture with Performance-core, Efficient-core and Low-Power Efficient-core	
	Intel <sup>®</sup> Core <sup>™</sup> Ultra 5 processor 125U (12 MB Smart Cache, 1.3 GHz P-	
	core base core frequency with Intel® Turbo Boost Technology 2.0 up to	
	4.3 GHz, Intel <sup>®</sup> Al Boost capable), supporting hybrid core architecture with	
	Performance-core, Efficient-core and Low-Power Efficient-core	
Memory 1, 2	3 Dual-channel LPDDR5X SDRAM support	
	32 GB of Onboard LPDDR5X System Memory	
	Dual-channel LPDDR5X SDRAM support	
	16 GB of onboard LPDDR5X system memory  Dual charged LPDDR5 SDRAM system	
	<ul><li>Dual-channel LPDDR5 SDRAM support</li><li>8 GB of onboard LPDDR5 system memory</li></ul>	
	Memory Frequency: Up to 6400 MT/s	
Display	14.0" display with OLED (Organic Light-Emitting Diode) technology,	4
	WQXGA+ 2880 x 1800, high-brightness (400 nits) Acer CineCrystal <sup>™</sup> 16:10 aspect ratio, color gamut DCI-P3 100%, certified by True Black HDR 500(@HDR 500, brightness reach 500 nits) Wide viewing angle up to 170 degrees	

Swift SFG14-73 Specifications (v9-0-6)				
	Mercury free, environment friendly  14.0" display with IPS (In-Plane Switching) technology, WQXGA+ 2880  x 1800, high-brightness (400 nits, typical value) Acer ComfyView <sup>™</sup> LED-backlit TFT LCD, supporting 120Hz.  16:10 aspect ratio, Color gamut sRGB 100%(Typical value)  Wide viewing angle up to 170 degrees  Ultra-slim design  Mercury free, environment friendly	4		
	14.0" display with IPS (In-Plane Switching) technology, 2.2K 2240 x 1400, high-brightness (300 nits) Acer ComfyView <sup>™</sup> LED-backlit TFT LCD 16:10 aspect ratio, color gamut sRGB 100% Wide viewing angle up to 170 degrees  Mercury free, environment friendly	4		
Graphics 1	Intel® Graphics Graphics Special Technology#  • H.265/HEVC, VP9, AV1 Encode and Decode  • OpenGL 4.5  • OpenCL 3.0  • DirectX 12	5		
	Intel® ARC™ Graphics eligible Graphics Special Technology#  • H.265/HEVC, VP9, AV1 Encode and Decode  • OpenGL 4.5  • OpenCL 3.0  • DirectX 12	5		
Audio	<ul> <li>DTS® X:Ultra Audio, featuring optimized Bass, Loudness, Speaker Protection with up to 6 custom content modes via smart amplifier</li> <li>Supported in Windows Spatial Sound for PC Gaming with DTS Sound Unbound license integrated</li> <li>Immersive audio rendering over headphones and internal speakers</li> <li>High SNR DAC with 2.1 Vrms out capability and can driver high impedance headphone (up to 600 ohm)</li> <li>Acer Purified.Voice technology with AI noise reduction in 3 mics array built-in microphones to support Advanced Privacy Mode. Features include far-field pickup, dynamic noise reduction through neural network, adaptive beam forming, and pre-defined personal and conference call modes.</li> <li>Compatible with Cortana with Voice</li> <li>Acer TrueHarmony Technology for lower distortion, wider frequency range, headphone-like audio and powerful sound</li> </ul>			
Storage	Solid state drive • 256 GB / 512 GB / 1 TB, PCIe Gen4, 16 Gb/s, NVMe	1, 6		
Webcam 1	Video conferencing UFC with			

Swift SFG14-73 Specifications (v9-0-6)				
	T-Type USB QHD camera			
	Compatible with Windows only			
	• 2560 x 1440 resolution			
	1440p QHD video at 30 fps with Temporal Noise Reduction			
	• Dual Mic (33 mm + 33 mm)			
	• 78 x 3.2 (5.2) x 3.02 mm			
Wireless and 1	WLAN			
networking	Killer <sup>™</sup> Wi-Fi 7 Wireless LAN			
	• 802.11 a/b/g/n/ac/ax/be			
	Band: 2.4 GHz, 5 GHz, and 6 GHz			
	2x2 MIMO technology			
	Intel® Wi-Fi 7 Wireless LAN			
	• 802.11 a/b/g/n/ac/ax/be			
	Band: 2.4 GHz, 5 GHz, and 6 GHz			
	2x2 MIMO technology			
	• Killer™ Wireless Wi-Fi 6E 1675i			
	802.11 a/b/g/n/ac/ax wireless LAN			
	Band: 2.4 GHz, 5 GHz and 6 GHz			
	2x2 MU-MIMO technology			
	Support CNVi interface			
	Intel® Wireless Wi-Fi 6E AX211			
	802.11 a/b/g/n/ac/ax wireless LAN			
	Band: 2.4 GHz, 5 GHz, and 6 GHz			
	2x2 MU-MIMO technology			
	Support CNVi interface			
	WPAN			
	Supports Bluetooth <sup>®</sup> 5.3 or above			
	Supports Bluetooth LE Audio (LC3).			
Privacy control 1	BIOS user, supervisor, HDD passwords			
Security	Power keycap fingerprint reader with on-chip matching design			
	Kensington lock			
Dimensions and 7,8	Dimensions			
weight	• 312.9 (W) x 217.9 (D) x /14.9 (H) mm (12.32 x 8.58 x /0.59 inches)			
	Weight			
	1.32 kg (2.91 lbs.) with 3-cell battery pack, for Intel H45CPU			
Power adapter	Power adapter			
and battery	USB Type-C 100 W PD AC adapter:			
	• 108 (W) x 56 (D) x 26.5 (H) mm (4.25 x 2.20 x 1.04 inches)			
	• 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 5 A as			
	output power			
	296 g with 150 cm DC cable			
	USB Type-C 65 W PD AC adaptor			
	• 56.0 (W) x 56.0 (D) x 28.8 (H) mm (2.20 x 2.20 x 1.13 inches)			
	55.5 (17) A 55.5 (2) A 25.6 (17) Hilli (2.25 A 2.26 A 1.16 Hidilot)			

# Swift SFG14-73 Specifications (v9-0-6) • 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power

- 206 g with 180 cm DC cable
- UK fixed AC pins (2 pins design)

#### USB Type-C 65 W PD AC adaptor

- 56.0 (W) x 56.0 (D) x 28.5 (H) mm (2.20 x 2.20 x 1.12 inches)
- 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power
- 200 g with 180 cm DC cable
- EU fixed AC pins (2 pins design)

#### USB Type-C 65 W PD AC adaptor

- 56.0 (W) x 56.0 (D) x 28.5 (H) mm (2.20 x 2.20 x 1.12 inches)
- 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power
- 188 g with 180 cm DC cable
- US fixed AC pins (2 pins design)

#### USB Type-C 65 W PD AC adaptor

- 56.0 (W) x 56.0 (D) x 28.5 (H) mm (2.20 x 2.20 x 1.12 inches)
- 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power
- 188 g with 180 cm DC cable
- CN fixed AC pins (2 pins design)

#### USB Type-C 65 W PD AC adapter:

- 108 (W) x 46 (D) x 29.5 (H) mm (4.25 x 1.81 x 1.16 inches)
- 5 V / 3 A or 9 V / 3 A or 12 V / 3 A or 15 V / 3 A or 20 V / 3.25 A as output power
- 250 g with 150 cm DC cable

#### **Battery**

- 65 Wh 4-cell Li-ion battery
- Supports Fast Charging technology
- For models with WQXGA Plus Panel + SSD Battery life:

Up to 8 hours (based on MobileMark® 2025 test results)

Up to 13 hours (based on video playback test results)

Up to 11 hours (based on web browsing test results)

#### **Keyboard**

83-/84-/87-key full-size FineTip backlit keyboard with international language support

#### TouchPad

Multi-gesture Lighting touchpad, supporting two-finger scroll; pinch; gestures to open Cortana, Action Center, multitasking; application commands

- Multi-control Lighting touchpad
- Microsoft Precision Touchpad certification

#### Input and control

9, 10, 11

Swift SFG14-73 Specifications (v9-0-6)			
	Moisture resistant		
	Corning <sup>®</sup> Gorilla <sup>®</sup> Glass		
	Control Keys		
	Acer Sense Key		
	Copilot Key		
Input and output	USB Type-C		
	Two USB Type-C <sup>™</sup> ports		
	USB Type-C <sup>™</sup> port supporting:		
	• USB4® 40Gbps		
	• Thunderbolt <sup>™</sup> 4		
	USB charging 5 V; 3 A		
	DC-in port 20 V; 100 W		
	USB Standard A		
	Two USB Standard-A ports, supporting:		
	One port for USB 3.2 Gen 1		
	One port for USB 3.2 Gen 1 featuring power off USB charging		
	microSD <sup>™</sup> Card reader		
	Headphone/speaker jack		
	HDMI <sup>®</sup> 2.1 port with HDCP support		
Windows 12	Games		
Desktop Apps	Planet9		
	In-House		
	Acer Care Center		
	Acer Product Registration		
	Acer QuickPanel		
	Search		
	AcerSense		
Warranty	One-year International Travelers Warranty (ITW)		

- 1. Specifications vary depending on model.
- 2. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
- 3. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 4. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products.
- 5. Not all features indicated are supported on all SKUs
- 6. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 7. Minor variations in system dimensions are possible due to the manufacturing process.
- 8. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.

### Swift SFG14-73 Specifications (v9-0-6)

- 9. Listed battery life is based on testing using video playback. The test clip loops and continues to run, without interruption or any other inputs, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: 14th Gen Intel® Core™ i7, Intel® ARC™ Graphics, WQXGA Plus, SSD only, 32GB of LPDDR5X memory. Battery life test condition: LCD brightness 150 nits, connected headphones, WLAN off, Bluetooth off and Better Battery Mode on.
- 10. Listed battery life is based on testing using Web browsing. The test clip loops the loading of 50 selected websites using Microsoft Edge every 30 seconds, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: 14th Gen Intel® Core™ i7, Intel® ARC™ Graphics, WQXGA Plus, SSD only, 32GB of LPDDR5X memory. Battery life test condition: 100 nits LCD brightness, 50% speaker volume, WLAN on, Bluetooth on, no WW direct Internet connection.
- 11. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.
- 12. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2024. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

#### **About Acer**

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.









## Swift SFG14-73 Specifications (v9-0-6)



















## **Appendix**

v2-0-2 (Ver. 2)

Wireless and networking

v3-0-3 (Ver. 3)

Input and control

v4-0-4 (Ver. 5)

About

Display

v5-0-5 (Ver. 6)

Power adapter and battery and Battery's footnote

v6-0-6 (Ver. 7)

Dimensions and weight

v7-0-6 (Ver. 8)

No changes found!

v8-0-6 (Ver. 9)

Wireless and networking

v9-0-6 (Ver. 10)

Audio