


TUF Gaming AX5400 Dual Band WiFi 6 Gaming Router with dedicated Gaming Port, 3 steps port forwarding, AiMesh for mesh WiFi and AiProtection Pro network security

- **Ultrafast WiFi 6** Enjoy speeds up to 5400 Mbps and 4X network efficiency with OFDMA and 160 MHz channels.
- Fast & Stable Wired Gaming Dedicated gaming port to prioritize connected gaming device.
- Easy Port Forwarding in 3 Steps Open NAT makes port forwarding simple, eliminating frustrating and complicated manual configuration.
- ASUS AiMesh Support Create a flexible, seamless wholehome mesh network with AiMesh-compatible routers.
- Tested Durability and Stable Operation TUF Gaming AX5400 is built to be durable and undergoes verified testing to ensure reliable, stable operation.













Stable and Durable

TUF Gaming AX5400 is engineered to deliver maximum WiFi performance. The vent location and double heatsink design improve cooling for increased stability, and the fixed antennas and metal port protectors increase physical durability.





















One Router. Three Modes. All Game Types.

TUF Gaming AX5400 provides gamers with different features for different game types.





One Router. Three Modes. All Game Types.

TUF Gaming AX5400 provides gamers with different features for different game types.



Port Forwarding in 3 Steps

Using Open NAT on TUF Gaming AX5400 couldn't be easier: it takes just 3 steps. No more frustrating and complicated procedures!





Simultaneous Gaming and VPN

VPN Fusion lets you run both a VPN and an ordinary internet connection - simultaneously! So even if other network users need to use a VPN, you can still enjoy maximum gaming speeds.







Disclaimer:

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.
- The actual transfer speed of USB 3.0, 3.1, 3.2, and/or Type-C will vary depending on many factors including the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment.
- Actual data throughput and WiFi coverage will vary from network conditions and environmental factors, including the volume of network traffic, building material and construction, and network overhead, result in lower actual data throughput and wireless coverage.
- Quoted network speeds and bandwidth based on current IEEE 802.11ac specifications. Actual performance may be affected by network and service provider factors, interface type, and other conditions. Connected devices must be 802.11ac-compatible for best results.
- WPA/WPA2 enterprise is only available on single router, is not available under AiMesh mode.

What's Inside the Box Specifications

- TUF Gaming AX5400 WiFi 6 Router
- RJ-45 cable
- Power adapter
- Warranty card
- Quick start guide

- Wireless Type: 802.11 ax/ac/n/g/a/b
- Wireless Speed: 2.4GHz up to 574 Mbps /5GHz up to 4804 Mbps
- Wired Connectivity: 4x LAN, 1x WAN, Gigabit Ethernet ports
- USB Ports: 1 x USB 3.0(USB 3.2 Gen 1)



Official Site

Dimension

TUF Gaming AX5400 WiFi 6 Router

- 297 x 335 x 68 mm (with antenna)
- 600 g / 1.32 lb

Color Box


- 352 x 342 x 89 mm
- 1598 g

Connectivity











Specifications

Network Standard IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE

802.11ax, IPv4, IPv6

Product Segment AX5400 ultimate AX performance: 574+4804 Mbps

Coverage Very Large homes

Data Rate 802.11ax (2.4GHz) : up to 574 Mbps

802.11ax (5GHz): up to 4804 Mbps

Antenna External antenna x 6

Transmit/Receive 2.4 GHz 2 x 2

5 GHz 4 x 4

Processor 1.5 GHz tri-core processor

Memory 256 MB Flash

512 MB RAM

Wi-Fi Technology OFDMA (Orthogonal Frequency Division Multiple Access)

Beamforming: standard-based and universal

1024-QAM high data rate

20/40/80/160 MHz bandwidth

Operating Frequency 2.4 GHz, 5 GHz

Encryption WPA3-Personal, WPA-Personal, WPA-Enterprise, WPA2-

Enterprise, WPS support

Firewall & Access Control Firewall: SPI intrusion detection, DoS protection

Access control: Parental control, Network service filter, URL filter, Port filter

Management UPnP, IGMP v1/v2/v3, DNS Proxy, DHCP, NTP Client, DDNS, PPPoE

Port Trigger, Port Forwarding, DMZ, System Event Log

VPN Support PPTP Pass-Through, L2TP Pass-Through, IPSec Pass-Through

RTSP Pass-Through, H.323 Pass-Through, SIP Pass-Through, PPPoE Relay

IPSec server
PPTP server
OpenVPN server
PPTP client
L2TP client
OpenVPN client

WAN Connection Type Internet connection type: PPPoE, PPTP, L2TP, Automatic IP, Static IP

Utilities Router setup wizard; Firmware restoration; Device discovary; printer setup utility

Ports RJ45 for Gigabits BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN x 4

USB 3.2 Gen 1 x 1



Router app

Link Aggregation - 802.3ad

MU-MIMO Traffic Analyzer Adaptive QoS AiProtection Pro Parental Control

Guest Network: 2.4 GHz x 3, 5 GHz x 3

NAT Pass-Through: PPTP Pass-Through, L2TP Pass-Through, IPSec Pass-Through,

RTSP Pass-Through, H.323 Pass-Through, PPPoE relay

Mac OS Backup

Enhanced media server (AiPlayer app compatible)

- Image:

- Audio: mp3, wma, wav, pcm, mp4, lpcm, ogg

- Video: asf, avi, divx, mpeg, mpg, ts, vob, wmv, mkv, mov

AiCloud personal cloud service

3G/4G data sharing

Printer Server

- Multifunctional printer support (Windows only)

- LPR protocol support

Download Master

- Support bt, nzb, http, ed2k

- Support encryption, DHT, PEX and magnet link

- Upload and download bandwidth control

- Download scheduling

AiDisk file server

- Samba and FTP server with account management

Dual WAN

WAN Aggregation IPTV support Roaming Assist OFDMA

Beamforming
WPS Button, Reset Button, Power Button

LED Indicator Power x 1

2.4GHz x 1 5GHz x 1 LAN x 4 WAN x 1

Power Supply AC Input: 100V~240V(50~60Hz)

DC Output: 12 V with max. 2.5 A current

OS Support Windows® 10

Windows® 8 Windows® 7 Mac OS X 10.6 Mac OS X 10.7 Mac OS X 10.8

Operation mode Wireless router mode

Access point mode Media bridge mode Repeater mode AiMesh node mode

Features

Button