

PM-14 Portable Monitor Full HD 1080p 14"





Screen size 14"



Full High Definition



16.7 Million colours



In-Plane switching technology

Expanded viewing

The Verbatim Portable Monitor gives you an extra dimension for your work and play. You can use it as a second screen for your laptop when you are travelling or giving one-on-one presentations, or to provide a large additional display for your phone, tablet, or portable gaming system*. Compact and versatile, the portable monitor gives you ultimate flexibility for increased productivity and entertainment while on the go.

The portable 14" display weighs only 760g and has a 6mm slim profile, 12mm at the base, so it fits easily in any travel bag. It's the ideal solution to help you overcome one-screen limitations outside the office, extending your visual experience, anytime and anywhere.

www.verbatim.com

^{*} Ensure your device has a USB-C port supporting DisplayPort Alt Mode and power delivery.

PM-14

Portable Monitor Full HD 1080p 14"



General Information				
Product dimensions WxHxD (mm)	322 x 205 x 6/12	mm (Min/Max)		
Material	Panel: a-Si TFT-L	Panel: a-Si TFT-LCD; Monitor casing: Plastic; Sleeve: Neoprene		
Colour	Black	Product weight (grams) approx	540	
Tilt	0° to 85° tilt	Pivot	NA	
VESA mounting	NA	Kensington lock	NA	
Swivel	NA	Portrait mode	NA	
Display				
Panel type	IPS technology			
Display size	14" LED-Backligh	nt		
Brightness (typical)		220-250 cd/m2 (typical)		
NTSC	45% NSTC	71 .		
Contrast (typical)	1000:1 (typical)			
Active area (mm)	309.31 × 173.99	mm (H×V)		
Pixel pitch (mm)		mm (H×V) [157PPI]		
Resolution (H x V)	1920 x 1080	, , , , , ,		
Aspect ratio	16:9			
Response time (typical)	Response time (ty			
		/pical Tr+Tf): 11+9 ms		
	Response time (B			
View angles LR,DU (CR>10)	H 178°/ V 178°(M	in)		
Panel surface	Matt			
Display colours	16.7M colours			
PC Input Range				
Vertical frequency	30 to 60Hz			
Maximum display frequency	1920 x 1080 / 60	Hz (Resolution H*V/Fv)		
Input/Output				
USB-C1/2	2 x USB-C suppo	orting DisplayPort Alt Mode		
HDMI		1 x Standard HDMI (1.4)		
USB-A	1 x USB-A 2.0			
Earphone		1 x 3.5 mm Audio jack		
Speaker (typical)	2 x 1W (8Ω)	,		
Power	(/			
Consumption (typical)	On: <12\N/. Ctana	hv<0.5W Off<0.5W		
PD power		On: ≤12W; Standby≤0.5W, Off≤0.5W PD 5V3A 9V3A 12V3A 15V3A 20V 3.25A		
Power mode indicator light		Power on: BLUE (LED) / Power saving: RED (LED)		
Battery	N/A	LLD// 10WGI SAVIIIY. NLD (LLD)		
Controls	IN/A			
	D 0 N4	Handlin house (1) D		
Physical controls		utton; Up button (+), Down button (-)	- /1	
On screen display		Picture adjust, Colour adjust, Audio adjust, Other settings (Language selection (EN, FR, DE, ES, IT, RUS), HDR, Reset), Signal source selection		
Colour temperature	9300K / 6500K / SRGB / User Mode (default 7500K)			
Preset mode	Standard, Game,	Standard, Game, Movie, Photo, Vivid, User		
Other Features				
Stand	Built-in kickstand, Tilt: from 0° up to 85°			
Supported technology	IPS; HDR; FreeSync; Low blue light			
EU energy class	A			



PM-14

Portable Monitor Full HD 1080p 14"

Compliance				
EC declaration of conformity	The products here listed are in compliance with the requirements set out in the Council directive on the Approximation of the Laws of the Member State			
Electromagnetic compatibility	2014/30/EC			
Low voltage protection	2014/35/EC			
RoHS directive	directive 2011/65/EC			
EN IEC 62368-1:2020 + A11:2020 EN 55032:2015 + A1:2020 + A11:2020 EN 55035:2017 + A11:2020				

Storage and Operating Conditions

Storage temperature	-20°C to 60°C	-20°C to 60°C	
Operating temperatur	0°C to 40°C		
Operating humidity	20% to 85% RH non-condensing		

PN	Description	Bar Code	EAN128 Code	EAN14 Code
49590	Verbatim PM-14 Portable Monitor 14" Full HD 1080p	023942495901	(02)00023942495901(37)05(91)491	50023942495906

Logistic Information	
Pack dimensions LxWxH	256 x 430 x 58 mm
Pack weight	1 690 g
Pcs per pack	1
Outer cartons dimensions LxWxH	445 x 290 x 318 mm
Outer cartons weight	9 250 g
Pcs per outer carton	5
Outer carton per layer	8
Layers per pallet	3
Pcs per pallet	120

Pack Contents:

- Verbatim PM-14 Portable Monitor 14" Full HD 1080p
- USB-C to USB-C cable 1.0m
- HDMI-HDMI cable 1.5m
- USB-A to USB-C cable 1.5m
- EU power supply with UK adapter (5V 3A)
- Neoprene protection leeve
- Quick start guide

System Requirements

- Interface: HDMI (power supply required, included) USB-C supporting DisplayPort Alt Mode
- OS Compatibility:
 Android OS, Windows 11/10/8
 Mac OS, iOS (adapter required for Lightning devices, not included.
 Touchscreen function not supported by iOS/iPadOS)

Warranty

2 year limited warranty









PM-14 Portable Monitor Full HD 1080p 14"

Image library

Download high-res images from the marketing directory: www.verbatim-marcom.com



Front



Angled



Right side



Back angled



Pack content



Packaging 3D



Lifestyle 1



Lifestyle 2



Lifestyle 3



Lifestyle 4



Lifestyle 5



Lifestyle 6