



TruSound Neckband Earbuds with ANC

Active Noise Cancellation



Immersive Sound with Active Noise Cancellation.

The Verbatim TruSound with ANC Neckband Earbuds feature Active Noise Cancellation to reduce surrounding noise, helping you focus on music or podcasts in busy environments.

Large 13mm drivers and a 20Hz-20kHz range deliver rich, detailed sound. Bluetooth 5.4 ensures a stable, energy-efficient connection, while up to 28 hours of playtime suits commuting, work or travel.

A built-in microphone supports clear calls, and USB-C charging adds convenience. The lightweight 46.5g ergonomic neckband keeps earbuds secure, with magnetic earbuds offering smart auto on/off when attached or separated.

Multiple ear tip sizes improve comfort and passive noise isolation, while durable ABS, silicone and TPE materials ensure everyday reliability.



Active
Noise-Cancelling



Enhanced
Call Clarity



Built-In
Microphone



Neckband
Secure by Design

[verbatim.com](https://www.verbatim.com)



General Information		30205	30206
			
Colour		Black	Grey
Wearing style		In-Ear	
Ear coupling		Ear canal	
Product dimensions		460 x 130 x 15.2 mm	
Product weight		46.5 g	
Product material		ABS, Silicone, TPE	
Plug for charging		USB-C	
Charging input		5V = 600 mA	
Charging cable		USB-A to USB-C (20 cm)	
Current after shutdown		≤10μA	
Operating current		18mA	
Standby operating current		≤1mA	
ON/OFF		Smart magnetic auto on/off function	
Controls		Controls on Device	
Touch controls		Yes	
Low latency mode		Yes	
Environmental noise cancellation (ENC)		Yes	
Active Nnoise cancellation (ANC)		Yes, for music playback (Noise Cancelling / Transparency / Normal)	
ANC attenuation level		-22 dB	
EAR SPEAKERS			
Transducer principle		Dynamic	
Transducer size		13 mm	
Impedance		32 ohm +/- 15%	
Frequency response		20 Hz~20 kHz	
Sound pressure level (SPL)		124±3dB @ 1kHz	
MICROPHONE			
Sensitivity (dBV/Pa)		-38 dBV/Pa ±1 dB	
Resolution		> 70dB	
Signal-to-noise ratio		≥ 80dB	
Distortion		1%	
CONNECTIVITY			
Bluetooth version		5.4 (chip JL7006F8)	
Supported bluetooth profiles		HFP, HSP, A2DP, AVRCP	
Bluetooth range		≥ 10 m (open space)	
Pairing features		Auto-pairing, multipoint supported (One-support-two function)	
Pairing name		Verbatim TS NB EB	
BATTERY			
Battery type		Li-ion Polymer battery, XD 601055	
Battery capacity		300 mAh, 3.7 V, 1.11Wh	
Rated Power		5 mW	
Max. current		600mA	
Operating time		28 hrs	
Charging Time		~2 hours	
Wireless Charging		No	
Battery Safety		UN 38.3	


Storage and Operating Conditions

Storage temperature	-20 °C to +40 °C
Operating temperature	-10 °C to +40 °C
Operating humidity	5%~95% RH

PN	Description	MOQ	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
30205	Verbatim TruSound ANC Neckband Earbuds	10	8518300090	023942302056	(02)00023942302056(37)10(91)866 (02)00023942302056(37)40(91)866	20023942302050 50023942302051
30206	Verbatim TruSound ANC Neckband Earbuds	10	8518300090	023942302063	(02)00023942302063(37)10(91)866 (02)00023942302063(37)40(91)866	20023942302067 50023942302068

Logistic Information

Product Dimensions L x W x H	460 x 130 x 15.2 mm
Product Weight	46.5 g
Units per Pack	1
Pack Dimensions L x W x H	145 x 30 x 240 / 202 mm (with / without hanger)
Pack Weight	121 g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	460 x 180 x 155 mm
Inner Carton Weight	1442 g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	470 x 370 x 340 mm
Outer Cartons Weight	6500 g
Outer Cartons per Layer	6
Layers per Pallet	3
Units per Pallet	720



Pack Contents

- Verbatim TruSound Neckband Earbuds with ANC
- USB-A to USB-C cable (200mm)
- Earbuds tips x 3 pairs (S, M, L)
- Quick Start Guide



System Requirements

Bluetooth-enabled smartphone, tablet or laptop
USB power source for charging

Warranty

2 year limited warranty

For more information, please
contact your key account manager

Publication date: 26/03/2026
© 2026 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.

