



Veriton ES2740G Specifications (v4-0-1)			
Category		Description	Footnote
Operating system	1, 2	Windows 10 Pro 64-bit. (Acer recommends Windows 10 Pro for business.) Windows 10 Home 64-bit. Endless OS	
CPU and chipset	1	CPU <ul style="list-style-type: none">• 10th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 630• 10th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 630• Intel® Pentium® Gold processor, Intel® UHD Graphics 630 / 610• Intel® Celeron® processor, Intel® UHD Graphics 610 Chipset <ul style="list-style-type: none">• Intel® H410 Express Chipset	
Memory	1, 3, 4	16 GB DDR4 2666 MHz UDIMM 8 GB DDR4 2666 MHz UDIMM 4 GB DDR4 2666 MHz UDIMM Up to 32 GB of Dual-channel DDR4 2666 MHz	
Storage	1, 5	Hard disk drive 2 TB 3.5-inch 7200 RPM 1 TB 3.5-inch 7200 RPM 512 GB M.2 2280 PCI-E SSD 256 GB M.2 2280 PCI-E SSD 128 GB M.2 2280 PCI-e SSD 256 GB 2.5-inch Solid State Drive 128 GB 2.5-inch Solid State Drive	
Optical media drive		8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready™ <ul style="list-style-type: none">• Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, M-Disc/+M• Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD+RW, 8 cm DVD, M-Disc/+M	
Graphics	6	NVIDIA® GeForce® GT 730 with 2 GB of DDR3 (supporting: DVI, HDMI®) NVIDIA® GeForce® GT 720 with 2 GB of DDR3 (supporting: DVI, HDMI®) AMD Radeon™ R7 430 , 4 GB GDDR5 (supporting: DVI, HDMI®)	
Audio		Integrated high-definition sound	
Communication		LAN Gigabit Ethernet WLAN	

Veriton ES2740G Specifications (v4-0-1)		
	802.11ax/ac/a/b/g/n, Wi-Fi 6 with 160MHz channel support, MU-MIMO and MAX TCP/IP TPT 1.8Gbps Bluetooth® 5.1	
Input and output	Front/Side I/O connectors <ul style="list-style-type: none"> • Audio jack(s): 2 • USB 3.2 Gen1 Type A port(s): 4 Rear I/O connectors <ul style="list-style-type: none"> • D-Sub port(s): 1 • HDMI port(s): 1 • Serial ports on board header (COM2): 1 • LAN port(s): 1 • PS/2 port(s): 2 • Audio jack(s): 3 • USB 2.0 Type A port(s): 4 	
Expansion slot(s)	<ul style="list-style-type: none"> • Number of PCIe x16 slot(s): 1 • M.2 slot (for SSD): 1 • M.2 slot (for WLAN): 1 	
Commercial features	Kensington lock slot PXE (Preboot eXecution Environment) WOL (Wake On Lan) Hard drive password protection (via BIOS)	
Commercial selected options	COM (Series) port Dual-channel memory support Internal speaker	7
Dimensions	160 (W) x 306 (D) x 348 (H) mm (6.3 x 12.05 x 13.7 inches)	
Power supply and adapter	Power supply 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Platinum, TFX 180 W PFC, auto-sensing, 80PLUS [#] Bronze, TFX	
System compliance	RoHS DMI GS ENERGY STAR® PC2001	
Certification	BSMI CE FCC CB	
1. Specifications vary depending on model. 2. 64-bit software is required to enjoy the advantages of 64-bit processing. 3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory. 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.		

Veriton ES2740G Specifications (v4-0-1)

5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.
7. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2020. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, and Intel Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

About Acer

Founded in 1976, Acer is now one of the world's top ICT companies and has a presence in over 160 countries. As Acer looks into the future, it is focused on enabling a world where hardware, software and services will fuse with one another to open up new possibilities for consumers and businesses alike. From service-oriented technologies to the Internet of Things to gaming and virtual reality, Acer's 7,000+ employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.

