





Veriton Mid Tower



13th Gen Intel® Core™ Processor¹
Up to 64GB DDR4-3200 MHz Dual-channel Memory
Discrete TPM Tamper Resistance
Wi-Fi 6 & Bluetooth 5 Connectivity¹





Product views	Power button Optical media drive Status LEDs Combo jack	 Four USB 3.2 Gen 1 ports Audio jacks HDMI® port Display port 	9. Two USB 2.0 ports 10. Two USB 2.0 ports 11. VGA port	12. COM (Serial) port (optional)13. Ethernet (RJ-45) port14. Power connector
Operating system ^{1, 2}	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.) Windows 11 Home 64-bit Windows 11 Pro (Windows 10 Pro Downgrade preinstalled) UEFI Shell			
CPU and chipset ¹	13th Generation Intel® Core™ i7 processor, Intel® UHD Graphics 770 13th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 770 / 730 13th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 730 Intel® H610 Express Chipset			
Memory ^{1, 3, 4}	16 GB / 8 GB / 4 GB DDR4 3200 MHz Up to 64 GB of Dual-channel DDR4 3			
Storage ^{1, 5}	Hard disk drive: • 2 TB / 1 TB 3.5-inch 7200 RPM		Solid state drive: • 512 GB / 256 GB M.2 2280 PCI-E Gen4 SSD • 512 GB / 256 GB M.2 2280 PCI-E SSD	
Optical media drive	8X Super-Multi drive, 9.0 mm slim, t	ray-load		
Graphics ⁶	NVIDIA® GeForce® GT 730 with 2 GB of DDR3 NVIDIA® GeForce® GT 720 with 2 GB of DDR3 AMD Radeon™ RX 550 with 4 GB of GDDR5			
Audio	Integrated high-definition sound, 5.	1-channel surround sound		
Communication	WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6 and B	luetooth® 5		
Expansion slot(s)	PCIe x16 slot(s): 1 PCIe x1 slot(s): 1 M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1			
Commercial features	Kensington lock slot features TPM v2.0 (Trusted Platform One-button recovery (OBR) 100% solid capacitors PXE (Preboot eXecution Environmer WOL (Wake On Lan)			
Commercial selected options ⁷	Dust filter Dual-channel memory support Internal speaker COM (Series) port			
Dimensions	160 (W) x 306.32 (D) x 348.00 (H) mr	n (6.3 x 12.06 x 13.7 inches)		
Power supply and adapter	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Bronze, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Platinum, TFX 180 W PFC, auto-sensing, 80PLUS® Bronze, TFX			
System compliance	RoHS, DMI, GS, ENERGY STAR®, PC2	001		
Options and accessories	Wireless (2.4 GHz RF) keyboard and USB keyboard and mouse	mouse		
Certification	BSMI, CE, FCC, CB			

- Specifications vary depending on model.
- 64-bit software is required to enjoy the advantages of 64-bit processing.
- A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- Memory speed may vary, depending on the CPU, chipset or memory fitted.

 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space
- Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TF1s), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Acor, Intel Atom, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.













Faster data transit











In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel Pro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.