




## **Veriton** Compact Tower



13th Gen Intel® Core™ Processor¹
Up to 64GB DDR4-3200 MHz Dual-channel Memory
Discrete TPM Tamper Resistance
Wi-Fi 6 & Bluetooth 5 Connectivity¹





Product views	Power button     Optical media drive	<ol> <li>Four USB 3.2 Gen 1 ports</li> <li>Audio jacks</li> </ol>	<ol> <li>Two USB 2.0 ports</li> <li>Two USB 2.0 ports</li> </ol>	<ul><li>12. COM (Serial) port (optional)</li><li>13. Ethernet (RJ-45) port</li></ul>
	3. Status LEDs	<b>7</b> . HDMI <sup>®</sup> port	11. VGA port	14. Power connector
	<ol><li>Combo jack</li></ol>	8. Display port		
Operating system <sup>1, 2</sup>	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.)			
	Windows 11 Home 64-bit			
	Windows 11 Pro (Windows 10 Pro Dov UEFI Shell	vngrade preinstalled)		
CPU and chipset <sup>1</sup>	OLITORIEN  13th Generation Intel® Core <sup>TM</sup> i7 processor, Intel® UHD Graphics 770			
	13th Generation Intel® Core™ I5 processor, Intel® UHD Graphics 770 / 730			
	13th Generation Intel® Core™ i3 pro			
	Intel® H610 Express Chipset			
Memory <sup>1, 3, 4</sup>	16 GB / 8 GB / 4 GB DDR4 3200 MHz	UDIMM		
	Up to 64 GB of Dual-channel DDR4 3	200 MHz		
Storage <sup>1,5</sup>	Hard disk drive:		Solid state drive:	
	• 2 TB / 1 TB 3.5-inch 7200 RPM		• 512 GB / 256 GB M.2 2280 PCI-E Gen4 SSD	
			• 512 GB / 256 GB M.2 2280 PCI-E SSD	
Optical media drive	8X Super-Multi drive, 9.0 mm slim, tr	-		
Graphics <sup>6</sup>	NVIDIA® GeForce® GT 730 with 2 GB of DDR3 NVIDIA® GeForce® GT 720 with 2 GB of DDR3			
Audio	Integrated high-definition sound, 5.1-channel surround sound			
Communication	WLAN:			
	802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5			
Expansion slot(s)	PCle x16 slot(s): 1			
	PCle x1 slot(s): 1			
	M.2 slot (for SSD): 1			
Commercial features	M.2 slot (for WLAN): 1			
	Kensington lock slot	M = d. d=\		
	features TPM v2.0 (Trusted Platform Module)			
	One-button recovery (OBR)			
	100% solid capacitors			
	PXE (Preboot eXecution Environment	:)		
	WOL (Wake On Lan)			
Commercial selected	COM (Series) port			
options	Internal speaker			
	Dust filter			
Dimensions	102.50 (W) x 307.70 (D) x 332 (H) mm	(4.04 x 12.11 x 13.07 inches)		
Power supply and	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Bronze, TFX			
adapter	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Platinum, TFX			
	180 W PFC, auto-sensing, 80PLUS® B			
System compliance	RoHS, DMI, GS, ENERGY STAR®, PC20			
Options and	Wireless (2.4 GHz RF) keyboard and mouse			
accessories	USB keyboard and mouse			
Certification	BSMI, CE, FCC, CB			

- Specifications vary depending on model.
- A 64-bit software is required to enjoy the advantages of 64-bit processing.

  A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory. Memory speed may vary, depending on the CPU, chipset or memory fitted. 2. 3. 4. 5.
- $1\,GB$  is  $1\,D$  illion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated
- 6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing error to improve the quality of our products, information in this document is subject to change without notice, images snown are only representations or some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Witrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel, Logo, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel

Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

## About Acer













Faster data transit



Data Access









In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing error to improve the quality of our products, information in this document is subject to change without notice. Images snown are only representations or some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Witrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel, Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

## About Acer