



Veriton X4670G (Win10) Specifications (v2-0-2)			
Category		Description	Footnotes
Operating system	1, 2	Windows 10 Pro 64-bit. Endless OS	
CPU and chipset	1	CPU <ul style="list-style-type: none"> • 10th Generation Intel® Core™ i9 processor, Intel® UHD Graphics 630 • 10th Generation Intel® Core™ i7 processor, Intel® UHD Graphics 630 • 10th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 630 • 10th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 630 • Intel® Pentium® Gold processor, Intel® UHD Graphics 630 / 610 • Intel® Celeron® processor, Intel® UHD Graphics 610 Chipset <ul style="list-style-type: none"> • Intel® H470 Express Chipset 	
Memory	1, 3, 4	16 GB DDR4 2666 MHz UDIMM 8 GB DDR4 2666 MHz UDIMM 4 GB DDR4 2666 MHz UDIMM Up to 64 GB of Dual-channel DDR4 2933 MHz	
Storage	1, 5	Hard disk drive 2 TB 3.5-inch 7200 RPM 1 TB 3.5-inch 7200 RPM 500 GB 3.5-inch 7200 RPM 1 TB 2.5-inch 5400 RPM, 7 mm high 512 GB 2.5" SATA 3 SSD 500 GB 2.5-inch 5400 RPM 256 GB 2.5-inch Solid State Drive 128 GB 2.5-inch Solid State Drive 1024 GB M.2 2280 PCI-e SSD 512 GB M.2 2280 PCI-E SSD 256 GB M.2 2280 PCI-E SSD 128 GB M.2 2280 PCI-e SSD	
Optical media drive		8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready™ <ul style="list-style-type: none"> • Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, M-Disc/+M • Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD+RW, 8 cm DVD, M-Disc/+M 	
Graphics	6	NVIDIA® GeForce® GT 730 with 2 GB of DDR3 (supporting: DVI, HDMI®) NVIDIA® GeForce® GT 720 with 2 GB of DDR3 (supporting: DVI, HDMI®)	

Veriton X4670G (Win10) Specifications (v2-0-2)		
	AMD Radeon™ R7 430 , 4 GB GDDR5 (supporting: DVI, HDMI®)	
Audio	Integrated high-definition, 5.1-channel surround sound	
Communication	WLAN 802.11ax/ac/a/b/g/n, Wi-Fi 6 with 160MHz channel support, MU-MIMO and MAX TCP/IP TPT 1.8Gbps Bluetooth® 5.1 LAN Gigabit Ethernet	
Input and output	Front/Side I/O connectors <ul style="list-style-type: none"> • Audio jack(s): 2 • USB 3.2 Gen1 Type C port(s): 1 • USB 3.2 Gen2 Type A port(s): 4 Rear I/O connectors <ul style="list-style-type: none"> • D-Sub port(s): 1 • HDMI port(s): 1 • DisplayPort (DP) ports: 1 • COM port(s): 1 • Serial ports on board header (COM2): 1 • LAN port(s): 1 • PS/2 port(s): 2 • Audio jack(s): 3 • USB 2.0 Type A port(s): 2 • USB 3.2 Gen1 Type A port(s): 2 	
Expansion slot(s)	<ul style="list-style-type: none"> • Number of PCIe x16 slot(s): 2 • Number of PCIe x1 slot(s): 1 • Number of PCI slot(s): 1 • M.2 slot (for SSD): 1 • M.2 slot (for WLAN): 1 	
Commercial features	TPM v2.0 (Trusted Platform Module) Intrusion alert (via BIOS) One-button recovery (OBR) Kensington lock slot 100% solid capacitors DASH 1.1 Hard drive password protection (via BIOS) PXE (Preboot eXecution Environment) WOL (Wake On Lan)	
Commercial selected options	Parallel (printer) port COM (Series) port SD card reader module DisplayPort™-to-DVI adapter Dual-channel memory support Internal speaker Dust filter	7

Veriton X4670G (Win10) Specifications (v2-0-2)	
Dimensions	102 (W) x 305.08 (D) x 332 (H) mm (4.02 x 12.01 x 13.07 inches)
Power supply and adapter	Power supply 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Platinum, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, TFX 180 W PFC, auto-sensing, 80PLUS [#] Platinum, TFX 180 W PFC, auto-sensing, 80PLUS [#] Bronze, TFX
System compliance	RoHS DMI PC2001 GS ENERGY STAR [®]
Options and accessories	Wireless (2.4 GHz RF) keyboard and mouse USB keyboard and mouse PS/2 keyboard and mouse
Certification	BSMI CE FCC CB

1. Specifications vary depending on model.
2. 64-bit software is required to enjoy the advantages of 64-bit processing.
3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.
7. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2020. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, and Intel Optane are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

About Acer

Founded in 1976, Acer is now one of the world's top ICT companies and has a presence in over 160 countries. As Acer looks into the future, it is focused on enabling a world where hardware, software and services will fuse with one another to open up new possibilities for consumers and businesses alike. From service-oriented technologies to the Internet of Things to gaming and virtual reality, Acer's

Veriton X4670G (Win10) Specifications (v2-0-2)

7,000+ employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.

