





Veriton X



11th Gen Intel[®] Core[™] i9 vPro[™] Processor¹
Up to 2 TB of M.2 PCle SSD Storage
Wi-Fi 6 and Bluetooth 5 Connectivity







Product views	1. Power button 2. One button recovery 3. SD card reader (optional) 4. Optical media drive (optional) 5. Status LEDs 6. Microphone-in jack 7. Headphone/speaker jack 8. Four USB 3.2 Gen 2 Type A ports 9. USB 3.2 Gen 2 and USB 3.2 Gen 2x2 Type C ports 10. Smart card reader (optional)	11. Audio jacks 16. COM (Serial) port 12. HDMI® port 17. VGA port 13. Two DisplayPorts™ 18. PS/2 port 14. Four USB 2.0 Type A ports 19. Ethernet (RI-45) port 15. Two USB 3.2 Gen 1 Type A ports 20. Power connector (DC-in) ports
Operating system ^{1, 2}	Windows 10 Pro 64-bit UEFI Shell	
CPU and chipset ¹	11th Generation Intel® Core™ i9 / i7 / i5 vPro™ processor, Intel® UHD Graphics 750 11th Generation Intel® Core™ i9 / i7 processor, Intel® UHD Graphics 750 11th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 750 / 730 10th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 630	Intel® Pentium® Gold processor, Intel® UHD Graphics 630 / 610 Intel® Celeron® processor, Intel® UHD Graphics 610 Chipset: Intel® Q570 Chipset
Memory ^{1, 3, 4}	32 GB / 16 GB / 8 GB / 4 GB DDR4 3200 MHz UDIMM • Up to 128 GB of Dual-channel DDR4 MHz	
Storage ^{1,5}	Hard disk drive: • 2 TB / 1 TB / 500 GB 3.5-inch 7200 RPM • 1 TB 2.5-inch 5400 RPM, 7 mm high • 500 GB 2.5-inch 5400 RPM	• 1024 GB / 512 GB / 256 GB M.2 2280 PCI-E SSD • 1024 GB / 512 GB M.2 2280 PCI-e Gen4 SSD
Optical media drive	8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready TM	
Graphics ⁶	NVIDIA® GeForce® GT 730 with 2 GB of DDR3 NVIDIA® GeForce® GT 720 with 2 GB of DDR3	
Audio	Integrated high-definition, 5.1-channel surround sound	
Communication	WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5	LAN: Gigabit Ethernet
Expansion slot(s)	PCIe x16 slot: 2 (One of slots wired as x4) PCIe x1 slot: 1 PCI slot: 1	M.2 slot (for SSD): 2 (One of slots support PCIe Gen4 SSD) M.2 slot (for WLAN): 1
Commercial	TPM v2.0 (Trusted Platform Module)	Intel® Active Management Technology
features ^{7,8}	Intrusion alert (via BIOS)	Intel® vPro TM Technology
	One-button recovery (OBR)	PXE (Preboot eXecution Environment)
	Kensington lock slot	RAID support (via BIOS)
	100% solid capacitors	WOL (Wake On Lan)
	Hard drive password protection (via BIOS)	
Commercial selected	Parallel (printer) port	DisplayPort [™] -to-VGA adapter
options	COM (Series) port	Internal speaker
	SD card reader module	Dust filter
Dimensions	102 (W) x 305.08 (D) x 332 (H) mm (4.02 x 12.01 x 13.07 inches)	
Power supply and adapter	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Platinum, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS® Bronze, TFX 180 W PFC, auto-sensing, 80PLUS® Platinum, TFX 180 W PFC, auto-sensing, 80PLUS® Bronze, TFX	
System compliance	RoHS, DMI, GS, ENERGY STAR®, PC2001	
Options and accessories	Wireless (2.4 GHz RF) keyboard and mouse USB keyboard and mouse PS/2 keyboard and mouse	
Certification	CE, FCC, CB	

- Specifications vary depending on model.
- A 64-bit software is required to enjoy the advantages of 64-bit processing.

 A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- $1\,GB$ is $1\,D$ iillion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

- Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors. Intel® AMT is a feature of Intel® Core™ processors with Intel® vPro[™] Technology

 Intel® vPro[™] technology is sophisticated and requires setup and activation. Availability of features and results will depend upon the setup and configuration of your hardware, software, and IT environments. To learn more visit: www.intel.com/content/www/us/en/architecture- and-technology/vpro/vprotechnology-general.html.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing error to improve the quality or our products, information in this documents suggested than a continuing error to improve the quality or our products, information in this documents of suggested than a continuing on region.

© 2021. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom, Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Itanium, Itanium Inside, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

































In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2021. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Inside Logo, Intel Atom, Intel Atom Inside, VPro Inside, NPro Inside, NPro

About Acer