
# WorkForce Pro WF-C5710DWF



## DATASHEET / BROCHURE



# Cut your environmental impact and business printing costs, all while increasing productivity with less intervention and enhanced security.

This small, 4-in-1 workgroup multifunction device is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

## Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models<sup>1</sup>. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

## High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers, it also has the fastest colour scan speed in the segment at 24ipm<sup>2</sup>. Print up to 5,000 pages in monochrome and colour without changing supplies<sup>3</sup>. Largest standard paper capacity of 330 sheets in this market segment<sup>4</sup>.

## Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 90% less energy used than comparable laser models<sup>5</sup>.

## Built for business

A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Available through Epson's Print365 managed print service.

# **KEY FEATURES**

- Largest ink yield in its segment Print up to 5,000 pages without replacing the ink<sup>3</sup>
- Ecological Uses up to 90 percent less power than competitive colour lasers<sup>5</sup>
- Save money Save at least 50% on colour CPP versus comparable laser models<sup>1</sup>
- Save time Automatic double-sided printing, scanning, copying and faxing
- Built for business DuraBrite Ultra pigment inks



## PRODUCT SPECIFICATIONS

Fax Functions

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Ultra
Application	Office Workgroup
All-in-One Functions	Print, Scan, Copy, Fax
PRINT	
First Page Out	Monochrome 4,8 Seconds, Colour 5,3 Seconds
Printing Speed ISO/IEC 2473	4 24 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed ISO/IEC 24734	15 A4 pages/min Monochrome, 15 A4 pages/min Colour
Maximum Printing Speed	34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper)
Printing Resolution	4.800 x 1.200 dpi
Max Duty cycle	45.000 pages per month
	The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Recommended Duty Cycle	250 - 2.500 pages per month
Colours	Black, Cyan, Yellow, Magenta
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.
SCAN	
	1.200 dpi 2.400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan
black)	
Doubled-sided scan speed	1.200 dpi 2.400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)
(A4 black)	
	1.200 dpi 2.400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan
colour)	
Doubled-sided scan speed	1.200 dpi 2.400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed)
(A4 colour)	
Scanning Speed (new)	24 ipm ( Monochrome, Single-sided, 200 dpi, ADF ); 24 ipm ( Colour, Single-sided, 200 dpi,
	ADF ); 8 ipm ( Monochrome, Double-sided, 200 dpi, ADF ); 8 ipm ( Colour, Double-sided, 200
	dpi, ADF ); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); 5 sec/page ( Colour, 200 dpi, Flatbed
	);
Scanning Resolution	1.200 dpi x 2.400 dpi (Horizontal x Vertical)
Optical Resolution (ADF)	1.200 dpi (Horizontal x Vertical)
Advanced document integration	E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), USB Memory Device
Output formats	JPEG, TIFF, PDF
Scanner type	Contact image sensor (CIS)
FAX	
Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	200 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Eav Eurotiona	DC Fox, Fox to E mail, Fox to Folder, Address Pook, Delay Sand, Breadeast Fox

PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

#### WorkForce Pro WF-C5710DWF

# WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



## PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5710DWF

СОРҮ	
Copy Speed	up to 22 ipm Black, up to 22 ipm Colour
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999
Maximum Copy Size	A4
CONNECTIVITY	
Network Printing Protocols	LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE
Protocols	802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP
	2.0c, SNMP 3.0, SNMP Trap
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP
Interfaces	Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible
	with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near
	Field Communication (NFC)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES)
Network Protocols	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS
PAPER / MEDIA HANDLING	
Paper Formats	C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5
	(Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)
Automatic Document Feeder	
Compatible Paper Weight	64 g/m² - 256 g/m²
Duplex	Yes
Standard Paper input	330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray
Output Tray Capacity	150 Sheets
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	500-Sheet paper tray
Maximum paper input	830
Rear paper path (special	Yes
media) Number of non-or-troup	2
Number of paper trays	2
PAPER FEED RASF	
Paper Input Name	RASF
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal
Custom sizes	
	Min 64x 127 mm to Max 216x 60.000 mm
Compatible paper weight	64 g/m² - 256 g/m²
Compatible paper weight Paper Capacity 1	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm
Compatible paper weight	64 g/m² - 256 g/m²
Compatible paper weight Paper Capacity 1	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm
Compatible paper weight Paper Capacity 1 Media type	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m <sup>2</sup> - 160 g/m <sup>2</sup> 250 Sheets of Plain Paper, Envelopes, 80gsm
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1 Media type	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m <sup>2</sup> - 160 g/m <sup>2</sup> 250 Sheets of Plain Paper, Envelopes, 80gsm
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1 Media type PAPER FEED C2	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m² - 160 g/m² 250 Sheets of Plain Paper, Envelopes, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1 Media type PAPER FEED C2 Paper Input Name	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m² - 160 g/m² 250 Sheets of Plain Paper, Envelopes, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead C2
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1 Media type PAPER FEED C2 Paper Input Name Paper Formats	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m² - 160 g/m² 250 Sheets of Plain Paper, Envelopes, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead C2 A4, Letter
Compatible paper weight Paper Capacity 1 Media type PAPER FEED C1 Paper Input Name Paper Formats Custom sizes Compatible paper weight Paper Capacity 1 Media type PAPER FEED C2 Paper Input Name Paper Formats Custom sizes	64 g/m² - 256 g/m² 80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper C1 A4, A5, A6, Letter Min 89x 127 mm to Max 216x 356 mm 64 g/m² - 160 g/m² 250 Sheets of Plain Paper, Envelopes, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead C2 A4, Letter Min 100x 148 mm to Max 216x 356 mm



## PRODUCT SPECIFICATIONS

#### WorkForce Pro WF-C5710DWF

PAPER FEED DUPLEX			
Paper Input Name	Duplex		
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Min 148x 210 mm to Max 216x 297 mm 64 g/m <sup>2</sup> - 160 g/m <sup>2</sup> Plain Paper, Recycled Paper, Colour Paper, Letterhead		
Custom sizes			
Compatible paper weight			
Media type			
GENERAL			
Energy Use	23 W (standalone copying, ISO/IEC 24712 pattern), 1,5 W (sleep mode), 10 W (Ready), 0,2 W		
	(Power off), ENERGY STAR® qualified, TEC 0,2 kWh/week		
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz		
Product dimensions	425 x 535 x 357 mm (Width x Depth x Height)		
Product weight	18,7 kg		
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS		
Systems	10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2		
Included Software	Epson Document Capture Pro (Windows only)		
Sound Power	Operation: 6,6 B (A)		
Sound Pressure	Operation: 54 dB (A)		
Mobile and Cloud printing	Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver,		
services	Scan-to-Cloud, Facebook print)		
Noise Level	Operation: 54 dB (A)		
Power Supply	100V, 110V, 220V, 240V		
ADDITIONAL FEATURES			
Features	Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB		
LCD screen	Type: Colour, Touchscreen, Diagonal: 10,9 cm		
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape		
	printing, Thick Media Support		
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code		
	release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin		
	Mode		
OTHER FEATURES			
OTHER FEATURES Emulations	ESC/P-R, GDI		
	ESC/P-R, GDI		
Emulations	ESC/P-R, GDI 12 months On-site service		



#### SUPPLIES

- WF-C5xxx Series Ink Cartridge L Black
- WF-C5xxx Series Ink Cartridge L Cyan
- WF-C5xxx Series Ink Cartridge L Magenta
- WF-C5xxx Series Ink Cartridge L Yellow
  WF-C5xxx Series Ink Cartridge XL Black
- WF-C5xxx Series Ink Cartridge XL Cyan
- WF-C5xxx Series Ink Cartridge XL Magenta
- WF-C5xxx Series Ink Cartridge XL Yellow
- Maintenance box

#### **OPTIONAL ACCESSORIES**

 500-Sheet Paper Cassette C12C932871

#### LOGISTICS INFORMATION

ѕки	C11CG03401
EAN code	8715946634135
Dimensions Single Carton	538 x 552 x 537 mm
Carton Weight	23 Kg
Pallet Size Euro	16 Units (4 x 4)

#### WorkForce Pro WF-C5710DWF

#### INK YIELD DATA

C13T944140 3.000 pages

C13T944240 3.000 pages

C13T944340 3.000 pages

C13T94440 3.000 pages


C13T945140 5.000 pages

C13T945240 5.000 pages

C13T945340 5.000 pages

C13T945440 5.000 pages

C13T671600



\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute, in Western Europe and Central and Eastern Europe as defined by IDC in the 12 months up to June 2017. CPP data taken from GAP intelligence report for August 2017 and is an average of pricing seen in DE, FR and UK (with value in Euros as quoted by GAP). Epson values based on RRP of XXL ink packs (5,000 pages yield according to IEEE/ISO 24711/24712). Pricing for competitor models was the lowest CPP available.

2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.

3. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.

4. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.

5. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to June 2017. Data taken from BLI.



Better Products for a Better Future

PRECISIONCORE

Epson Deutschland GmbH Otto-Hahn-Str. 4 D-40670 Meerbusch Info-Line: 02159 92 79 500 Telefax: +49 (0) 2159/538-3000 www.epson.de Epson in Österreich Info-Line: 01 253 49 78 333 www.epson.at Epson in der Schweiz Info-Line: 022 592 7923 www.epson.ch

RABrite<sup>®</sup>

Ultra

DU

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.

Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.