# HP DeskJet Plus Ink Advantage 6075 All-in-One Printer (5SE22C)

## Overview

**For everyone in the family, with easy setup[1] and self-healing Wi-Fi™.[2]**

For everyone in the family. For every device. Print, scan, and copy everyday documents, schoolwork, photos, and more. Set up and connect on any device with HP Smart app,[1] and get self-healing Wi-Fi™.[2]

### Get everyone connected. Just like that.

Get started fast with simple setup that guides you through each step, using HP Smart app.[1]

### Print then and there. From anywhere. [1]

Easily print everyday documents from your smartphone, using HP Smart app.[1]

### Quality you can count on

Get rich black text and vibrant graphics for all your everyday documents and photos.

# Features

Seamless setup[1]

Your reliable connection

Printing from your smartphone just got easier[1]

Amazing scanning, now on your smartphone[1]

Tackle the essentials

Ready. Set. Connect.

---

# Specifications

| | |
|---|---|
| **Print quality black (best)** | Up to 1200 x 1200 rendered dpi (when printing from a computer) |
| **Print quality color (best)** | Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi) |
| **Print speed black (ISO, A4)** | Up to 10 ppm |
| **Print Speed Color (ISO)** | Up to 7 ppm |
| **Functions** | Print, Copy, Scan, Photo |
| **Duplex printing** | Automatic (standard) |
| **Duty cycle (monthly, A4)** | Up to 1000 pages |
| **Duty cycle (monthly, letter)** | Up to 1000 pages[7] |
| **Replacement cartridges** | HP 653 Tri-color Original Ink Advantage Cartridge (~200 pages yield) 3YM74A; HP 653 Black Original Ink Advantage Cartridge (~360 pages yield) 3YM75A. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies |
| **Connectivity, standard** | 1 Hi-Speed USB 2.0; 1 Wi-Fi 802.11ac (dual band) |
| **Network capabilities** | Built-in Wi-Fi 802.11b/g/n |
| **Wireless capability** | Yes, built-in Wi-Fi 802.11b/g/n |
| **Mobile printing capability** | HP Smart app; Apple AirPrint™; Mopria™-certified |
| **Software included** | HP Printer Software, available online |
| **Compatible Operating Systems** | Windows 10, 7; MacOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, macOS Catalina v10.15 |
| **Faxing** | No |
| **Scan file format** | RAW, JPG, PDF |
| **Scan input modes** | Mobile, HP Scan Software, HP Smart |
| **Scan technology** | CIS |
| **Scanner type** | Flatbed |
| **Minimum dimensions (W x D x H)** | 432.5 x 361.1 x 132.1 mm |
| **Minimum dimensions (W x D x H)** | 17.02 x 14.21 x 5.2 in |
| **Weight** | 5.22 kg |
| **Weight** | 11.51 lb |
| **Power consumption** | 0.10 Watts (Off) , 4.0 Watts (Ready) , 1.70 Watts (Sleep) |
| **Power supply type** | Built-in Universal Power Supply |
| **What's in the box** | HP DeskJet Plus Ink Advantage 6075 All-in-One Printer; HP 653 Setup Black Cartridge; HP 653 Setup Tri-Color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies][8] |
| **Warranty** | One-year limited hardware warranty; 24-hour, 7 days a week support |

# Additional specifications

| | |
|---|---|
| Acoustic power emissions (active copy) | 6.5 B(A) |
| Acoustic power emissions (active, printing) | 6.7 B(A) |
| Acoustic pressure emissions | 56 dB(A) (printing at 5 ppm) |
| Automatic paper sensor | Yes |
| Bit depth | 24-bit |
| Borderless printing | Yes (up to 8.5 x 11 in, 216 x 297 mm) |
| Bottom margin (A4) | 3 mm |
| Cable included | No, please purchase (USB) cable separately |
| Color copy capability | Yes |
| Color scanning | Yes |
| Color(s) of printing supplies | Black; Cyan; Magenta; Yellow |
| Compatible Network Operating Systems | Windows 10, 7; MacOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, macOS Catalina v10.15 |
| Control panel | Smart contextual user interface - Cap Sense buttons: Monochrome & Colour Copy, Information, Cancel and Accept. ADF paper Jam and Wi-Fi notification icons. |
| Copier settings | Color, mono |
| Copies, maximum | Up to 9 copies |
| Copy reduce / enlarge settings | Via HP Smart app |
| Copy resolution (black graphics) | Up to 300 x 300 dpi |
| Copy resolution (black text) | Up to 300 x 300 dpi |
| Copy resolution (color text and graphics) | 300 x 300 dpi |
| Copy speed black (ISO) | Up to 8 cpm |
| Copy speed color (ISO) | Up to 4 cpm |
| Count of cartons per pallet layer | 14 |
| Count of layers in pallet | 5 |
| Country of origin | Made in Thailand |
| Dimensions with trays up (W x D x H) | 432.5 x 491.5 x 132.1 mm |
| Enhanced scanning resolution | Up to 1200 dpi |
| Envelope Feeder | No |
| Finished output handling | Sheetfed |
| First page out black (A4, ready) | As fast as 18 sec |

| | |
|---|---|
| First page out color (A4, ready) | As fast as 21 sec |
| Geographic availability | US/Canada; EMEA EM; AP India/Indo; AP EM |
| Ink types | Dye-based (color); Pigment-based (black) |
| Input capacity | Up to 100 sheets |
| Left margin (A4) | 3 mm |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Input Capacity (envelopes) | Up to 10 envelopes |
| Maximum Memory | 128 MB DDR3 |
| Maximum dimensions (W x D x H) | 432.5 x 511.5 x 132.1 mm |
| Maximum dimensions (W x D x H) | 17.03 x 20.14 x 5.2 in |
| Maximum input capacity (10x15cm photos) | Up to 30 sheets |
| Maximum input capacity (4x6 photo) | Up to 30 sheets |
| Maximum input capacity (cards) | Up to 40 cards |
| Maximum input capacity (photo paper) | Up to 30 sheets |
| Maximum input capacity (sheets) | Up to 100 sheets |
| Maximum output capacity (envelopes) | Up to 5 envelopes |
| Maximum output capacity (photo paper) | Up to 10 sheets |
| Maximum output capacity (sheets) | Up to 25 sheets |
| Media sizes supported | A4; A5; B5; DL; C6; A6 |
| Media sizes supported | Letter, 4 x 6 in, 5 x 7 in, 8 x 10 in, No. 10 envelopes |
| Media sizes supported, key | 4 x 6 in; Letter |
| Media sizes supported, key | 10 x 15 cm; A4 |
| Media sizes, custom | Simplex: 76.2 x 127 mm to 216x297mm; Duplex: 76.2 x 127 mm to 216x297mm |
| Media sizes, custom | Simplex:3x5 to 8.5x11.7; Duplex:3 x 5.5 to 8.5 x 11.7 |
| Media types | Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers; Plain Paper, Light/Recycled |
| Media weight, recommended | 75 g/m² |
| Media weight, recommended | 20 lb |
| Media weight, supported | A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP cards: up to 200 g/m²; HP 10 x 15 cm photo paper: up to 300 g/m² |

| | |
|---|---|
| Media weight, supported | Letter: 16 to 24 lb; HP envelopes: 20 to 24 lb; HP cards: up to 53 lb; HP 4 x 6 inch photo paper: up to 80 lb |
| Memory | 128 MB DDR3 |
| Memory Slots | None |
| Minimum System Requirements | Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer |
| Minimum System Requirements for Macintosh | MacOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, macOS Catalina v10.15, 2 GB Available Space, Internet Access |
| Multitasking supported | No |
| Non-Operating Humidity Range | 20 to 80% RH (non-condensing) |
| Number of print cartridges | 2 (1 each black, tri-color) |
| Number of users | 1-3 Users |
| Operating humidity range | 20 to 80% RH (non-condensing) |
| Operating temperature range | 5 to 40℃ |
| Operating temperature range | 41 to 104°F |
| Orderable supplies | HP 653 Tri-color Original Ink Advantage Cartridge 3YM74A; HP 653 Black Original Ink Advantage Cartridge 3YM75A |
| Output capacity | Up to 25 sheets |
| Package dimensions (W x D x H) | 474 x 172 x 408 mm |
| Package dimensions (W x D x H) | 18.66 x 6.77 x 16.06 in |
| Package weight | 6.35 kg |
| Package weight | 14 lb |
| Page yield (set-up/inbox cartridges) | ~150 pages black, ~75 pages tri-color |
| Pallet dimensions | 48 x 40 x 85.7 in |
| Pallet dimensions (W x D x H) | 1219 x 1016 x 2177 mm |
| Pallet weight | 1025 lb |
| Pallet weight | 466 kg |
| Paper handling input, standard | Up to 100 sheets input tray |
| Paper handling output, standard | 25-sheet output tray |
| Paper trays, maximum | 1 |
| Paper trays, standard | 1 |
| PictBridge supported | No |
| Power | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz, 0.7A |
| Print Technology | Ink |
| Print colors | Yes |
| Print colors maximum | 4 |

| | |
|---|---|
| Print head nozzles | 328 (black), 588 (color) |
| Print heads | 2 (1 each black, tri-color) |
| Print languages | HP PCL 3 GUI |
| Print speed black (ISO) | Up to 10 ppm |
| Print speed black (draft, A4) | Up to 20 ppm |
| Print speed color (ISO) | Up to 7 ppm |
| Print speed color (draft, A4) | Up to 17 ppm |
| Print speed color (normal, 4x6 photo) | As fast as 53 sec |
| Print technology | HP Thermal Inkjet |
| Printer drivers included | HP PCL 3 GUI |
| Processor speed | 800 MHz |
| Product logos | WW: Hi-Speed USB; WiFi Certified, AirPrint, ColorLok, HP Total Care, RMN (Regulatory Model Number), HP Total Care, Regionalized Mobius Loop. Mopria-certified. EMEA and AP: PAP 20; This side up; Fragile/Keep Dry; Stacking Height (6), Recycle. AP: "Language bubbles." NA only: SmartWay logo. EMEA only: CE, Green Dot, Tidy man, EAC logo. Korea only: Korea KCCC Logo+ approval number. Instant Ink (for countries that apply), WeChat (for countries that apply), Energy Star (for countries that apply), Smart Way (for countries that apply) |
| Product name (back) | DeskJet Ink Advantage 6075 |
| Product name (front) | DeskJet Ink Advantage 6075 |
| Product name (primary) | DeskJet Ink Advantage 6075 |
| Product name (secondary) | DeskJet Ink Advantage 6075 |
| Quantity per pallet | 70 |
| Recommended Macintosh system requirements | MacOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14, macOS Catalina v10.15, 2 GB Available Space, Internet Access. |
| Recommended monthly page volume | 100 to 400 |
| Recommended operating humidity range | 25 to 75% RH (non-condensing) |
| Recommended operating temperature range | 59 to 86°F |
| Recommended operating temperature range | 15 to 30°C |
| Right margin (A4) | 3 mm |
| Scan resolution, hardware | Up to 1200 x 1200 dpi |
| Scan resolution, optical | Up to 1200 dpi |
| Scan size, maximum | 8.5 x 11.7 in |
| Scan size, maximum | 215.9 x 297 mm |

| | |
|---|---|
| **Service & support features** | With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology; one-year technical support; one-year limited hardware warranty; access to 24/7 award-winning support services through http://www.hp.com/support; to improve your product experience, please take the time to register at http://www.register.hp.com |
| **Service & support options** | Protect your investment, HP offers a variety of extended warranties and services; go to http://www.hp.com/support |
| **Standard input capacity (cards)** | Up to 40 cards |
| **Standard input capacity (legal)** | Up to 100 sheets |
| **Standard media sizes (duplex)** | A4; A5; B5 |
| **Standard media sizes (duplex, imperial)** | Letter; Executive |
| **Standard output capacity (envelopes)** | Up to 5 envelopes |
| **Standard output capacity (legal)** | Up to 25 sheets |
| **Storage temperature range** | -40 to 140°F |
| **Storage temperature range** | -40 to 60°C |
| **Sub-brand name** | Deskjet |
| **System requirements, recommended** | Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer |
| **Target user and print volume** | For teams up to 3 users; Prints up to 100 pages/month |
| **Tariff numbers** | 8443310000 |
| **Top key features** | Two-sided printing |
| **Top margin (A4)** | 3 mm |
| **Transparency adapter** | No |
| **Transparent materials adapter (supported)** | No |
| **Twain version** | Version 2.1 |
| **Typical electricity consumption (TEC) number** | 0.31 kWh/Week |
| **UPC number** | (ABT) 194721022066; (BEW) 194721022073 |
| **Vertical alignment accuracy** | +/- 0.042 mm |
| **Vertical alignment accuracy** | +/- 0.00167 in |
| **Video action printing supported** | No |
| **Wireless** | 802.11b/g/n; Bluetooth |

[7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[8] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Inkjet Printer Cartridges and Ink Supplies

| | |
|---|---|
| HP 653 Black Original Ink Advantage Cartridge | 3YM75AE |
| HP 653 Tri-color Original Ink Advantage Cartridge | 3YM74AE |
| HP 667 Black Original Ink Advantage Cartridge | 3YM79AL |
| HP 667 Tri-color Original Ink Advantage Cartridge | 3YM78AL |
| HP 667XL High Yield Black Original Ink Advantage Cartridge | 3YM81AL |
| HP 667XL High Yield Tri-color Original Ink Advantage Cartridge | 3YM80AL |
| HP 682 Black Original Ink Advantage Cartridge | 3YM77AA |
| HP 682 Tri-color Original Ink Advantage Cartridge | 3YM76AA |

## HP Paper Designed for Inkjet Printers

### HP Inkjet Photo Paper

| | |
|---|---|
| HP Advanced Glossy Photo Paper-25 sht/4 x 6 in borderless | 3AG54A |
| HP Advanced Glossy Photo Paper-25 sht/5 x 7 in | 3AG55A |
| HP Matte Photo Paper-25 sht/10 x 15 cm | 7HF70A |
| HP Matte Photo Paper-25 sht/4 x 6 in | 6QH46A |

### HP Inkjet Brochure Paper

| | |
|---|---|
| HP Enhanced Business Inkjet Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in | 9ZE20A |

## Disclaimer — Copyright

Generated by Dynamic Collateral Tool — (ww-en) — Sep 18, 2020 12:01 PM UTC+0000