Yoga Slim 7 14ITL05 82A3004LGE

Product Yoga Slim 7 14ITL05

Region WE

Country/Region Germany

Machine Type 82A3

Processor Intel Core i5-1135G7 (4C / 8T, 2.4 / 4.2GHz, 8MB)

Graphics Integrated Intel Iris Xe Graphics

Chipset Intel SoC Platform

Memory 16GB Soldered DDR4-3200

Storage 512GB SSD M.2 2280 PCIe 3.0x4 NVMe

Display 14" FHD (1920x1080) IPS 300nits Glossy, 100% sRGB

Touchscreen None

Optical None

Card Reader MicroSD Card Reader

Ethernet None

WLAN + Bluetooth 11ax, 2x2 + BT5.0

Bundled Accessories None

Camera 720p + IR + ToF

Microphone 2x, Array

Case Color Slate Grey Surface Treatment Anodizing sandblasting

Case Material Aluminium (Top), Aluminium (Bottom)

Keyboard Backlit, German

Fingerprint Reader None

Security Chip Firmware TPM 2.0

Battery Integrated 60.7Wh

Power Adapter 65W USB-C Slim

Operating System Windows 10 Home 64, German

Bundled Software Office Trial

Base Warranty 2-year, Depot

Additional Certificates Intel Evo Platform

Bundled Service

EAN/UPC/JAN 195348881265

End of Support 2026-12-09

Announce Date 2020-09-14

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF Distributions Defenses

Product specifications Reference. © Lenovo, 2020. All rights reserved.



Yoga Slim 7 14ITL05 Platform Specifications

Product Specifications Reference (PSREF)


Processor	11th Generation Intel [®] Core [™] i5 / i7 Processor									Media reader	MicroSD card reader
	Number			Base Frequency	<u> </u>	cy Cach	Memo	ry Types	Processor Graphics	T\ O	Two USB 3.2 Type-A Gen 1 (one always on) Two Thunderbolt 4 / USB4 [™] 40 Gbps (w/ the function of PD 3.0 and DP 1.4), one HDMI 1.4b, headphone / microphone combo jack
	i5-1135G i7-1165G	- 4	8	2.4 GHz 2.8 GHz	4.2 GHz 4.7 GHz	_	_	DR4- 00MHz	Intel Iris [®] Xe Graphics		* Depending on many factors, actual data transfer speed may be lower than theoretical speed
Graphics	Intel Iris Xe Graphics in processor; supports up to 4 independent displays via native display and 3 external monitors; supports external monitors via HDMI (up to 3840x2160@30Hz)								al monitors;	Camera Audio support	Dolby® Atmos™ Śpeaker System certification, 2W x 2, dual array microphone, headphone / microphone combo jack
Chipset	or Thunderbolt [™] (5120x2880@60Hz) Intel SoC (System on Chip) platform									Keyboard Touchpad	6-row, multimedia Fn keys, LED backlight Buttonless glass surface multi-touch touchpad
Memory	8GB or 16GB / 3200MHz DDR4, dual-channel capable, soldered to systemboard, no sockets									Security Security chip	Administrator password, Power-on password, Hard disk password Firmware TPM 2.0 integrated in chipset Optional: Touch style fingerprint reader on the power button
Display	Size	Resoluti	on Sur	ace Ty	pe Bri	ightness	Aspect Ratio	Color Gamut	HDR	Fingerprint reader	Ambient light sensor
	14.0" (356mm)		0x1080) Glossy IPS JHD Glossy Sw	ssy IPS (Ir Swite	n Plane	800 nits	16:9			Battery Ir	Integrated Li-Polymer 60.7Wh battery, supports Rapid Charge Express (get 3 hours of runtime with 15-minute charge) <i>MobileMark</i> [®] 2014: 15 hr (FHD) or 10 hr (UHD)
		(3840x21		ssy	5	500 nits		90% DCI-	P3 HDR 400	AC adapter	* Battery life varies significantly with hardware configurations, settings, usage, & other factors 65W USB Type-C or USB Type-C Slim AC adapter
Multi-touch (opt)	(opt) On-cell touch, supports 10-finger gesture (FHD + Fabric display cover models only)									Preload (optional)	
Storage	One of the following, configurable by model: M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4										 Windows[®] 10 Home 64 Windows 10 Pro 64
Optical	M.2 2280 SSD / PCIe NVMe, PCIe 4.0 x 4 None									Limited warranty	 1-year depot repair service 1-year depot with 2-year system board service
Ethernet	None]	
WLAN Bluetooth™	802.11ax 2x2 Wi-Fi + Bluetooth 5.0, M.2 Card Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter									Other certifications	• 2-year/1-yr battery depot repair service s <i>Optional:</i> Intel EVO [™] Platform
Dimensions Weight Case color Case material	WxDxH: 12.62" x 8.2" x 0.59"; 320.6mm x 208.18mm x 14.9mm 1.36 kg / 3.0 lb Dark Moss, Orchid or Slate Grey Display cover: Aluminium or Aluminium + Fabric Display bezel: PC/ABS plastic or glass Bottom: Aluminium									Environment	ENERGY STAR® 8.0; ErP lot3; RoHS-compliant

Note: The specifications above may not be available in all regions and might change by region.

Lenovo October 2020















(intel)