

1.0 Product and Company Identification

Identification of the Preparation

Company Identification

Emergency Telephone Number Hewlett-Packard Health Effects Line

General Information Telephone Number

Local Contact Information

HP LaserJet Cartridge Q2612A

Hewlett-Packard Company 11311 Chinden Boulevard Boise, Idaho 83714 United States

1-800-457-4209 (USA and Canada) 503-494-7199 (USA direct) Singapore: +001-800-332-13321

208-323-2551 (USA direct)

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co. Kildare, Ireland Phone: 01 6150000

United Kingdom

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	N/A

2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard LaserJet 1010 series printers.

Toner Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene acrylate copolymer	-	-	45 – 55	-
Iron Oxide	1317-61-9	215-277-5	40 - 50	-
Amorphous silica	7631-86-9	231-545-4	1 - 3	-

3.0 Hazard Identification

The preparation is not classified according to EU Directive 1999/45/EC

3.1 Routes of Exposure Inhalation, Ingestion, skin and eyes.

3.2 Acute Health Hazards

Inhalation: Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.



Material Safety Data Sheet

Skin:	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product. Unlikely to cause skin irritation. May cause transient slight irritation.
3.3 Chronic Health Hazards	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.
3.4 Carcinogenicity	Refer to section 11.

4.0 First Aid Measures

Inhalation:	Move person to fresh air immediately. If symptoms occur, consult a physician.
Ingestion:	Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
Skin:	Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.
Eyes:	Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 5 minutes or until particles are removed. If irritation persists, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media	CO ₂ , water, dry chemical
Unsuitable Extinguishing Media	None known
Special Firefighting Procedures	None
•	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Auto-ignition temperature	No data available
Flashpoint (method)	Not applicable
Hazardous Combustion Products	CO, CO ₂

6.0 Accidental release measures

6.1 Spill or leak procedures	Avoid breathing dust. Minimize the release of particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance
	dust-air mixtures. Dispose of waste toner in accordance with local requirements.



Material Safety Data Sheet

6.2 Environmental precautions Do not discharge into drains (See also section 13 Disposal Considerations).

7.0 Handling and Storage

Advice on safe handling and protection against fire	Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Requirements for storage rooms and advise on storage compatibility	Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

8.0 Exposure control/ personal protection

8.1 Exposure Limit Values	
USA OSHA (TWA/PEL):	
	5 mg/m ³ (Respirable Fraction)
ACGIH (TWA/TLV):	10 mg/m ³ (Inhalable Particulate)
	3 mg/m ³ (Respirable Particulate)
TRGS 900 (Luftgrenzwert):	10 mg/m3 (Einatembare Partikel)
	3 mg/m3 (Alveolengängige Fraktion)
Amorphous Silica:	USA OSHA (TWA/PEL) - 20 mppcf, 80(mg/m ³)/%SiO ₂
	ACGIH (TWA/TLV) - 10 mg/m ³
	DFG (MAK) - 4 mg/m ³ (Respirable Fraction)
8.2 Exposure Controls	
Respiratory protection	•
Ventilation	Good general ventilation should be sufficient under
	intended use.
Protective gloves	Not required under intended use.
Eye protection	•
Other protective equipment	Not required under intended use.

9.0 Physical and chemical properties

Boiling point Flash point	Not applicable Not applicable Not applicable
Melting point	100 - 150° C (Softening Point)
Flammability	Non-flammable solid (according to test methods of EU
	Directive 92/69/EEC, A10 Flammability (Solids))
Explosive properties	Toner material, like most organic material in powder
	form, is capable of creating a dust explosion.
Oxidizing properties	No data available
Vapor Pressure	Not applicable
Specific gravity (H ₂ O=1)	1.4 - 1.8
Solubility in water	Negligible



Material Safety Data Sheet

Solubility in organic
solventsPartially soluble in toluene and xylene.Partition coefficient
ViscosityNot applicable
Not applicableVapor density
Evaporation rate
Physical state
ColorNot applicable
Fine powderColor
OtherBlack
Slight plastic odor
Decomposition temperature: > 200 °C

10.0 Stability and reactivity

Stability	Stable under normal storage conditions
Incompatibilities	Strong oxidizers
Hazardous decomposition	CO, CO_2
products	
Hazardous polymerization	Will not occur

11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Ingestion:	Not available LD ₅₀ :orl-rat>2000 mg/kg, not harmful. Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC.
Skin Contact:	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC.
Chronic Toxicity:	No data available.
Sensitization:	Not classified as a sensitizer according to EU Directive 67/548/EEC and OSHA HCS (US).
Mutagenicity:	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium - Negative)
Carcinogenicity:	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).
Reproductive Toxicity:	Not classified as toxic according to EU Directive 67/548/EEC, California Prop. 65, or DFG (Germany).
Other:	None known

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems.



13.0 Disposal considerations

Do not put toner or toner cartridge into fire; heated toner may cause severe burns. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulation.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number	None
Class	None
Proper Shipping Name	None
Packing Group	None
Special Precautions	None

15.0 Regulatory information

US EPA TSCA Inventory US EPA TSCA 12(b) US California Proposition 65	All ingredients are listed on TSCA inventory None None
EU Notification	All components in this product are compliant with EU Chemical Inventory regulations.
EU R&S Phrase Information	No European Risk Phrases (labeling data)
Dangerous Components (CAS No.) wt%	None
USA Labeling	
Symbol Hazard Warning Safety Advice Hazardous Component(s)	•

16.0 Other information

•	September 1, 2003
HP-DMS Document Control	09000de80275164-eng
Number:	
Revision Information:	
EU Information	This MSDS was prepared in compliance with EU Directive
	91/155/EEC as amended by 2001/58/EC and USA OSHA
	Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.