eDatasheet HP Smart Tank 500 All-in-One (4SR29A)



Latest technology delivers outstanding quality

Easy productivity

Print documents quickly – get up to 38% faster speeds compared to previous HP Smart Tank.[3]

High-volume, low-cost printing – innovative design

Featuring

Exceptional HP quality

Achieve high speeds for all your prints



Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi
Print quality color (best)	Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi
Print speed black (ISO, A4)	Up to 11 ppm
Print speed black (ISO, letter)	Up to 11 ppm
Print Speed Color (ISO)	Up to 5 ppm
Print speed color (ISO)	Up to 5 ppm
Print speed	Print speed up to 11 ppm (black) and 5 ppm (color)
Functions	Print, copy, scan
Duplex printing	Manual (driver support provided)
Duty cycle (monthly, A4)	Up to 1000 pages
Duty cycle (monthly, letter)	Up to 1000 pages
Energy savings feature technology	HP Auto-Off Technology
Replacement cartridges	EMEA: HP GT53 90-ml Black Original Ink Bottle 1VV22AE; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle MOH54AE; HP GT52 Magenta Original Ink Bottle MOH55AE; HP GT52 Yellow Original Ink Bottle MOH56AE; HP GT51XL 135-ml Black Original Ink Bottle X4E40AE. LAR: HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle MOH54AL; HP GT52 Magenta Original Ink Bottle MOH55AL; HP GT52 Yellow Original Ink Bottle MOH56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL. AP: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53 Yellow Original Ink Bottle 1VV22AA; HP GT53 Yellow Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH56AA ^[6]
Connectivity, standard	Hi-Speed USB 2.0
Connectivity, optional	None
Modem	None
Wireless capability	No
Mahila aviating conshility	USB Only
Mobile printing capability	
Network protocols, supported	9100, SLP, IPP, WS-Print, LPR
Network protocols, supported	9100, SLP, IPP, WS-Print, LPR
Network protocols, supported Software included	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave
Network protocols, supported Software included Compatible Operating Systems	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14)
Network protocols, supported Software included Compatible Operating Systems Environmental	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4)	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter)	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan file format	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono JPG, BMP, TIFF, PDF, RTF, TXT, PNG
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan file format Scan input modes	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono JPG, BMP, TIFF, PDF, RTF, TXT, PNG Front Panel Scan; Copy; HP Software
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan file format Scan input modes Scan technology	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono JPG, BMP, TIFF, PDF, RTF, TXT, PNG Front Panel Scan; Copy; HP Software Contact Image Sensor (CIS)
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan file format Scan input modes Scan technology Scanner type	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono JPG, BMP, TIFF, PDF, RTF, TXT, PNG Front Panel Scan; Copy; HP Software Contact Image Sensor (CIS) Flatbed 7 segment + 2-inch icon display
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter) Scan file format Scan technology Scanner type Display	9100, SLP, IPP, WS-Print, LPRNoneWindows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14)NoNoNoUp to 4 ppm color, up to 8 ppm, monoUp to 4 ppm color, up to 8 ppm, monoJPG, BMP, TIFF, PDF, RTF, TXT, PNGFront Panel Scan; Copy; HP SoftwareContact Image Sensor (CIS)Flatbed7 segment + 2-inch icon display447 x 373 x 158 mm
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter) Scan file format Scan technology Scanner type Display Minimum dimensions (W x D x H)	9100, SLP, IPP, WS-Print, LPRNoneWindows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14)NoNoNoUp to 4 ppm color, up to 8 ppm, monoUp to 4 ppm color, up to 8 ppm, monoJPG, BMP, TIFF, PDF, RTF, TXT, PNGFront Panel Scan; Copy; HP SoftwareContact Image Sensor (CIS)Flatbed7 segment + 2-inch icon display447 x 373 x 158 mm
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter) Scan file format Scan technology Scanner type Display Minimum dimensions (W x D x H) Weight	9100, SLP, IPP, WS-Print, LPR None Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14) No No ENERGY STAR® qualified Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono Up to 4 ppm color, up to 8 ppm, mono JPG, BMP, TIFF, PDF, RTF, TXT, PNG Front Panel Scan; Copy; HP Software Contact Image Sensor (CIS) Flatbed 7 segment + 2-inch icon display 447 x 373 x 158 mm 17.6 x 14.7 x 6.2 in
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter) Scan file format Scan technology Scanner type Display Minimum dimensions (W x D x H) Weight	9100, SLP, IPP, WS-Print, LPRNoneWindows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14)NoNoENERGY STAR® qualifiedUp to 4 ppm color, up to 8 ppm, monoUp to 4 ppm color, up to 8 ppm, monoJPG, BMP, TIFF, PDF, RTF, TXT, PNGFront Panel Scan; Copy; HP SoftwareContact Image Sensor (CIS)Flatbed7 segment + 2-inch icon display447 x 373 x 158 mm17.6 x 14.7 x 6.2 in5.14kg
Network protocols, supported Software included Compatible Operating Systems Environmental ENERGY STAR® certified Energy efficiency Scan speed (normal, A4) Scan speed (normal, letter) Scan file format Scan technology Scanner type Display Minimum dimensions (W x D x H) Weight	9100, SLP, IPP, WS-Print, LPRNoneWindows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14 (Windows 10, 7; macOS Sierra v10.12 (previously OS X), macOS High Sierra v10.13, macOS Mojave v10.14)NoNoNoUp to 4 ppm color, up to 8 ppm, monoUP to 4 ppm color, up to 8 ppm, monoJPG, BMP, TIFF, PDF, RTF, TXT, PNGFront Panel Scan; Copy; HP SoftwareContact Image Sensor (CIS)Flatbed7 segment + 2-inch icon display447 x 373 x 158 mm17.6 x 14.7 x 6.2 in5.14kg11.34 lb

What's in the box	EMEA EM: HP Smart Tank 500; 2 x HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; ROH-EAC Regulatory flyer; Power cord [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies] LAR: HP Smart Tank 500; HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; Warranty card, Power cord [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies] AP: HP Smart Tank 500; HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; China warranty card; China 3G card; Indonesia warranty card; QQ-Wechat flyer Power cord [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
Warranty	One year of 24/7 world-class technical support services through http://www.hp.com/support; One-year or 30,000 pages limited hardware warranty, whichever is earlier from the date of purchase; user replaceable parts have separate warranty periods

Accessories and services

No Recommended Accessories and Services

Messaging Footnotes

[3] Compared with HP Smart Tank/Ink Tank All-in-One Printer series. Excludes first set of ISO test pages. For details, see http://hp.com/go/printerclaims.

Technical Specifications Footnotes

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[6] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://hp.com/go/learnaboutsupplies

