CH564Series[C]-SDS_UK-EU English-01.pdf

CH564Series[M]-SDS_UK-EU English-01.pdf

CH564Series[Y]-SDS_UK-EU English-01.pdf



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Series[C]

Use of the

Substance/Preparation

Inkjet printing

Version # 01

Revision date 29-Jul-2010 CAS# Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Èmail: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact 1,5-pentanediol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Inhalation Metal nitrate #2

Inhalation may result in respiratory irritation.

Ingestion Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Not classified as a physical hazard. **Physical hazards Health hazards** Not classified as a health hazard.

Material name: CH564Series[C] 1/4

12123 Version #: 01 Revision date: 28-Jul-2010 Print Date: 29-Jul-2010

| Components | CAS# | Percent | EC-No. | Classification |
|---------------------------------------|-------------|---------|-------------|--------------------|
| 1,5-pentanediol | 111-29-5 | < 10 | 203-854-4 | |
| Ethyl alkyldiol | Proprietary | < 7.5 | Proprietary | |
| Copper phthalocyanine direct dye salt | Proprietary | < 5 | Proprietary | Xi;R41, R52/53 |
| Metal nitrate #2 | Proprietary | < 2.5 | Proprietary | O;R8, Xi;R36/37/38 |
| Water | 7732-18-5 | > 65 | 231-791-2 | |

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Extinguishing media which must not be used for safety

reasons

Unusual fire & explosion

hazards

Specific methods

Hazardous combustion

products

Dry chemical, CO2, water spray or regular foam.

None known.

None known.

None established. Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Wear appropriate personal protective equipment. **Personal precautions**

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand **Containment procedures**

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice. **Hygiene measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available. **Physical state** Liquid Not available. Form

Material name: CH564Series[C] 2/4

12123 Version #: 01 Revision date: 28-Jul-2010 Print Date: 29-Jul-2010

Color Cyan

Odor Not available.
Odour threshold Not available.
pH 8 - 8.4

Boiling point Not determined

Flash point > 93.3 °C (> 200 °F) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot determinedRelative densityNot available.Solubility (water)Soluble in waterPartition coefficientNot available

(n-octanol/water)

Viscosity
Not available.

Vapor density
Not available.

Evaporation rate
Not determined
Melting point
Not available.

Freezing point
Not available.

Auto-ignition temperature
VOC

VOC

Not available.

265 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

StabilityStable under recommended storage conditions.Materials to avoidIncompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RTD

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, Copper phthalocyanine direct dye salt, Ethyl alkyldiol, Metal nitrate #2, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

Material name: CH564Series[C] sps uk

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

R41 Risk of serious damage to eyes.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date

29-Jul-2010

Manufacturer information

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Series[C] SDS UK



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Series[M]

Use of the

Substance/Preparation

Inkjet printing

Version #

01

Revision date

29-Jul-2010

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Inhalation

Metal nitrate #2

Inhalation may result in respiratory irritation.

Ingestion

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Potential routes of overexposure to this product are skin and eye contact **Routes of exposure**

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects None known.

Material name: CH564Series[M] SDS UK 1/4 Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

| 3. COMPOSITION | INFORMATION ON INGREDIENTS |
|----------------|----------------------------|
| | |

| Components | CAS # | Percent | EC-No. | Classification |
|------------------------------------|-------------|---------|-------------|--------------------------------|
| 1,5-pentanediol | 111-29-5 | < 10 | 203-854-4 | |
| 2-pyrrolidone | 616-45-5 | < 7.5 | 210-483-1 | |
| Ethyl alkyldiol | Proprietary | < 7.5 | Proprietary | |
| Polycyclic sulfonic acid, TMA salt | Proprietary | < 7.5 | Proprietary | |
| Alkyldiol ethoxylate | Proprietary | < 2.5 | Proprietary | Xn;R21/22, Xi;R38-41, N;R51/53 |
| Metal nitrate #2 | Proprietary | < 2.5 | Proprietary | O;R8, Xi;R36/37/38 |
| Water | 7732-18-5 | > 65 | 231-791-2 | |

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at **Eye contact**

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which

None known.

must not be used for safety reasons

Unusual fire & explosion None known.

hazards

Specific methods None established. **Hazardous combustion** Refer to section 10.

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other Other information

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. **Storage**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Material name: CH564Series[M] SDS UK **Exposure controls** Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Not available. **Appearance**

Physical state Liquid

Form Not available. Color Magenta Not available. Odor **Odour threshold** Not available.

Boiling point Not determined

> 93.3 °C (> 200 °F) Pensky-Martens Closed Cup Flash point

8 - 8.4

Flammability limits in air,

upper, % by volume

Hα

Not available.

Flammability limits in air, lower, % by volume

Not available.

Vapor pressure Not determined Relative density Not available Solubility (water) Soluble in water **Partition coefficient** Not available

(n-octanol/water)

Not available. **Viscosity** Vapor density Not available. **Evaporation rate** Not determined Not available. **Melting point** Not available. Freezing point **Auto-ignition temperature** Not available. VOC < 266 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stable under recommended storage conditions. Stability

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Material name: CH564Series[M] SDS UK 12125 Version #: 01 Revision date: 29-Jul-2010 Print Date: 29-Jul-2010

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, 2-pyrrolidone, Alkyldiol ethoxylate, Ethyl alkyldiol, Metal nitrate #2, Polycyclic

sulfonic acid, TMA salt, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

Regulatory informationAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R21/22 Harmful in contact with skin and if swallowed. R36/37/38 Irritating to eyes, respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information

Disclaimer

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC. This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 29-Jul-2010

Manufacturer information

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Series[M] SDS UK



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CH564Series[Y]

Use of the

Substance/Preparation

Inkjet printing

Version #

01

Revision date

29-Jul-2010

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview

Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation. *Substituted napthalenesulfonate salt #13* Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation. Substituted napthalenesulfonate salt #13 Contact with eyes may result in irritation.

Inhalation

Metal nitrate #2

Inhalation may result in respiratory irritation. *Substituted napthalenesulfonate salt #13* Inhalation may result in respiratory irritation.

Ingestion

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Material name: CH564Series[Y] sps uk

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

| Components | CAS# | Percent | EC-No. | Classification |
|--|-------------|---------|-------------|--------------------|
| 1,5-pentanediol | 111-29-5 | < 10 | 203-854-4 | |
| 2-pyrrolidone | 616-45-5 | < 7.5 | 210-483-1 | |
| Ethyl alkyldiol | Proprietary | < 7.5 | Proprietary | |
| Substituted napthalenesulfonate salt #13 | Proprietary | < 7.5 | Proprietary | |
| Metal nitrate #2 | Proprietary | < 2.5 | Proprietary | O;R8, Xi;R36/37/38 |
| Water | 7732-18-5 | > 65 | 231-791-2 | |

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

None known.

Specific methods **Hazardous combustion**

None established.

Refer to section 10.

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Material name: CH564Series[Y] SDS UK

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liquid

Form Not available.

Color Yellow

Odor Not available. **Odour threshold** Not available. 8 - 8.4

Not determined **Boiling point**

Flash point > 93.3 °C (> 200 °F) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Not determined Vapor pressure **Relative density** Not available. Solubility (water) Soluble in water **Partition coefficient** Not available

(n-octanol/water)

Viscosity Not available. Not available. Vapor density Not determined **Evaporation rate Melting point** Not available Not available. Freezing point Not available. **Auto-ignition temperature** VOC < 266 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stable under recommended storage conditions. Stability

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity This product has not been tested for ecological effects.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

Material name: CH564Series[Y] 3 / 4

12126 Version #: 01 Revision date: 29-Jul-2010 Print Date: 29-Jul-2010

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, 2-pyrrolidone, Ethyl alkyldiol, Metal nitrate #2, Substituted napthalenesulfonate

salt #13, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

Regulatory informationAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date

Manufacturer information

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

29-Jul-2010

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH564Series[Y] SDS UK