

## A Hub That Does it All

Unlock new possibilities with the HP Universal USB-C Multiport hub, now supporting any USB-C $^{\otimes 1}$  compatible PC. 7 ports, 1 power and data passthrough cable, and many peripherals to plug and play however you like. It also supports dual  $4K^2$  displays via HDMI 2.0 and 1 DisplayPort $^{\text{TM}}$  1.2. This hub is all you need to stay connected.



\*Product image may differ from actual product

## Universal USB-C®. Every OS

One simple, single USB-C<sup>®1</sup> cable plugs into your PC<sup>3</sup>, regardless of the brand or OS so you can use your hub seamlessly. This hub now supports Windows<sup>®</sup>, macOS and Chrome OS<sup>®</sup>.

## All Kinds of Ports

7 multifunction ports provide a complete solution for just about any data, video, or network connection<sup>4</sup>. 1 HDMI 2.0, 1 DisplayPort™ 1.2, 2 USB-A ports, 1 USB-C®¹ port, 1 USB-C®¹ passthrough port, and 1 ethernet port.

## Powers Dual 4K Displays

This small but mighty hub supports<sup>5</sup> HDMI 2.0 and DisplayPort™ 1.2 connections for a higher quality resolution at 4K<sup>2</sup>.

## Connect & Power Your PC

Keep your PC charged via the USB-C<sup>®1</sup> passthrough<sup>6</sup> while powering<sup>7</sup> up or connecting data through the 7 total ports<sup>4</sup>.

**Designed to Travel**Slim and sleek design is portable for you to take on the go.

**System Manageability**Easily manage a wide range of notebooks <sup>7</sup> remotely via HP's advanced built-in PC network <sup>8</sup> manageability features <sup>9</sup>.







Product number	50H55AA
Compatibility	Compatible with PCs with available USB Type-C® port integrate with USB Power Delivery and DisplayPort
Compatibility note	Based on HP internal testing on select non-HP notebook models compatible with USB-C® industry standards.
Master carton upc code	10196188637200
Tariff number	8471801000
Port and Connectors	1 USB Type-C® 5Gbps signaling rate 2 USB Type-A 5Gbps signaling rate 1 RJ-45 1 USB Type-C® pass through (up to 65 W USB Power Delivery)
Security management	Secure firmware update meets HP secure firmware requirements
Software included	HP One Click Installer (OCI) firmware upgrade
Manageability features	PXE Boot; MAC Address Pass Through (MAPT); LAN/WLAN switching; Wake on LAN (WoL) (Legacy Standby and Modern Standby)
Power to system	Up to 65 W via USB Type-C® (requires 90 W power supply) <sup>3,4</sup>
Power delivery (PD) profiles	5V/5A; 9V/5A; 12V/5A; 20V/5A; 20V/5A; 10V/5A
Cable length	11.81 in; 30 cm
Operating voltage	5-20 V
External monitor support	Up to 2 4K displays supported through HDMI 2.0 and DisplayPort™1.2 digital video outputs, depending on the capabilities of the host device. Single 4K display will operate @ 60 Hz, dual 4K display will operate @ 30 Hz <sup>1.2</sup>
Product color	Black
Compatible operating systems	Windows 10; Windows 11; macOS; Chrome OS™
System Requirements, Minimum	USB Type-C® (USB Power Delivery, Alt Mode DisplayPort™)
Warranty	One-year limited warranty
What's in the box	HP Universal USB-C Multiport Hub Product notice Warranty
Country of origin	Made in China
Dimensions (W x D x H)	150 x 55 x 21.5 mm
Weight	115g
Package dimensions (W x D x H)	235 x 65 x 45 mm
Package weight	179 g
Master carton quantity	16
Master carton dimensions (W x D x H)	296 x 197 x 251 mm
Master carton weight	3.11 kg
Pallet weight	248.8 kg
Sustainable impact specifications	Packaging is recyclable <sup>6</sup>
Operating temperature range	0 to 35°C; 0 to 95°F
Non-operating temperature - Celsius	-20 to 60°C
Non-operating temperature - fahrenheit	-4 to 140°F
Operating humidity range	5 to 90% non-condensing
Non-operating humidity range	5 to 95% non-condensing
Operating endurance	76 cm; 6 faces
Non-operating endurance	100 cm; 6 faces
Operating random vibration	0.21 Grms; 5~500 Hz
Non-operating random vibration	2.09 Grms; 5~500 Hz

### Messaging Footnotes

- <sup>1</sup> USB Type-C® and USB-C® are trademarks of USB Implementers Forum.
- 4K content required to view full 4K images.
   Based on HP internal testing on select non-HP notebook models compatible with USB-C® industry standards. Firmware updates on Windows-based host systems only
- <sup>4</sup> For USB-C® functionality, host PC must support the DisplayPort<sup>™</sup> Alt mode protocol through its USB-C® port. Thunderbolt<sup>™</sup> enabled notebooks will function at USB-C® speeds. Charging and port replication is supported on notebooks that have implemented USB-C® industry specifications.
- <sup>5</sup> Supports only 3840 x 2160 @30Hz, while host PC supports DisplayPort™ 1.4.
- <sup>9</sup> For core manageability, access is only supported when the PC platforms are awake, or during Sleep (S1-S3) when docked prior to entering standby mode.

- <sup>6</sup> Passthrough charging requires a notebook or tablet with USB-C® AC adapter. This product does not include an AC adapter.

  <sup>7</sup> Works with HP Commercial Notebooks only based on HP's internal testing on select business notebook models with Microsoft OS, preinstalled encryption, authentication, malware protection, BIOS-level protection and passing MIL-STD testing and ethernet cable connection as of March 2021 (product launch date).

### **Technical Specifications Footnotes**

- 1 4K content required to view full 4K images
- <sup>2</sup> Supports only 3840 x 2160 @30Hz and YCbCr422 or YCbCr420 color formats, while host PC supports DisplayPort™ 1.4.
- <sup>3</sup> For USB-C® functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® port. Thunderbolt™ enabled notebooks will function at USB-C® speeds. Charging and port replication is supported on notebooks that have implemented USB-C® industry specifications.
- <sup>4</sup> 65W max combined power output when using a 90W charger and charging multiple devices. Pass-through charging requires a notebook or tablet with USB-C® AC adapter. This product does not include an AC adapter. 5 Actual power delivery profile also depends on USB-C® adapter's PD profiles.
- $^6$  Outside Box and corrugated cushions are recyclable. Any plastic cushions are made from >90% recycled plastic.

