HP DesignJet T630 24-in Printer 2025 edition



The world's smallest plotters¹—intuitive and responsibly designed.



*Product image may differ from actual product

INTUITIVE-Easy, effortless printing

- Simplify printing with the new HP Click Print solutions—save time with real-print preview.²
- Print multi-size A4/A to A1/D projects automatically, without manually switching the media source.
- Print your jobs and manage your plotter virtually anywhere, anytime with the HP

RESPONSIBLY DESIGNED-Reduce energy and plastic use

- Save 65% energy⁴ with the printer on/off auto scheduler and enjoy efficient ink maintenance routines⁵.
- Minimize plastic waste by more than 70% with a new molded fiber packaging and removal of most plastic bags.
- Made with at least 40% recycled plastic⁷ and the first HP large format printer containing recycled metal.8
- Certified by UL ECOLOGO®.9 Registered in EPEAT Gold and achieves EPEAT Climate+¹⁰.

OPTIMIZED-Fits the way you work

- Save space with the world's smallest plotters designed to fit your office, including a built-in stand.
- Avoid waiting by the printer with printing as fast as 30 seconds per A1/D plot. 11
- Protect your printer from cyberthreats with HP Wolf Essential Security.
- Get high-quality results—HP Bright Office Inks deliver better line accuracy 12 and up to 34% more gamut. 13

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Messaging Footnotes

¹Based on competitive comparison of operational footprint. Test performed by Sogeti and commissioned by HP in May 2024.

²HP One-click printing with HP Click software. HP Click software is only compatible with Original HP ink supplies. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

³Requires HP Smart app download available at https://www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile

applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. List of supported operating systems available in app stores.

The percentage reductions in energy consumption are based on tests conducted by HP, 2024. Data based on the implementation of auto-scheduled on/off usage in various printer models, measured on a monthly basis. Actual savings may vary depending on the specific usage patterns, printer models, and environmental conditions.

Use up to 96% less ink for routine maintenance vs. competitor. Based on HP internal testing, June 2024, comparing the HP DesignJet T200 Printer series and Canon iPF TM printer series in terms of ink used during

ordine printhed cleanings.

6The HP DesignJet T200/T600 Series 2025 Edition plotter uses polystyrene-free packaging with molded pulp cushions made from recycled fiber-based material. The plastic reduction is expressed as a percentage of the

total packaging plastic weight. The reduction varies depending on the printer model, with at least a 53% reduction in the new 36-inch model and at least a 72% reduction in the new 24-inch model, compared to the previous T200/T600 models.

Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled content is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2.

8 Incorporation of a minimum of 5% of certified recycled metal, expected to be implemented in units manufactured after April 1st, 2025. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal. This number is the minimum and may vary slightly due to manufacturing processes and material availability.

9UL ECOLOGO® Certified HP 712 inks meet a range of stringent human health and environmental considerations. For certifications, see http://www.ul.com/EL and http://www.ul.com/gg

10 The T200/T600 is EPEAT Gold in the U.S. and Canada and has achieved EPEAT Climate+. See https://www.epeat.net for registration status and tier levels by country.

11 The HP DesignJet T630 2025 Edition 24-in delivers AI/D prints in 30 seconds

12 Petrte live accuracy the product of the procedure of

12 Better line accuracy based on test commissioned by HP and performed by Sogeti in June, 2024. Clear lines based on the number of line breaks found in 2 mm of line. On vertical and diagonal 1px RGB (160,160,160) lines. Printed on Oce 75 g plain paper using equivalent fast print modes. For output produced with HP DesignJet T200 Printer series, Canon IPF TM printer series and Canon IPF TC-20. Test performed under the same conditions

in all printers measuring with OEA PIAS II digital microscope tool.

13 Up to 34% more color gamut based on test commissioned by HP and performed by Sogeti in June 2024, of gamut volume comparing prints from the HP DesignJet T200 Printer series, Canon iPF TM printer series, Canon iPF TC-20 and Epson SC-T3100 on Oce 75gsm plain paper using equivalent fast/draft print modes.

For more information, please visit http://www.hp.com/go/designjett630



















Technical specifications

10 sec/page on A1, 76 A1 prints per hour ¹ 10 pto 2400 x 1200 optimised dpi 11 P Thermal Inkjet 12 x 5 x 5 x 5 mm 13 x 5 x 5 x 5 mm 14 x 5 x 5 x 5 mm 15 x 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) 16 ope-based (C, M, Y); pigment-based (K) 17 (C, M, Y, K) 18 on MI (K); 38 mI (K); 29 mI (C, M, Y) 19 on MI of ink yields 101 A1 pages, taking into account naintenance routines ² 15 pI (C, M, Y); 12 pI (K) 16 (cyan, magenta, yellow, black) 17 (cyan, magenta, yellow, black) 18 (cyan magenta, yellow, black) 19 (cyan moderna) 10 min drawings; Presentations; Renderings 11 min drawings; Presentations; Renderings 12 min drawings; Presentations; Renderings 13 min drawings; Presentations; Renderings 14 min drawings; Presentations; Renderings	One-click multi-size printing Drivers Security features Dimensions (W x D x H) Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating altitude	HI Fin HI TL 100 1115 288 388 HI fe rec
AP Thermal Inkjet ix 5 x 5 x 5 x 5 mm ix 5 x 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) bye-based (C, M, Y); pigment-based (K) ix (C, M, Y, K) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 38 ml (K); 29 ml (C, M, Y) ix (D ml (K); 30 ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30 ml (K); 30 ml (K) ix (D ml (K); 30	Dimensions (W x D x H) Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	HIF Find det HIF HIT 10 118 38 HIF fer re W
ix 5 x 5 x 5 mm ix 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) Dye-based (C, M, Y); pigment-based (K) It (C, M, Y, K) It (C, M, Y, K) It (M, Y,	Dimensions (W x D x H) Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	HI Fill Hi de HI TL 100 1115 288 388 HI fe re
ix 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray) iye-based (C, M, Y); pigment-based (K) i(C, M, Y, K) i0 ml (K); 38 ml (K); 29 ml (C, M, Y) i0 ml of ink yields 101 A1 pages, taking into account naintenance routines ² i.5 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) i376 i0.1% ³ i0.02 mm i2 * min/2.10 D ⁴ ine drawings; Presentations; Renderings	Dimensions (W x D x H) Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	Fii Hi de HI TL 100 1115 288 388 HI fe re HI W
Dye-based (C, M, Y); pigment-based (K) (C, M, Y, K) 10 ml (K); 38 ml (K); 29 ml (C, M, Y) 10 ml of ink yields 101 A1 pages, taking into account naintenance routines ² 1.5 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 376 0.1% ³ 1.02 mm 1.1 min/2.10 D ⁴ In drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	100 1115 288 HII fe re
1 (C, M, Y, K) 10 ml (K); 38 ml (K); 29 ml (C, M, Y) 10 ml of ink yields 101 A1 pages, taking into account naintenance routines ² 1.5 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 1.6 nl (cyan, magenta, yellow, black) 1.7 nl (cyan, magenta, yellow, black) 1.8 min/2.10 D ⁴ 1.9 min/2.10 D ⁴ 1.1 min/2.10 D ⁴ 1.2 min/2.10 feed, automatic sheet feeder, media bin, automatic horizontal cutter 1.4 nl (cyan, magenta, yellow, black) 1.5 pl (C, M, Y); 12 pl (K) 1.5 pl (C, M, Y); 12 pl (C, M, Y); 12 pl (K) 1.5 pl (C, M, Y); 12 pl (C, M, Y);	Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	100 111 228 388 HII fee re
10 ml (K); 38 ml (K); 29 ml (C, M, Y) 10 ml of ink yields 101 A1 pages, taking into account naintenance routines ² 15 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 16 ml of ink yields 101 A1 pages, taking into account naintenance routines ² 15 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 16 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 17 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of ink yields (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 18 ml of	Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	10 11! 28 38 HI fe re HI W
0 ml of ink yields 101 A1 pages, taking into account naintenance routines ² 1.5 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 376 0.01% ³ 1.02 mm 1.1* min/2.10 D ⁴ 1.1* min/2.10 D ⁴ 1.1* ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Product Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	11! 28 38 HI fe re HI W
naintenance routines ² 1.5 pl (C, M, Y); 12 pl (K) (cyan, magenta, yellow, black) 376 0.1% ³ 1.02 mm 1.1 min/2.10 D ⁴ 1.2 min/2.10 D ⁴ 1.3 ine drawings; Presentations; Renderings 1.4 check feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter 1.6 dedia rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Shipping Weight Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	11! 28 38 HI fe re HI W
(cyan, magenta, yellow, black) 376 0.01%3 .0.02 mm 8.1* min/2.10 D4	Product Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	HI fe re
376 0.01% ³ 0.02 mm 8 L* min/2.10 D ⁴ ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Shipping Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	HI fe re
0.01% ³ 0.02 mm 8 L* min/2.10 D ⁴ ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Included What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	HI fe re HI W
ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	What's in the box HP Software and solutions Environmental ranges Operating temperature Operating humidity	fe re HI W
ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	HP Software and solutions Environmental ranges Operating temperature Operating humidity	fe re HI W
ine drawings; Presentations; Renderings Sheet feed, roll feed, automatic sheet feeder, media bin, utomatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Environmental ranges Operating temperature Operating humidity	HI W
Sheet feed, roll feed, automatic sheet feeder, media bin, iutomatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Environmental ranges Operating temperature Operating humidity	5
Sheet feed, roll feed, automatic sheet feeder, media bin, iutomatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Operating temperature Operating humidity	5 1
utomatic horizontal cutter Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Operating temperature Operating humidity	_
Media rolls: 1; Roll size: 279 to 610 mm; Maximum roll weight: 4.1	Operating humidity	_
		20
		U
i10 mm	Storage temperature	-2
outo sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 179 to 610 x 1897 mm	Recycled plastic in printer	40
auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1	Acoustics	
60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)	Sound pressure	Pr
	Sound power	Pr
lp to 0.3 mm	Power	
Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)	Consumption	<3
	Requirements	In ₁
	Certification	_
GB	Safety L	
lone		
HP-GL/2, HP-RTL, CALS G4, JPEG, URF		M
	Electromagnetic	С
Sigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 102.11a/b/g/n, Wi-Fi Direct		Ze
IP Click App, HP Click Driver, HP app, Windows and MacOS rinter drivers, HP-GL/2 driver for Windows, Apple AirPrint, undered Default Print Service Printing support for ChromeOS	Environmental	pr EN CI
ORDINAL PERSON PRINCIPALITY SERVICE PROBLEM SHODOLI IOT COMPANS		Oı
o ii o	lain, bright white, blueprint), technical paper (natural tracing), Im (clear, matte), photographic paper (satin, gloss, semigloss, olypropylene), self-adhesive (adhesive, polypropylene) GB Jone P-GL/2, HP-RTL, CALS G4, JPEG, URF Jegabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 02:11a/b/g/n, Wi-Fi Direct P Click App, HP Click Driver, HP app, Windows and MacOS rinter drivers, HP-GL/2 driver for Windows, Apple AirPrint, ndroid Default Print Service, Printing support for ChromeOS,	Idin, bright white, blueprint), technical paper (natural tracing), Im (clear, matte), photographic paper (satin, gloss, semigloss, olypropylene), self-adhesive (adhesive, polypropylene) GB Idin (Search Sequirements) Certification Safety Idin (Search Sequirements) Certification Safety Idin (Search Sequirements) Electromagnetic Folick App, HP Click Driver, HP app, Windows and MacOS rinter drivers, HP-GL/2 driver for Windows, Apple AirPrint, Environmental

Remote print enabled	Yes
One-click multi-size printing	Yes
Drivers	Raster driver for macOS and Windows, HP-GL/2 driver for Windows, HP Click Driver for Windows 11
Security features	HP Wolf Essential Security: Secure boot with HW root of trust; Firmware Code Signature Validation; Automatic FW Updates; HTTPS Redirect enabled by default; SNMPv1/2 read-only by default; SNMPv3 disabled by default; Write-protected memory; HP Cartridge Security; Unique password; Disable USB ports; TLS 1.2; 802.1x; IPv4 & IPv6 Compatibility; CA/JD Compatibility
Dimensions (WxDxH)	
Product	1013 x 605 x 932 mm
Shipping	1155 x 575 x 475 mm
Weight	
Product	28.9 kg
Shipping	38 kg
Included	
What's in the box	HP DesignJet T630 24-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord
HP Software and solutions	HP Click App for Windows and macOS, HP Click Driver for Windows 11, HP app for Windows, macOS, Android and iOS
Environmental ranges	
Operating temperature	5 to 40°C
Operating humidity	20 to 80% RH
Operating altitude	Up to 3000 m
Storage temperature	-25 to 55°C
Recycled plastic in printer	40%
Acoustics	
Sound pressure	Printing: 42 dB(A) (operating), <16 dB(A) (idle)
Sound power	Printing: 5.8 B(A) (operating), <3.4 B(A) (idle)
Power	
Consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Requirements	Input voltage (auto ranging): 100-240 V ($\pm 10\%$), 50/60 Hz (± 3 Hz), 1200 mA max
Certification	
Safety	USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE)
Electromagnetic	Compliant with Class B requirements, including: USA (FCC rules, Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC)
Environmental	ENERGY STAR; WEEE; EU RoHS; EAEU RoHS; REACH; ErP; EPEAT Climate+ Gold; UL Ecologo
Warranty	One-year limited hardware warranty

Ordering information

Product	
5HB09D Accessories	HP DesignJet T630 24-in Printer 2025 edition
9GF94A B3Q36A	HP DesignJet T200/T600 24-in Roll Cover HP DesignJet 24-in Spindle
Original HP prir	nting supplies
3ED58A 3ED67A	HP 713 DesignJet Printhead Replacement Kit HP 712 29-ml Cyan DesignJet Ink Cartridge

3ED67A HP 712 29-ml Cyan DesignJet Ink Cartridge
3ED68A HP 712 29-ml Magenta DesignJet Ink Cartridge
3ED69A HP 712 29-ml Mellow DesignJet Ink Cartridge
3ED70A HP 712 38-ml Black DesignJet Ink Cartridge
3ED71A HP 712 80-ml Black DesignJet Ink Cartridge
3ED77A HP 712 3-pack 29-ml Cyan DesignJet Ink Cartridge
3ED78A HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge
3ED79A HP 712 3-pack 29-ml Yellow DesignJet Ink Cartridge
Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as

downtime. These critical components are designed and engineered together as an

optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit https://hp.com/go/OriginalHPinks Original HP large format printing materials

O1396A HP Universal Bond Paper (FSC* certified)5 (recyclable)6 610 mm x 45.7 m C6019B HP Coated Paper (FSC* certified)5 (recyclable)6 610 mm x 45.7 m C6029C HP Heavyweight Coated Paper (FSC* certified)5 (recyclable)6 610 mm x

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

U18JHE HP 2y Next Business Day support for DesignJet T630-24 U18JJE HP 3y Next Business Day support for DesignJet T630-24 U18JKE HP 4y Next Business Day support for DesignJet T630-24 U18JKE HP 5y Next Business Day support for DesignJet T630-24

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

Specification Footnotes

¹ Mechanical printing time. Printed in Fast mode with Economode on, using HP Bright White Inkjet Paper (bond) and Original HP inks. Actual performance may vary based on a variety of conditions, including but not limited to network configuration.

² Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%

Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%

Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%

Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%

Calculation done taking into account two normal printhead cleanings and ink on an A1 CAD drawing with black and colour lines and a pixel coverage of 5.2%

3 ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C, 50-60% relative humidity, on A0 printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks.

With HP Premium Instant Dry Photo Gloss media with Original HP inks.

BMG trademark license code FSC*-C115319, see http://www.fsc.org. HP trademark license code FSC*-C017543, see http://www.fsc.org.

⁶ Can be recycled through commonly available recycling programs.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. November 2024

