HP PageWide Enterprise Color MFP 586 Series



Ultimate value,³ fastest speeds,¹ and deepest security² for today's enterprise.

Ultimate value for today's enterprise—HP PageWide Technology delivers the fastest speeds¹ and deepest security² for the lowest total cost of ownership in its class.³ Power productivity with seamless workflow features.



HP PageWide Enterprise Color MFP 586dn



HP PageWide Enterprise Color MFP 586f



HP PageWide Enterprise Color Flow MFP 586z

Professional colour, breakthrough total cost

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.³
- Print professional-quality colour on a variety of papers—perfect for office use.
- Print up to 2.5x more pages⁶ and replace less often than standard cartridges⁷ with high-yield options.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁸

Enterprise productivity at unmatched speeds¹

- Wait less, print more with unmatched speeds¹—up to 75 ppm—and superfast first-page printing.
- Fast two-sided scanning—up to 70 ipm—and HP EveryPage help workgroups capture data with confidence every time.
- Enter data quickly with the pull-out keyboard and transfer scans into editable text, using built-in OCR.⁹
- Queue jobs, embed solutions, and use multiple functions at once—scan, copy, or fax while someone is printing.

Unparalleled fleet security and management²

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.⁴
- Help protect data on the MFP and in transit, using embedded security features and 256-bit encryption. $^{\rm 5}$
- Help build business efficiency with HP Web Jetadmin,¹⁰ plus deploy over HP and 180 third-party solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.¹¹

Proven technology. Outstanding energy efficiency.

- Minimize downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Print up to 16,000 colour pages and up to 20,000 black-and-white pages—and go longer between replacements.⁶
- Conserve with HP PageWide Technology—designed to use less energy than any printer in its class.⁴
- Get professional-quality colour documents and the performance you expect with Original HP PageWide cartridges.
- Protect your investment with HP Care Pack. Let our HP certified engineers resolve all your technical issues.¹²

¹ Comparison of Enterprise devices based on manufacturers' published specifications of fastest available colour mode of colour business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. I. PP PageWide products and the BIOs with self-healing capabilities. A HurderSmart offer a combination of security features for integrity checking down to the BIOs with self-healing capabilities. A HurderSmart service pack update may be required to activate security features for integrity checking down to the BIOs with self-healing capabilities. A HurderSmart service pack update may be required to activate security features. Learn more at <u>hp.com/go/printersthatprotect</u>³ Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on SO, yield with notinuous printing in default mode with highest-available-capacity carridges, and long-life consults of all color business A4 MFPs \$1,000-\$3000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at <u>hp.com/go/pagewideclaims</u> and <u>hp.com/go/pagewidec</u>

Product walkaround

- 1 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning; 586z model also includes HP EveryPage
- 2 Intuitive 20.3 cm (8-inch) pivoting colour touchscreen
- 3 Flatbed scanner handles up to 216 x 356 mm paper
- 4 Hardware integration pocket¹ for solution integration
- 5 Easy-access USB port to save and print files directly
- 6 Pull-out keyboard for easy, accurate data entry (586z model only)
- 7 Front door access to ink cartridges
- 8 Built-in automatic two-sided printing
- 9 50-sheet multipurpose tray 1
- 10 500-sheet input tray 2
- 11 300-sheet output bin
- 12 HP High-Performance Secure Hard Disk
- 13 Fax port
- 14 Slot for cable-type security lock
- 15 Hi-Speed USB 2.0 printing port
- 16 Built-in Gigabit Ethernet
- 17 USB port for connecting external USB devices

1 2 3 4 11 5 6 7 8 9 10 12 14 13 Front view 15 16 17 Rear I/O panel close-up

HP PageWide Enterprise Color Flow MFP 586z shown

Series at a glance



Model (product number)	MFP 586dn (G1W39A)	MFP 586f (G1W40A)	Flow MFP 586z (G1W41A)
50-sheet multipurpose tray 1; 500-sheet tray 2	✓	✓	✓
1x500-sheet paper tray	Optional	Optional	Optional
3x500-sheet paper tray and stand	Optional	Optional	Optional
Printer cabinet and stand	Optional	Optional	Optional
HP High-Performance Secure Hard Disk	✓	✓	\checkmark
Scan speed (single-pass, two-sided, A4) ^{2, 3}	Up to 44 images per minute (ipm), black; up to 40 ipm, colour	Up to 44 ipm, black; up to 40 ipm, colour	Up to 70 ipm, black and colour
Wireless direct printing⁴/NFC⁵	Optional	Optional	Optional
Fax	Optional	✓	✓
Advanced workflow features, including pull-out kevboard	Not available	Not available	\checkmark

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Scanning requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <u>hp.com/ect.000</u> ⁴ Wireless direct printing requires purchase of optional HP Jetdirect 3000 w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wir-Fi® network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see <u>hp.com/go/businessmobileprinting</u> ⁵ Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <u>hp.com/go/businessmobileprinting</u>.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance

and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration

Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows[®] 8







AirPrint



Top Features

Count on exceptional value and the results enterprises need to stay ahead—HP PageWide Technology is engineered to produce professional-quality colour documents for the lowest total cost of ownership in its class.³

Help elevate workgroup productivity with best-in-class print speeds,¹ blazing-fast first-page printing, and single-pass two-sided scanning. Built-in Gigabit Ethernet and wireless printing options help busy teams stay connected.⁵

Trust that this HP PageWide Enterprise MFP is secure from power-up to power-down. Count on strong protection for devices, data, and documents with deepest embedded printer security from HP² and centrally manage your entire fleet with ease.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources with an MFP designed to use less energy than lasers.⁴ HP PageWide Technology is ideal for today's busy office.

Product	
G1W39A	HP PageWide Enterprise Color MFP 586dn
G1W40A	HP PageWide Enterprise Color MFP 586f
G1W41A	HP PageWide Enterprise Color Flow MFP 586z
Accessories	
G1W43A	HP PageWide Enterprise 500-sheet Paper Tray
G1W44A	HP PageWide Enterprise Printer Stand
G1W45A	HP PageWide Enterprise 3 x 500-sheet Paper Feeder and Stand
E5K48	HP 1GB DDR3 x32 144-Pin 800MHz SODIMM
B5L28A	HP Internal USB Ports
CC487A	HP Laser Jet MFP Analog Fax Accessory 500 (MFP 586dn model only)
B5L31A	HP Foreign Interface Harness
F5S62A J8031A	HP Trusted Platform Module HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
A7W12A	HP LaserJet Keyboard Overlay Kit for Simplified Chinese and Traditional
	Chinese (586z only)
Supplies ⁶	
J3M71A	HP 981A Black Original PageWide Cartridge (~6,000 pages)
LOR12A	HP 981X High Yield Black Original PageWide Cartridge (~11,000 pages)
LOR16A	HP 981Y Extra High Yield Black Original PageWide Cartridge (~20,000 pages)
J3M68A	HP 981A Cyan Original PageWide Cartridge (~6,000 pages)
LOR09A	HP 981X High Yield Cyan Öriginal PageWide Cartridge (~10,000 pages)
LOR13A	HP 981Y Extra High Yield Cyan Original PageWide Cartridge (~16,000 pages)
J3M69A	HP 981A Magenta Original PageWide Cartridge (~6,000 pages)
LOR10A	HP 981X High Yield Magenta Original PageWide Cartridge (~10,000 pages)
LOR14A	HP 981Y Extra High Yield Magenta Original PageWide Cartridge (~16,000 pages)
J3M70A	HP 981A Yellow Original PageWide Cartridge (~6,000 pages)
LOR11A	HP 981X High Yield Yellow Öriginal PageWide Cartridge (~10,000 pages)
LOR15A	HP 981Y Extra High Yield Yellow Original PageWide Cartridge (~16,000 pages)
B5L09A	Ink-collection unit
HP Care Packs	-
Number	Description
LIACASE	HP 2-year Next Business Day + DMR Color PageWide Enterprise 586 MEP Hardware Support

NUIIIDEI	Description
U9CY3E	HP 2-year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY4E	HP 3-year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY5E	HP 4-year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY6E	HP 5-year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY7E	HP 3-year 4h 9x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY8E	HP 4-year 4h 9x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CY9E	HP 5-year 4h 9x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CZ0E	HP 3-year 4h13x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CZ1E	HP 4-year 4h13x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CZ2E	HP 5-year 4h13x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CZ6PE	HP 1-year Post Warranty Next Business Day + DMR Color PageWide Enterprise 586 MFP
	Hardware Support
U9CZ7PE	HP 2-year Post Warranty Next Business Day + DMR Color PageWide Enterprise 586 MFP
	Hardware Support
U9CZ8PE	HP 1-year Post Warranty 4h 9x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
U9CZ9PE	HP 1-year Post Warranty 4h 13x5 + DMR Color PageWide Enterprise 586 MFP Hardware Support
	ment with HP Care Pack. Let HP certified engineers resolve your technical issues. I HP Care Pack, go to <u>hp.com/go/cpc</u>

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

- HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: <u>hp.com/go/upd</u> HP JetAdvantage Security Manager: <u>hp.com/go/securitymanager</u> HP LaserJet Fonts, Barcodes, and IPDS Emulation available at <u>hp.com/go/laserjetfonts</u>

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

1 Comparison of Enterprise devices based on manufacturers' published specifications of fastest available colour mode of colour business A4 MEPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.com/go/printerspeeds² Only HP Enterprise-class devices with FutureSmart offer a combination of security features for integrity, checking down to the BIOS with self-healing capabilities. A FutureSmart service pack update may be required to activate security features. Learn more at <u>hp.com/go/printersthatprotect</u>³ Total cost of ownership Enterprise comparison based on 150,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 MFPs \$1,000-\$3,000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims and hp.com/go/learnaboutsupplies⁴ Energy claim for Enterprise devices based on TEC data, reported on energystar.gov, that is normalized for majority of in-class color laser MFPs \$1000-\$3000 USD and colour laser printers \$500-\$1249 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewideclaims 5 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and it may be limited during active VPN connections. ⁶ Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies.

HP PageWide Enterprise Color MFP 586 Series

AiO functions	HP PageWide Enterprise Color MFP 586dn (G1W39A)	HP PageWide Enterprise Color MFP 586f (G1W40A)	HP PageWide Enterprise Color Flow MFP 586z (G1W41A)		
	Print, copy, scan	Print, cop	by, scan, fax		
Print Duplex print options		Automatic (standard)			
Print speed ¹	Black (Professional mode, A4): Up to 50 ppm; Black		A4): He to 50 ppm: Colour (Constal Office mode A4):		
First page out ²	Black (Professional mode, A4): Up to 50 ppm; Black (General Office mode, A4): Up to 75 ppm; Colour (Professional mode, A4): Up to 50 ppm; Colour (General Office mode, A4): Up to 38 ipm; Colour Duplex (A4): Up to 25 ipm Black (A4, ready): As fast as 7.1 sec; Colour (A4, ready): As fast as 7.3 sec				
Print technology		HP PageWide Technology with pigmented inks			
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium Inkjet Presentation Paper Matte, and HP Inkjet Brochure Paper Matte and 600 x 600 input dpi); Colour (best): Up to 2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi)				
Print cartridges number		4 (1 each black, cyan, magenta, yellow)			
Standard print languages		PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (V			
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (U PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Rem	PD Active Directory Template, AutoUpgradeUPD, Driver Configuration Ut ove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP JetAdvantage Security Manager	ility, Driver Deployment Utility, HP Managed Printing Administration, HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent);		
can					
Scan type/technology		Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)			
Scan speed (simplex/two-sided)		(b&w), up to 40 ppm/40 ipm (colour)	Normal, A4: Up to 45 ppm/70 ipm (b&w), up to 45 ppm/70 ipm (col		
Scan resolution Scan size	Enn	anced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 60 Flatbed/ADF: 216 x 356 mm (8.5 x 14 in)	JU api		
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP)	Front panel applications: Copy; E-mail; Fax; Save to Network Folder;	Save to USB; Save to Device Memory; Open Extensibility Platform (OX ications		
Cran file format	applications				
Scan file format		PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
Copy speed ³	Black	(laser comparable): Up to 50 cpm; Colour (laser comparable): Up to	50 cpm		
First copy out	Black (letter): As fast as 7 sec; Colour (letter): As fast as 9 sec				
Copy resolution	Black (text & graphics): Up to 600 x 600 dpi (flatbed), 600 x 450 dpi (ADF); Colour (text & graphics): Up to 600 x 600 dpi (ADF)				
Max no of copies		Up to 9,999 copies			
Copier resize		25 to 400%			
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contra	st, background cleanup, sharpness), N-up, N or Z-ordering, content orier	ntation, collation, booklet, ID Scan <u>,</u> job build, edge-to-edge, job storag		
ix is a second s					
Fax speed	Optional		c per page (letter)		
Fax resolution	Optional	Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes on	ly); Black (standard): 204 x 98 dpi; Black & White (fine): 204 x 196 00 dpi (400 x 400 dpi for received faxes only)		
Fax memory (A4/letter)	Optional	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax Fax forwarding supported: Yes; Junk barrier supported: Yes; Ma destinations): PC interface supported: Yes; Fax polling suppo	delayed sending: No; Distinctive ring detection supported: No; iximum speed dialing numbers: Up to 1000 numbers (each with 210 rted: Yes (poll to receive only); Remote retrieval supported: No; lset supported: No		
onnectivity		Telephone nanc	iset supported: NO		
Standard connectivity	2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: 1 Gigabit Ethernet	2 Hi-Speed USB 2 0 Host: 1 Hi-Speed USB 2 0 Device: 1 Girabit	Ethernet 10/100/1000T network; 1 Hardware Integration Pocket;		
Standard connectivity	10/100/1000T network; 1 Hardware Integration Pocket		odem port		
Mobile printing capability ⁴		HP ePrint; Apple AirPrint [™] ; Mopria-certified; Google Cloud Print 2.0			
Network capabilities	Via HP Jetdirect Ethernet embedded print server (stand	ard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) suppo	rt on Fast Ethernet and Gigabit Ethernet; IPsec (standard)		
Wireless capability		Optional, enabled with purchase of a hardware accessory			
emory		48 MB; Maximum: 2816 MB; upgradeable with 1 GB DIMM (1 slot, 144-p			
ard disk	Standard, embedded HP High-Performance Secure Hard Disk, minim	um 320 GB; AES 256 hardware encryption or greater; Secure erase capa Secure ATA Erase-Disk)	abilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data		
uty cycle	Up to 80,000 pages; Recommended monthly page volume;* 2,000 to 7,500 pages				
rocessor speed		1.2 GHz			
aper handling					
Input	500-sheet input tray, 50-sheet multipurpose tray, 100-sheet ADF; Optional: 500-sheet tray 3; Integrated cart/stand with 500-sheet tray 3, 500 sheet tray 4, and 500-sheet tray 5				
Output		300-sheet face-down output bin			
Media type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepur	iched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft	gloss, satin, matte, other inkjet photo), envelopes, labels, cards, spec		
Media weight	papers (glossy brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper) Tray 1: 60 to 120 g/m² (plain paper), 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (brochure); 163 to 200 g/m² (card), Tray 2: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (plain paper); 125 to 250 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (blain paper); 125 to 250 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (blain paper); 125 to 250 g/m² (brochure); 163 to 200 g/m² (card); Tray 4: 60 to 120 g/m² (blain paper); 125 to 250 g/m² (brochure); 163 to 200 g/m² (brochure); 163 to 200 g/m² (card); Tray 5: 60 to 120 g/m² (blain paper); 125 to 250 g/m² (brochure); 163 to 200 g				
	163 to 200 g/m² (card) Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 210 to 216 x 297 mm; Optional 500-sheet tray 3: 102 x 210 to 216 x 356 mm; Optional 500-sheet tray 4: 102 x 210 to 216 x 356 mm;				
Media sizes custom	Optional 500-sheet tray 5: 102 x 210 to 216 x 356 mm				
		530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in)	n, optional sou-sneet tray 4: 102 x 210 to 216 x 350 mm,		
imensions (W x D x H)		530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in)	n, optional suo-sheet tray 4: 102 x 210 to 210 x 350 mm,		
imensions (W x D x H) leight	HP PageWide Enterprise Color MFP 586dn; HP Setup Ink Cartridges (CMYK), Installation guide, Support River; Software drivers and documentation on CD-ROM; Power cord				
imensions (W x D x H) Jeight Jhat's in the box	(CMŸK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPF S86f; HP Setup Ink Cartridges (CMVK); Installation quide, Support flyer; Software drivers and	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartric (CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord		
Media sizes custom Vimensions (W x D x H) Veight Vhat's in the box Varranty features Vystems	(CMŸK): Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MFP 586f; HP Setup Ink Cartridges (CMKX), installation guide, Support River; Software drivers and documentation on CD-ROM; Power cord e-year, onsite warranty; one-year technical phone support, chat, and e-	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrid (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail		
imensions (W x D x H) leight /hat's in the box Jarranty features	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32- & 64-bit editions (2P driver, XP Pro, etc.), Windows Vista (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding EL Capitar: Mobile OS (no-OS drivers) 105, Android, Windows 8/8.1/10	530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MP 586f; HP Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord	HP Pagewide Enterprise Color Flow MFP 5962; HP Setup Ink Cartrid (CMYK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord mail e Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editio lows OS compatible with Universal Print Driver (From <u>HPcom</u>). Windo ws 7 all 32- & 64-bit editions, Windows 87, 1all 32- & 64-bit edition and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Vosemite, OS X 11 9, 200, Linux Mint (13.1, 41, 51, 61, 71). Boss (30, 50), Ubunt (10.00		
imensions (W x D x H) reight rhat's in the box farranty features ystems	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows 0S compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32-& 64-bit editions (PK Home, XP Pro, etc.), Windows Vista (excluding RT OS for Tablets), Windows 101 all 32-& 64-bit editions (excl El Capitar; Mobile 0S (In-OS drivers) 105, Android, Windows 8/8.1/10 EL Capitar; Mobile 0S (In-OS drivers) 105, Android, Windows 8/8.1/10 EL Capitar; Mobile 0S (In-OS drivers) 105, Android, Windows 8/8.1/10 EL Capitar; Mobile 0S (In-OS drivers) 105, Android, Windows 8/8.1/10 UNIC Structure 10 (In-ROM) (In-ROM	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (CMKX): Installation guide, Support flyer; Software drivers and documentation on CD-ROW, Power cord e-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Wind uding RT OS for Tablets); Mac OS (HP Print Drivers available from <u>HEcon</u> T, Linux OS (In-OS HPUE) SUSE Linux (12.2, 13.1), Fedora (17.7 IR), 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.4); Other O Bor network comection or Wineless connection; 200 MB available hard	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrid (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail e Basic, Premium, Professional, etc.), Windows 7 all 32–8. 64-bit edition dows OS compatible with Universal Print Driver (From H2corn), Window ow 7 all 32–8. 64-bit editions, Windows §7, 1all 32–8. 64-bit edition and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Vosemite, OS X 1 ray 20, Linux, Mint (13, 14, 15, 16, 17), Boss (30, 5.0), Ubunt (10.0- 5, UNIX		
imensions (W x D x H) leight Jhat's in the box Jarranty features ystems Compatible operating systems Minimum system requirements	(CMŸK): Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), XP SP3 32-8 64-bit editions (XP Home, XP Pro, etc.), Windows Vista (excluding RT OS for Tablets), Windows Vista (Excluding RT OS for Tablets), Windows J0 all 32-8 64-bit editions (EL Capitan; Mobile OS (In-OS drivers) iOS, Android, Windows 8/8.1/10 11.11. PC: CD-ROM or DVD drive, or Internet connection; dedicated US Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MP5 566; HP Setup Ink Cartridges (CMVK); Installation guide, Support fiyer: Software drivers and documentation on CD-ROM; Power cord e-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Wing all 32- & 64-bit editions (excluding RT OS for Tablets), Wing all 32- & 64-bit editions (excluding RT OS for Tablets), Wing all 32- & 64-bit editions (EVP Primium, Professional, etc.), Wind augn RT OS for Tablets), Meo CS (HP Prim IDTwers available from HEcon RT; Linux OS (In-OS HP1LP) SUSE Linux (12.2, 12.3, 13.1), Fedora (177, RS), 12.04, 12.10, 13.04, 13.10, 19.0bina (6.0, x7.3); Other O	HP Pagewide Enterprise Color Flow MFP 5862; HP Setup Ink Cartri (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.), Windows 7 all 32-8, 64-bit editions ows 05 compatible with Universal Print Driver (From <u>H2 com</u>), Windo ows 7 all 32-8, 64-bit editions, Windows 8/8.1 all 32-8, 64-bit editions and Apple Store), 05 X 10 9 Mavericks, 05 X 10.10 Yosemite, 05 X 1 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.0 S; UNIX disk space; (For OS hardware requirements see <u>microsoft.com</u>); Apple.com) nicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fi		
imensions (W x D x H) leight /hat's in the box /arranty features ystems Compatible operating systems Minimum system requirements onts and typefaces	(CMVK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows SJ(9.1 all 32-& 64-bit editions (excluding RT OS for Tablets), XP SP3 32-& 64-bit editions (XP Pro, etc.), Windows Vista excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excl EL capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 88.1/10 11.11 PC: CD-ROM or DVD drive, or Internet connection; dedicated US Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Calibri, Cambria); additional font solutions as 20.3 cm (8.0-in) Colour Graphics Display (COD) with touchscreen; rotal	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MP5 566; HP Setup Ink Cartridges (CMVK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord e-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Hom Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Wind all 32- & 64-bit editions (excluding RT 05 for Tablets), Wind uling RT 05 for Tablets); Mac 05 (HP Print Drivers available from HPcon RT; Linux 05 (in-05 HPLIP, SUSE Linux (12.2, 12.3, 13.1), Fedora (17.1 R) 1, 12.04, 12.10, 13.04, 13.10, 10.0bain (6.0.x, 7.3; Other 0 BB or network connection or Wireless connection; 200 MB available hard net, USB, 1 GB available hard drive space; 05 compatible hardware; (5se tin HP Postscript level 3 emulation (Euro symbol built-ini); 11 internal U	 HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrid (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit edition sows 05 compatible with Universal Print Driver (From <u>HPcom</u>), Windo ows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32- & 64-bit edition and Apple Store), 0S X 10.9 Mavericks, 0S X 10.10 Vosemite, 0S X 1 19, 200, Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.0- S; UNIX Garbard Cardian and State and State and State and State and State and State and Cardian and State and St		
imensions (W x D x H) leight that's in the box larranty features ystems Compatible operating systems Minimum system requirements onts and typefaces ontrol panel	(CMŸK): Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit. Windows 8/8.1 all 32-& 64-bit editions (Sex Deriver, Windows SM2, 170, XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows VB14 (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding El Capitan; Mobile OS (In-OS drivers) IOS, Android, Windows 8/8,170, El Capitan; Mobile OS (In-OS drivers) IOS, Android, Windows 8/8,170, HC CD-ROM or DVD drive, or Internet connection; dedicated US Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Calibri, Cambrid), additional fort solutions as 20.3 cm (B.0-in) Colour Graphics Display (CGD) with touchscreen; rotati to the Home menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply tope:	530 x 564 x 529 mm (20.8 x 22.2 x 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MP5 586f; HP Setup Ink Cartridges (CMVK); Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord e-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Wing ularg RT OS for Tablets); Mec OS (IP Print Drivers available from HEcon RT; Linux OS (In-OS HP1LP SUSE Linux (12.2, 12.3, 13.1), Fedora (177, 18) 3.1 2.4 x 3.2 (13.04, 13.1 x), 14.04, 14.1 (1), Debian (6.0, x7, x3); Other O BB or network connection or Wireless connection; 200 MB available hard ent, USB, 10 Savailable hard drive space; 05 compatible hardware; (See ths in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal U allable va third-party flash memory cards; HP LaserJet Fonts and IPOS	HP Pagewide Enterprise Color Flow MFP 5862; HP Setup Ink Cartrid (CMYK); Installation quide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions ows 05 compatible with Universal Print Driver (From H2com), Windo ows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit edition and Apple Store), OS X 10 9 Mavericks, OS X 10.10 Yosemite, OS X 1 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.0- S; UNIX disk space; (For OS hardware requirements see <u>microsoft.com</u>); Apple.com) nicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fc		
imensions (W x D x H) leight ihat's in the box farranty features ystems Compatible operating systems Minimum system requirements onts and typefaces ontrol panel	(CMVK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8(4). 1 all 32-& 64-bit editions (Sexcluding RT OS for Tablets), XP SP3 32-& 64-bit editions (XP Home, XP Pro, etc.), Windows Wata (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding El Capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 8(8.1/10) El Capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 8(8.1/10) El Capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 8(8.1/10) Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Calibri, Cambrid), additional fort solutions as 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotat to the Home menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply to Power supply type: Internal (Built-in) power supply; Power supply and For Windows 05: HP Software Installer/Uninstaller, HP PCL (2000); PC	530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagevide Enterprise Color MPP 586f; HP Setup Ink Cartridges (CMKY; Installation guide, Support Ryer; Software drivers and documentation on CD-ROW, Power cord ie-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Wind uding RT 05 for Tablets); Mac 05 (HP Print Drivers available from H2con 13.2 · 864-bit editions (Home Basic, Premium, Professional, etc.), Wind uding RT 05 for Tablets); Mac 05 (HP Print Drivers available from H2con 17.1 bit, DS (no -54 PLIP, SUSE Linux (12.2, 12.3, 13.1), feodoral (17.1 B), 2.1 2.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other 0 B3 or network connection or Wireless connection; 200 MB available hard etc.) USB, 10 Savailable hard drive space; 05 compatble hardware, (See ts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal U 2.0 port; Hardware Integration Pocket equired: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 H2); vatts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on) SP rinter Driver. HP Device Experience (DXP), HP Send Fax, HP Ubdate, Pr	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrid (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit edition wows 05 compatible with Universal Print Driver (From <u>H2com</u>), Windo wows 05, Compatible with Universal Print Driver (From <u>H2com</u>), Windo wows 05, Compatible with Universal Print Driver (From <u>H2com</u>), Windo wows 05, Compatible with Universal Print Driver (From <u>H2com</u>), Windo wows 05, Compatible with Universal Print Driver (From <u>H2com</u>), Windo wows 05, Compatible with Universal Print Driver (From <u>H2com</u>), windo (From 05, And Ware requirements see <u>microsoft.com</u>); Apple.com); required: Input on Complice Dripplay (IGD) with touchscreer rotating fadjustable angle) display; Illuminated Home button (for guick return to the Home menu); USB High-speed 2.0 port; Hardw Integration Pocket; Extended Keyboard Power suppit type: Internal (Built-in) power suppit; Power suppit required: Input voltage: 100 to 240 VAC (+/-1036), S0/60 Hz (+/-3 Power suppit type: Internal (Built-in) power suppit, Sever suppit required: Input voltage: 100 to 240 VAC (+/-1036), S0/60 Hz (+/-3 Power suppit type: Internal (Built-in) power suppit, Sever Suppit Gast (Second), B.5 with (seco		
imensions (W x D x H) reight rhat's in the box farranty features ystems Compatible operating systems Minimum system requirements onts and typefaces ontrol panel ower oftware included	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows 0S compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32- & 64-bit editions (PC Home, XP Pro, etc.), Windows Vist 2 4 & 64-bit editions (XP Home, XP Pro, etc.), Windows Vist 2 (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 0S compatible with In-Box Driver, Windows Vist 2 (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vist 2 (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply n Power consumption: 62 watts (printing), 24.0 watts (ready), 8.5 v For Windows 05: HP Software Installer/Uninstaller, HP PCL (For Mac 05: Acoustic power emissions: 6.8 B(A), printing colour sime	530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (CMK): Installation guide. Support flyer; Software drivers and documentation on CD-ROM; Power cord documentation on CD-ROM; Power cord eyear, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Hom Windows 10 all 32- & 64-bit editions (excluding RT O5 for Tablets), Wind uding RT OS for Tablets); Mac OS (HP Print Drivers available from H2con H1, Linux OS (no-SHPLIF, SUSE Linux (12.2, 13.1), Federal (To, 13.1), 1, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.3); Other of Bor network comection or Wireless connection; 200 MB available hard net, USB, 1 GB available hard drive space; OS compatible hardware; (See ts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal U 2.0 port; Hardware Integration Pocket equired: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); vatts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on) 5 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Pr Welcome screen directs users to <u>HPcom</u> or OS application source for pr Welcome screen directs users to <u>HPcom</u> or OS application source for pr Welcome screen directs users to <u>HPcom</u> or OS application source for pr	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrii (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.). Windows 7 all 32-8. 64-bit editions wows 05 compatible with Universal Print Driver (From HEcom), Windows wows 05 compatible with Universal Print Driver (From HEcom), Windows wows 05 compatible with Universal Print Driver (From HEcom), Windows wows 05 compatible with Universal Print Driver (From HEcom), Windows wows 05 compatible with Universal Print Driver (From HEcom), Windows yal 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit edition disk space; (For 05 hardware requirements see <u>microsoft.com</u>); <u>Apple.com</u>) incide Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Ft Emulation available at <u>hp.com/qo/laserietfonts</u> 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreer rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menul; USB High-speed 2.0 port; Hardw Integration Pocket; Extended Keyboard Power supply type: Internal (Bulli-in) power supply; Power sup (sleep), 0.3 watts (manual-off), 0.3 watts (auto-offmanual-on oduct Registration Assist, HP Connected, Online user manuals; inter software PF cover colour simplex: 6.6 B(A), APF scan colour simplex:		
imensions (W x D x H) Jeight Jhat's in the box Jarranty features ystems Compatible operating systems	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8(4). Tail 32-& 64-bit editions (Sex Driver, XP Pro, etc.), Windows VBA 2002, Windows VBA (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (excluding RT OS for Tablets), Respectively, Windows VBA (El Capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 8(8). 1/10 PC: CD-ROM or DVD drive, or Internet connection; dedicated US Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Cabird, Cambria), additional fort solutions as 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotat to the Home menu); USB High-speed Power consumption: 62 watts (printing), 24.0 watts (ready), 8.5 v For Windows 0S: HP Software Installer/Uninstaller, HP PCL For Windows 0S: HP Software Installer/Uninstaller, HP PCL Acoustic power emissions: 6.8 B(A), printing cours in Recurstice	530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (CMKX): Installation guide, Support flyer; Software drivers and documentation on CD-ROW, Power cord le-year, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (kexcluding RT OS for Tablets), Wind uding RT OS for Tablets); Mac OS (HP Print Drivers available from H <u>Econ</u> H ₁ Linux OS (In-OS HPUE) SUSE Linux (12.2, 12.3, 13.1); Fedaro 17, 718, 1, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.4); Other O Bor network comection or Wireless connection; 200 MB available hard ret, USB, 1 GB available hard drive space; OS compatible hardware; Gse tis in HP Postsrript Level 3 emulation (Euro symolo built-in); Tinternal U allable via third-party flash memory cards; HP Laser let Fonts and IPDS ng (adjustable anglel display; illuminated Home button (for quick return 2.0 port; Hardware Integration Pocket sequired: Input voltage: 100 to 240 VAC (+/- 10%), S0/60 Hz (+/- 3 Hz); vatts (sleep), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on) SPrinter Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Pr Velcome screen directs users to <u>HP</u> com or OS application source for pr lex A4 at 50 ppm; Acoustic power emissions (active, copy): 7.0 B(A), ower emissions (trady): 3.5 B(A); Acoustic pressure emissions (red operating the pareting) 1 Ex A4 at 50 ppm; Acoustic power emissions (active, copy): 7.0 B(A), Sover temissions (trady): 3.5 B(A); Acoustic pressure emissions (red operating the pareting) 1 Ex A4 at 50 ppm; Acoustic power emissions (active, copy): 7.0 B(A), Sover emissions (trady): 3.5 B(A); Acoustic pressure emissions (red operating the pareting) Ex A4 at 50 ppm; Acoustic power emissions (active, copy): 7.0 B(A), Sover emissions (trady): 3.5 B(A); Acoustic pressure emissions (trady): 3.5 B(A); Acoustic pressure amissions (trady	 HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartric (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions windows 63 compatible with Universal Print Driver (From <u>H2com</u>), Windows 00 s compatible with Universal Print Driver (From <u>H2com</u>), Windo was 03 all 32-& 864-bit editions, Windows 8/8.1 all 32-& 864-bit edition and Apple Store), OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 1 Store (For OS hardware requirements see <u>microsoft.com</u>); Apple.com) Apple.com) Contaring fadjustable angle) display; Iluminated Home button ffor guick return to the Home menul; USB High-speed 2.0 port; Hardware IRQUIA (Science), SO K 10.9 Yosemited: Input voltage: 100 to 240 VAC (+/-10%), SO(60 Hz (+/-3 Power supp); type: Internal (Built-in) power supp); Power supp. Power supplity the Suts (manual-off), 0.3 watts (auto-off/manual-od), 0.3 watts (auto-off/manual-od), 0.3 watts (auto-off/manual-od), 0.3 watts (sub-off/manual-od), 0.3 watts (sub-off/manual-od), 0.3 watts (sub-off/manual-od); 15 diffy; 15 dd(4), prince, 200 yr (Science), 200 yr (Science		
imensions (W x D x H) eight hat's in the box arranty features ystems Compatible operating systems Minimum system requirements ontrol panel over oftware included coustic nvironmental ranges	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32- & 64-bit editions (Sex Driver, XP Pro, etc.), Windows Vista 2000, Windows Vista (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Response of the second second second second second second second El Capitar; Mobile OS (In-OS drivers) IOS, Android, Windows 8/8.1/10 PC: CD-ROM or DVD drive, or Internet connection; dedicated UV Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Calibri, Cambria); additional fort solutions as 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotat to the Horme menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply r Power consumption: 62 watts (printing), 24.0 watts (ready), 8.5 v For Windows OS: HP Software Installer/Uninstaller, HP PCL Acoustic power emissions: 6.8 B(A), printing clous: Acoustic power emissions: 6.8 B(A), printing clouse for as Acoustic power emissions: 6.8 B(A), printing clouse for as Acoustic power emissions: 6.8 B(A), printing clouse for as Acoustic power emissions: 6.8 B(A), printing clouse for a Acoustic power emissions: 6.8 B(A) printing clouse for a Acoustic power emissions: 6.8 B(A), printing clouse for a Acoustic power emissions: 6.8 B(A) printing clouse for a Acoustic power emissions: 6.8 B(A) printing clouse for a Acoustic power emissions: 6.7 B (A) for Bit P); Recommend	530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (CMK2; Installation guide. Support Ryer; Software drivers and documentation on CD-ROM; Power cord documentation on CD-ROM; Power cord eveyear, onsite warranty; one-year technical phone support, chat, and e- editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Windows 10 all 32- & 64-bit editions (excluding RT O5 for Tablets), Wind 13.2 & 64-bit editions (Home Basic, Premium, Professional, etc.), Wind uding RT O5 for Tablets), Mac O5 (HP Print Drivers available from H2con 13.2 & 64-bit editions (Home Basic, Premium, Professional, etc.), Wind uding RT O5 for Tablets), Wind OS (HP Print Drivers available from H2con 15.0 × 7.0 × 10.1 × 10.	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrii (CMYK); Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail ::::::::::::::::::::::::::::::::::::		
imensions (W x D x H) leight /Int's in the box /Intranty features ystems Compatible operating systems Minimum system requirements onts and typefaces ontrol panel ower oftware included coustic nvironmental ranges ecurity management	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows 0S compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32- & 64-bit editions (XP Pome, XP Pro, etc.), Windows Vist 2 PS P3 2-8 64-bit editions (XP Pome, XP Pro, etc.), Windows Vist 4 (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 0S (n-OS drivers) 10S, Android, Windows 8/8.1/10 PC: CD-ROM or DVD drive, or Internet connection; dedicated UV Mac: Inter 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable for (Calibri, Cambria); additional font solutions a 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotati to the Home menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply r Power consumption: 62 watts (printing), 24.0 watts (ready), 8.5 v For Windows OS: HP Software Installer/Uninstaller, HP PCL (Soustic power emissions: 6.8 B(A), printa colour sing Accoustic power emissions: 6.8 B(A), printa colour sing Management security: SNMPV3, SSL/TLS, WPA2-Enterprise, 802.1 X Support for WA3	 530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (ICMK): Installation guide. Support flyer; Software drivers and documentation on DD-ROM; Power cord documentation on DD-ROM; Power cord devear, onsite warranty; one-year technical phone support, chat, and e-editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Homm Windows 10 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT 05 for Tablets), Windows 10 all 32-8 64-bit editions (Homm Professional, etc.), Wind ulding RT 05 for Tablets), Windows Ost all 32-8 (all 32-8), and all 32-8 (all 32-8), and all 32-8 (all 32-8), and all 32-8, and 32-8,	HP Pagewide Enterprise Color Flow MFP 586z; HP Setup Ink Cartrii (CMYK): Installation guide, Support flyer, Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions, Windows 8/8.2 bit all states and pale.2 bit printing, 200 bit touchscreet rotating (adjustable angle) algobay (Windows 8/8.2 bit all states angle) algobas with gale algobas with gale algobas with the states for the		
imensions (W x D x H) eight hat's in the box arranty features ystems Compatible operating systems Minimum system requirements ontrol panel over oftware included coustic nvironmental ranges	(CMYK), Installation guide, Support flyer; Software drivers and documentation on CD-ROM; Power cord Or Windows 0S compatible with In-Box Driver, Windows XP SP3 all 32-bit Windows 8/8.1 all 32-& 64-bit editions (PK Home, XP Pro, etc.), Windows V54.2 (excluding RT OS for Tablets), Windows 101 all 32-& 64-bit editions (excluding RT OS for Tablets), Vindows V54.2 (excluding RT OS for Tablets), Windows 101 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 08.8.1/10 El Capitar; Mobile OS (In-OS drivers) 105, Android, Windows 8/8.1/10 IN constructions (excluding RT OS for Tablets), Windows V54.2 (Columna), Android, Windows 101 all 32-& 64-bit editions (excluding RT OS for Tablets), Windows 08.2 (Columna), additional font solutions at 20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; rotati to the Home menu); USB High-speed Power supply type: Internal (Built-in) power supply; Power supply r Power consumption: 62 watts (printing), 24.0 watts (ready), 8.5 v For Windows 05: HP Software Installer/Uninstaller, HP PCL (For Windows 05: HP Software Installer/Uninstaller, HP PCL (Operating temperature range: 15 to 30° C (59 to 81° F); Recomment Management security; SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1 Support for WJA IEC 60950-1:2005 +A1:2009 +A2:2013; EN60950-1:2006 +A11:20 deviations according to the most recent IECE CB Bulletin	 530 × 564 × 529 mm (20.8 × 22.2 × 20.8 in) 32.3 kg (71.2 lb) HP Pagewide Enterprise Color MPP 566; HP Setup Ink Cartridges (ICMK): Installation guide, Support flyer; Software drivers and documentation on DD-ROM, Power cord e-year, onsite warranty: one-year technical phone support, chat, and e-editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Homm Vindows Vista all 32-bit editions (AP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Homm Vindows Vista all 32-bit editions (Homm Vindows Vista all 32-bit editions (Homm Basic, Premium, Professional, etc.), Wind uding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Wind Uding RT OS for Tablets), Wine OS (HP Print Drivers available from HP.con 200 Ba available hard drive space; OS compatible hardware; (Se tin HP Ostscript Leval 3 enualiton (Euro symbol bulit-in); in Internal U alialable hard drive space; OS compatible hardware; (Se tin HP Ostscript Leval 3 enualiton (Euro symbol bulit-in); internal U raits (sleep), 0.3 watts (Manual-onf); 0.3 watts (auto-off/manual-on) SP rinter Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Pr Welcome screen directs users in B/D ostscript (Sever 1 enual-off); 0.3 watts (auto-off/manual-on) SP rinter Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Pr Velcome screen directs users in B/D Storiens (Sever 15); 0.3 core 15, prescript envel 3 environs (active, copy); 7.0 B(A), oxed rematistions (cread 5); 3.5 B(A); 3.0 Core (Store); 1.5, prescript envel 3 environs (active, copy); 7.0 B(A), oxed rematistions (cread); 3.5 B(A); 3.0 Core (Store); 1.5, prescript envel 4 envel 15); 3.5 Core 15, prescript envel 4 envel 15, bit 2.0 Core (Store); 1.5, prescript envel 4 envel 15, pr	HP Pagewide Enterprise Color Flow MFP 5862; HP Setup Ink Cartri (CMYK); Installation guide. Support flyer; Software drivers and documentation on CD-ROM; Power cord mail Basic, Premium, Professional, etc.), Windows 7 all 32-& 64-bit editions ways 5 compatible with Universal Print Driver (From <u>HPcom</u>), Windows 05 compatible with Universal Print Driver (From <u>HPcom</u>), Windows ways 5, 46-bit editions, Windows 8/8.1 all 32-& 64-bit editions and Apple Store), 05 X 10.9 Mavericks, 05 X 10.10 Vosemite, 05 X 1 and Apple Store), 05 X 10.9 Mavericks, 05 X 10.10 Vosemite, 05 X 1 19, 201, Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.0, SUNIX disk space; (For 05 hardware requirements see <u>microsoft.com</u>); Apple.com) incide Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 F Fruulation available at <u>Dr.com/go/Jaseriettonts</u> vol Di Colour Carphics Displays ((GD) with touchscreee rotating (adjustable angle) display, Illuminated Home button fit quick return to the Home menu; USB High-speed 2.0 port; Hardo Integriation Pocket; Extended Keyboard Pover supply type: Internal (Built-In) power supply; Power supply rotatis (andu-dif), 0.3 watts (manual-off), 0.3 watts (auto-off/manual-on dout Registration Assist, HP Connected, Online user manuals; inter software ADF copy colour simplex; 6.6 B(A), ADF scan colour simplex; y: 15 dB(A) unidity range: 5 to 90% RH; Operating humidity range : 20 to 80% ertificate, Pre-Shared Key Authentication, and Kerberos Authenticatio citor), whitelisting.		

ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <u>hp.com/go/printerclaims</u>
 Exact speed varies depending on the system configuration, software application, driver and document complexity.
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document. Complexity.
 May require a firmware upgrade to be compatible, download at <u>hp.com/go/support</u>
 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.