Dell G15 5520

Setup and Specifications



Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2022 Dell Inc. or its subsidiaries. All rights reserved. Dell Technologies, Dell, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

Chapter 1: Set up your Dell G15 5520	4
Chapter 2: Views of Dell G15 5520	6
Right	
Left	
Back	
Display	
Тор	
Bottom	
Dottom	
Chapter 3: Specifications of Dell G15 5520	11
Dimensions and weight	
Processor	
Chipset	
Operating system	
Memory	
External ports	
Internal slots	
Ethernet	
Wireless module	14
Audio	
Storage	
Keyboard	
Camera	
Touchpad	
Power adapter	
Battery	
Display	
GPU—Integrated	
GPU—Discrete	
Operating and storage environment	19
Chapter 4: Keyboard shortcuts	
Chapter 5: Low blue light	
Chapter 6: Getting help and contacting Dell	24

Set up your Dell G15 5520

(i) NOTE: The images in this document may differ from your computer depending on the configuration you ordered.

1. Connect the power adapter and press the power button.



NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.

2. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

• Connect to a network for Windows updates.

i NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.

- If connected to the Internet, sign in with or create a Microsoft account. If not connected to the Internet, create an offline account.
- On the Support and Protection screen, enter your contact details.
- **3.** Locate and use Dell apps from the Windows Start menu—Recommended.

Table 1. Locate Dell apps

Resources	Description
Deel	My Dell Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.
~	SupportAssist SupportAssist proactively and predictively identifies hardware and software issues on your computer and automates the engagement process with Dell Technical support. It addresses performance and stabilization issues, prevents security threats, monitors, and detects hardware failures. For more information, see SupportAssist for Home PCs User's Guide at www.dell.com/serviceabilitytools. Click SupportAssist and then, click SupportAssist for Home PCs. (i) NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.
k	Dell Update Updates your computer with critical fixes and latest device drivers as they become available. For more information on using Dell Update, search in the Knowledge Base Resource at www.dell.com/ support.
	Dell Digital Delivery Download software applications, which are purchased but not preinstalled on your computer. For more information on using Dell Digital Delivery, search in the Knowledge Base Resource at www.dell.com/support.

2

Views of Dell G15 5520


Right



1. USB 3.2 Gen 1 ports (2)

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

Left



1. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.

2. Headset port

Connect headphones or a headset (headphone and microphone combo).

3. Battery-status light

Indicates the battery-charge status. Solid amber—Battery charge is low. Blinking amber—Battery charge is critical.

Off—Battery is fully charged.

Back

On computers shipped with NVIDIA GeForce RTX 3050 Ti



1. USB 3.2 Gen 2 (Type-C) port with DisplayPort

Connect devices such as external storage devices, printers, and external displays. Provides data transfer rate of up to 10 Gbps.

Supports DisplayPort 1.4 and also enables you to connect an external display using a display adapter.

(i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

3. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

4. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

On computers shipped with NVIDIA GeForce RTX 3060



1. Thunderbolt 4

Supports Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates up to 40 Gbps for Thunderbolt 4.

(i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

2. USB 3.2 Gen 1 port

Connect devices such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

3. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

4. Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

Display



1. Left microphone

Provides digital sound input for audio recording and voice calls.

2. Camera

Enables you to video chat, capture photos, and record videos.

3. Camera-status light

Turns on when the camera is in use.

4. Right microphone

Provides digital sound input for audio recording and voice calls.

Тор



1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two fingers tap to right-click.

2. Left-click area

Press to left-click.

3. Right-click area

Press to right-click.


4. Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

Bottom



1. Left speaker

Provides audio output.

2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

3. Right speaker

Provides audio output.

Specifications of Dell G15 5520

Dimensions and weight

The following table lists the height, width, depth, and weight of your Dell G15 5520.

Table 2. Dimensions and weight

Description	Values
Height:	
Front height	21.32 mm (0.84 in.)
Rear height	25.33 mm (0.99 in.)
Width	357.26 mm (14.07 in.)
Depth	272.11 mm (10.71 in.)
Weight (maximum)	2.672 kg (5.891 lb)
	configuration ordered and manufacturing variability.

Processor

The following table lists the details of the processors supported by your Dell G15 5520.

Table 3. Processor

Description	Option one	Option two
Processor type	12 th Generation Intel Core i7-12700H	12 th Generation Intel Core i5-12500H
Processor wattage	45 W	45 W
Processor core count	14	12
Processor thread count	20	16
Processor speed	Up to 4.70 GHz	Up to 4.50 GHz
Processor cache	24 MB	18 MB
Integrated graphics	Intel UHD Graphics	Intel UHD Graphics

Chipset

The following table lists the details of the chipset supported by your Dell G15 5520.

Table 4. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	12 th Generation Intel Core i5/i7
DRAM bus width	64-bit
Flash EPROM	32 MB
PCle bus	Up to Gen4

Operating system

Your Dell G15 5520 supports the following operating systems:

- Windows 11 Home, 64-bit
- Windows 11 Pro, 64-bit

Memory

The following table lists the memory specifications of your Dell G15 5520.

Table 5. Memory specifications

Description	Values	
Memory slots	Two SoDIMM slots	
Memory type	Dual-channel DDR5	
Memory speed	4800 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	8 GB	
Memory size per slot	8 GB, 16 GB, 32 GB	
Memory configurations supported	 8 GB, 1 x 8 GB, Dual-Channel DDR5, 4800 MHz 16 GB, 2 x 8 GB, Dual-Channel DDR5, 4800 MHz 32 GB, 2 x 16 GB, Dual-Channel DDR5, 4800 MHz 8 GB, 1 x 8 GB, DDR5, 4800 MHz 16 GB, 2 x 8 GB, DDR5, 4800 MHz 32 GB, 2 x 16 GB, DDR5, 4800 MHz 	

External ports

The following table lists the external ports of your Dell G15 5520.

Table 6. External ports

Description	Values	
Network port	One RJ45 port	
USB ports	 Three USB 3.2 Gen 1 ports One Thunderbolt 4 (On computers shipped with NVIDIA GeForce RTX 3060) One USB 3.2 Gen 2 Type-C port with Display Port (On computers shipped with NVIDIA GeForce RTX 3050 Ti) 	
Audio port	One headset (headphone and microphone combo) port	
Video port	One HDMI 2.1 port	
Media-card reader	Not applicable	
Power-adapter port	One 7.4 mm x 5.1 mm power-adapter port	
Security-cable slot	Not supported	

Internal slots

The following table lists the internal slots of your Dell G15 5520.

Table 7. Internal slots

Description	Values
M.2	 One M.2 2230 slot for WiFi and Bluetooth combo card One M.2 slot for either an M.2 2230 solid-state drive or an M.2 2280 solid-state drive (i) NOTE: To learn more about the features of different types of M.2 cards, search in the Knowledge Base Resource at www.dell.com/support.

Ethernet

The following table lists the wired Ethernet Local Area Network (LAN) specifications of your Dell G15 5520.

Table 8. Ethernet specifications

Description	Values	
Model number	 Killer E2600 PCI-e 1 Gigabit ethernet controller (on computers shipped with NVIDIA GeForce RTX 3060) Realtek RTL8111H PCI-e 1 Gigabit ethernet controller (on computers shipped with RTX 3050 Ti) 	
Transfer rate	10/100/1000 Mbps	

Wireless module

The following table lists the Wireless Local Area Network (WLAN) modules supported on your Dell G15 5520.

Table 9. Wireless module specifications

Description	Option one	Option two
Model number	Intel AX201	Killer 1650i
Transfer rate	Up to 2400 Mbps	Up to 2400 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz
Wireless standards	 WiFi 802.11a/b/g Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax) 	 WiFi 802.11b/g/a Wi-Fi 4 (WiFi 802.11n) Wi-Fi 5 (WiFi 802.11ac) Wi-Fi 6 (WiFi 802.11ax)
Encryption	 64-bit/128-bit WEP AES-CCMP TKIP 	64-bit/128-bit WEPAES-CCMPTKIP
Bluetooth	Bluetooth 5.2	Bluetooth 5.2

Audio

The following table lists the audio specifications of your Dell G15 5520.

Table 10. Audio specifications

Description		Values	
Audio controller		Realtek ALC3254 with Dolby Audio for Alienware Sound Centre	
Stereo conversion		Supported	
Internal audio interface	9	High Definition Audio	
External audio interfac	e	Headset-combo connector/Digital-array microphone input on camera module	
Number of speakers		Тwo	
Internal-speaker amplif	ïer	Supported (audio codec built-in amplifier)	
External volume contro	bls	Keyboard shortcut controls	
Speaker output:			
	Average speaker output	2 W	
	Peak speaker output	2.5 W	
Subwoofer output		Not supported	
Microphone		Dual-array microphones	

Storage

This section lists the storage options on your Dell G15 5520.

Your Dell G15 5520 supports only one M.2 slot for either an M.2 2230 solid-state drive or an M.2 2280 solid-state drive. (i) NOTE: The solid-state drive is secured to the system board by a solid-state drive bracket that is specific to the form factor

of the solid-state drive. If you are replacing a solid-state drive, ensure that the new solid-state drive has the same form factor. For example, replace an M.2 2280 solid-state drive with an M.2 2280 solid-state drive.

NOTE: For more information about Dell qualified solid-state drives supported by your computer, see Parts & Accessories at https://www.dell.com/support.

Table 11. Storage specifications

Storage type	Interface type	Capacity
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe	Up to 1 TB
M.2 2230 solid-state drive	PCle Gen4 x4 NVMe	Up to 1 TB
M.2 2280 solid-state drive	PCle Gen4 x4 NVMe	Up to 2 TB

Keyboard

The following table lists the keyboard specifications of your Dell G15 5520.

Table 12. Keyboard specifications

Description	Values
Keyboard type	 Standard keyboard Backlit keyboard Four-zone RGB backlit keyboard (optional)
Keyboard layout	QWERTY
Number of keys	 United States and Canada: 101 keys United Kingdom: 102 keys Japan: 105 keys
Keyboard size	X=18.70 mm key pitch Y=18.05 mm key pitch
Keyboard shortcuts	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key. (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program. For more information, see Keyboard shortcuts.

Camera

The following table lists the camera specifications of your Dell G15 5520.

Table 13. Camera specifications

Des	cription	Values
Num	ber of cameras	One
Cam	era type	RGB HD camera
Cam	era location	Front camera
Cam	iera sensor type	CMOS sensor technology
Cam	era resolution:	
	Still image	0.92 megapixel
	Video	1280 x 720 (HD) at 30 fps
Diag	onal viewing angle:	78.6 degrees74.9 degrees

Touchpad

The following table lists the touchpad specifications of your Dell G15 5520.

Table 14. Touchpad specifications

Description		Values
Touchpad re	esolution:	
	Horizontal	1229
	Vertical	749
Touchpad d	imensions:	
	Horizontal	105 mm (4.13 in.)
	Vertical	60 mm (2.36 in.)
Touchpad g	estures	For more information about touchpad gestures available on Windows, see the Microsoft knowledge base article at support.microsoft.com.

Power adapter

The following table lists the power adapter specifications of your Dell G15 5520.

Table 15. Power adapter specifications

Description	Option one	Option two
Туре	180 W	240 W
Connector dimensions:		

Table 15. Power	adapter	specifications	(continued)
-----------------	---------	----------------	-------------

Description	Option one	Option two
External diameter	7.40 mm	7.40 mm
Internal diameter	5.10 mm	5.10 mm
Input voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input current (maximum)	2.34 A	3.5A/ 5 A
Output current (continuous)	6.23 A	12.31 A
Rated output voltage	19.50 VDC	19.50 VDC
Temperature range:		
Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

Battery

The following table lists the battery specifications of your Dell G15 5520.

the device outside these ranges may impact the performance of specific components.

Table 16. Battery specifications

Description		Option one	Option two
Battery type		3-cell (56 Wh) "smart" lithium-ion	6-cell (86 Wh) "smart" lithium-ion
Battery voltage		13.20 VDC	13.2 VDC /13.35 VDC
Battery weight (maximu	ım)	0.25 kg (0.55 lb)	0.34 kg (0.74 lb)
Battery dimensions:		<u> </u>	
	Height	7.56 mm (0.3 in.)	7.56 mm (0.3 in.)
	Width	295.20 mm (11.62 in.)	295.20 mm (11.62 in.)
	Depth	77.50 mm (3.05 in.)	77.50 mm (3.05 in.)
Temperature range:		•	
	Operating	0°C to 45°C (32°F to 113°F)	0°C to 45°C (32°F to 113°F)
	Storage	-20°C to 65°C (-4°F to 149°F)	-20°C to 65°C (-4°F to 149°F)
Battery operating time		Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Battery charging time (a i NOTE: Control the duration, start and e	charging time,	4 hours (when the computer is off)	4 hours (when the computer is off)

Table 16. Battery specifications (continued)

Description	Option one	Option two
on using the Dell Power Manager application. For more information on the Dell Power Manager see, <i>Me and</i> <i>My Dell</i> on www.dell.com.		
Coin-cell battery	Not applicable	Not applicable
	emperature ranges may differ among ay impact the performance of specific	components, so operating or storing c components.
NOTE: Dell recommends that you charge the battery regularly for optimal power consumption. If your battery charge is completely depleted, connect the power adapter, turn on your computer and then restart your computer to reduce the power consumption.		

Display

The following table lists the display specifications of your Dell G15 5520.

Table 17. Display specifications

ition (FHD) Angle (WVA)
Angle (WVA)
62 in.)
.55 in.)
ō in.)
s (minimum)
s (minimum)
0.17925 mm

Table 17. Display specifications (continued)

Description	Option one	Option two	Option three
Power consumption (maximum)	7.60 W	6 W	4.60 W
Anti-glare vs glossy finish	Anti-glare	Anti-glare	Anti-glare
Touch options	No	No	No

GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Dell G15 5520.

Table 18. GPU—Integrated

Controller	Memory size	Processor
Intel UHD Graphics	Shared system memory	12 th Generation Intel Core i5/i7

GPU—Discrete

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your Dell G15 5520.

Table 19. GPU—Discrete

Controller	Memory size	Memory type
NVIDIA GeForce RTX 3060	6 GB	GDDR6
NVIDIA GeForce RTX 3050 Ti	4 GB	GDDR6
NVIDIA GeForce RTX 3070 Ti	8 GB	GDDR6

Operating and storage environment

This table lists the operating and storage specifications of your Dell G15 5520.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 20. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G†
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10000 ft)	-15.2 m to 10668 m (-49.87 ft to 35000 ft)
CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.		

- \ast Measured using a random vibration spectrum that simulates user environment.
- † Measured using a 2 ms half-sine pulse.

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press **Shift** and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **e** is typed out.

The keys **F1** to **F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F1** mutes the audio (refer to the table below).

However, if the function keys F1 to F12 are needed for specific software applications, multi-media functionality can be disabled by pressing fn + Esc. Subsequently, multi-media control can be invoked by pressing fn and the respective function key. For example, mute audio by pressing fn + F1.

(i) NOTE: You can also define the primary behavior of the function keys (F1 to F12) by changing Function Key Behavior in the BIOS setup program.

Function key	Redefined key (for multimedia control)	Behavior
		Mute audio
CP F2	fn + C ¹ , _{F2}	Decrease volume
(1)) _{F3}		Increase volume
		Play/Pause
بظر العربي المراجع	fn + 🖆 rs	Toggle keyboard backlight (optional)
* _{F6}	fn + 🔅 16	Decrease brightness
* 1	fn + 🗱 🕫	Increase brightness
e,		Switch to external display
F9		Search/G key (optional)

Table 21. List of keyboard shortcuts

Table 21. List of keyboard shortcuts (continued)

Function key	Redefined key (for multimedia control)	Behavior
prt sc FIO	fn + prt sc FIO	Print screen
home F11	fn + home	Home
end FI2	fn + end	End

The ${\bf Fn}$ key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 22. List of keyboard shortcuts

Function key	Behavior
fn + prt sc FIO	Turn off/on wireless
fn + B	Pause/Break
fn + insert	Insert
	Sleep
fn + H	Toggle between power and battery-status light/hard-drive activity light
	System request
fn + ctrl	Open application menu
	Toggle fn-key lock
fn + Pg up	Page up
fn + pg dn	Page down
	Home
fn + end Fiz	End

Low blue light

WARNING: Prolonged exposure to blue light from the display may lead to long-term effects such as eye strain, eye fatigue, or damage to the eyes.

Blue light is a color in the light spectrum which has a short wavelength and high energy. Chronic exposure to blue light, particularly from digital sources, may disrupt sleep patterns and cause long-term effects such as eye strain, eye fatigue, or damage to the eyes.

The display on this computer is designed to minimize blue light and complies with TÜV Rheinland's requirement for low blue light displays.

Low blue light mode is enabled at the factory, so no further configuration is necessary.

To reduce the risk of eye strain, it is also recommended that you:

- Position the display at a comfortable viewing distance between 20 and 28 inches (50 and 70 cm) from your eyes.
- Blink frequently to moisten your eyes, wet your eyes with water, or apply suitable eye drops.
- Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break.
- Take an extended break for 20 minutes every two hours.

6

Getting help and contacting Dell

Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 23. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell app	Deell
Tips	·••
Contact Support	In Windows search, type Contact Support, and press Enter.
Online help for operating system	www.dell.com/support/windows
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support. For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer.
Dell knowledge base articles for a variety of computer concerns	 Go to www.dell.com/support. On the menu bar at the top of the Support page, select Support > Knowledge Base. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

(i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.

NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.