

# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

HP Color LaserJet CE262A-AC Yellow Print Cartridge

Use of the

**Substance/Preparation** 

This product is a yellow toner preparation that is used in HP Color LaserJet CP4525, CP4025

series printers.

Version #

01

Revision date

06-Apr-2011

**Company identification** 

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inguiries@hp.com Poison Information Center 0207771 5307

## 2. HAZARDS IDENTIFICATION

**Acute health effects** 

Skin contact Unlikely to cause skin irritation. **Eye contact** May cause transient slight irritation.

**Inhalation** Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust.

Use of this product as intended does not result in inhalation of excessive amounts of dust.

Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

**Potential health effects** 

Carcinogenicity

**Routes of exposure** Potential routes of exposure under normal use conditions are skin and eye contact; and

inhalation

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

**Chronic health effects** Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this

product as intended does not result in inhalation of excessive amounts of dust.

None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

1999/45/EC, as amended.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Classification Not classified.

**Physical hazards** Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

**Environmental hazards** Not classified as an environmental hazard.

# 3 COMPOSITION/INFORMATION ON INGREDIENTS

51 COTTI COLLIA CINITATION CINITACIDILINIO					
Components	CAS#	Percent	EC-No.	Classification	
Styrene acrylate copolymer	Trade secret	< 85			
Wax	Trade secret	< 10			
Pigment	Trade secret	< 5			
Amorphous silica	7631-86-9	< 2	231-545-4		

Material name: CE262A-AC SDS UK

CE262A-AC Version #: 01 Revision date: 06-Apr-2011 Print Date: 06-Apr-2011

4. FIRST AID MEASURES

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at **Eve contact** 

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Ingestion** Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

#### 5. FIRE-FIGHTING MEASURES

Fire fighting

If fire occurs in the printer, treat as an electrical fire.

equipment/instructions

CO2, water, or dry chemical

**Extinguishing media which** must not be used for safety

Suitable extinguishing media

None known.

reasons

**Unusual fire & explosion** 

hazards

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air. None established.

**Hazardous combustion** 

products

Specific methods

Carbon monoxide and carbon dioxide.

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** Minimise dust generation and accumulation.

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Other information Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

## 7. HANDLING AND STORAGE

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Storage

Store at room temperature.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional exposure data USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mq/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Use in a well ventilated area. **Exposure controls** 

Occupational exposure controls

No personal respiratory protective equipment required under normal conditions of use. General

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** Fine powder

**Physical state** Solid **Form** solid Color Yellow

Slight plastic odor Odor **Odour threshold** Not available. рH Not applicable **Boiling point** Not applicable Flash point Not applicable

Material name: CE262A-AC SDS UK CE262A-AC Version #: 01 Revision date: 06-Apr-2011 Print Date: 06-Apr-2011

Flammability limits in air, upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not flammable

Vapor pressure Not applicable Relative density Not available.

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

**Partition coefficient** 

(n-octanol/water)

Not available

Not applicable **Viscosity** Vapor density Not available. **Evaporation rate** Not applicable Not available. **Melting point** Freezing point Not available. **Auto-ignition temperature** Not applicable Specific gravity 1 - 1.2 (H2O = 1)

Softening point 80 - 130 °C (176 - 266 °F)

Percent volatile 0 % estimated Not available. VOC

Other information Decomposition temperature: > 200 ° C

## 10. STABILITY AND REACTIVITY

Conditions to avoid Imaging Drum: Exposure to light **Hazardous decomposition** Carbon monoxide and carbon dioxide.

products

**Stability** Stable under normal storage conditions.

Materials to avoid Strong oxidizers **Hazardous polymerization** Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

LD50/oral/rat >2000mg/kg; (OECD 401); Not harmful.. Not classified for acute oral toxicity **Oral toxicity** 

according to EU Directive 67/548/EEC and 1999/45/EC.

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA

Regulations (USA), EU Directive, or Proposition 65 (California).

Inhalation toxicity No information available.

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Serious eye damage/eye

irritation

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Skin sensitization

Directive 67/548/EEC and as amended.

**Chronic toxicity** No information available.

**Sensitization** Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA

HCS (US).

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductivity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65,

and DFG (Germany).

**Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** LL50: > 1000 mg/l, Rainbow trout, 96.00 Hours Other adverse effects This product has not been tested for ecological effects.

Material name: CE262A-AC SDS UK

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** 

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. TRANSPORT INFORMATION

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **15. REGULATORY INFORMATION**

Labeling

**Contains** Amorphous silica, Pigment, Styrene acrylate copolymer, Wax

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

### **16. OTHER INFORMATION**

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Issue date** 06-Apr-2011

This data sheet contains changes from the previous version in section(s):

TRANSPORT INFORMATION: Further information

**Manufacturer information Hewlett-Packard Company** 

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

**NTP** National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

RFC Recommended

Recommended Exposure Limit **REL** 

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-term exposure limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CE262A-AC SDS UK

CE262A-AC Version #: 01 Revision date: 06-Apr-2011 Print Date: 06-Apr-2011