



AC 1900 High Gain Wireless Dual Band USB Adapter Archer T9UH

Highlights

- connections

600Mbps+

1300Mbps





Dual Band 2.4 & 5 GHz Beamforming Technology

• Ultimate Wi-Fi Speed – AC1900 (600Mpbs on 2.4GHz band or 1300Mbps on 5GHz band) wireless speed with the next generation Wi-Fi - 802.11ac

• Dual Band Wireless – 2.4GHz and 5GHz band for flexible connectivity

Ultimate Range – High gain antennas ensure superior range and stability

• Beamforming Technology – Delivers a more targeted and highly efficient wireless

• Super Speed USB 3.0 Port – Up to 10x faster than USB 2.0

• Flexible Deployment – Equipped with a USB 3.0 Cradle for flexible deployment

• WPS Button – Easy wireless security encryption at a push of the WPS button

• Backward Compatibility – With support for 802.11 a/b/g/n standards



SS C_

USB 3.0 Port

Features



- Blazingly Fast Wi-Fi Speeds of up to 1900Mbps with 1300Mbps at 5GHz or 600Mbps at 2.4GHz band, ideal for HD streaming, online gaming and large file downloads
- 802.11ac Support Wi-Fi technology that is 3 times faster than 802.11n



 Broad Wireless Range – High gain antennas ensu superior range and stability




- Flexible Deployment Equipped with a USB
 3.0 Cradle for flexible deployment
- Backwards Compatibility Supports routers utilizing 802.11 a/b/g/n Wi-Fi standards



- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection aga security threats
- WPS Button Easy wireless security encryption push of the WPS button

TP-LINK



ure	 Dual Band – Selectable 2.4GHz and 5GHz bands to avoid wireless signal interference
	 Beamforming Technology – Delivers a more targeted and highly efficient wireless connections
	 Super Speed USB 3.0 Port – Up to 10x faster than USB 2.0
s Jainst	
n at a	

AC1900 High Gain Wireless Dual Band USB Adapter Archer T9UH

Specifications

Wireless

- Wireless Standards: IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz or 5GHz
- Signal Rate: 1300Mbps at 5GHz, 600Mbps at 2.4GHz
- Transmit Power: <20dBm (EIRP)
- Wireless Modes: Ad-Hoc / Infrastructure mode
- Wireless Security: Support 64/128 bit WEP, WPA-PSK/WPA2-PSK,802.1x
- Modulation Technology: DBPSK, DQPSK, CCK, BPSK, QPSK, 16-QAM, 64-QAM, 256-QAM

Hardware

- Dimensions (W x D x H): 3.96 x 1.44 x 0.56 in. (100.53 x 36.6 x 14.3 mm)
- Antenna: Omni Directional

Others

Package Contents

- · Wireless Adapter Archer T9UH
- Resource CD
- · Quick Installation Guide
- USB Cradle
- Certification
- CE, FCC, RoHS

System Requirements

- Environment

- Storage Humidity: 5%~90% non-condensing


TP-LINK

• Windows 10/8.1/8/7/XP 32/64bits, Mac OS X 10.7~10.10, Linux

• Operating Temperature: $0^{\circ}C \sim 40^{\circ}C$ (32 °F ~ 104 °F) • Storage Temperature: -40 \degree ~70 \degree (-40 \degree ~158 \degree) · Operating Humidity: 10%~90% non-condensing

> AC1900 High Gain Wireless Dual Band USB Adapter Archer T9UH

Diagram



_ _ _ _ _ _ _ _ _ _ _ _


TP-LINK° AC1900 High Gain Wireless Dual Band USB Adapter Archer T9UH

Others


Ideal to use with



 AC1900 Wireless Dual Band Gigabit Router Archer C9



Similar Products





For more information, please visit
 http://www.tp-link.com/en/products/details/?model=Archer+T9UH
 or scan the QR code left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

www.tp-link.com

TP-LINK° AC1900 High Gain Wireless Dual Band USB Adapter Archer T9UH