

## **SAFETY DATA SHEET**

## **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

| 1. IDENTIFICATION OF                 | THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING   |
|--------------------------------------|--|
| Identification of the<br>preparation | CN055Series  |
| Use of the<br>Substance/Preparation  | Inkjet printing  |
| Version #                            | 01   |
| Revision date                        | 18-Jan-2012  |
| CAS #                                | Mixture  |
| Company identification               | Hewlett-Packard, Ltd.<br>Cain Road, Amen Corner<br>Bracknell, Berkshire, RG12 1HN<br>Telephone 1 344 36-0000   |
|                                      | Hewlett-Packard health effects line<br>(Toll-free within the US) 1-800-457-4209<br>(Direct) 1-503-494-7199<br>HP Customer Care Line<br>(Toll-free within the US) 1-800-474-6836<br>(Direct) 1-208-323-2551<br>Email: hpcustomer.inquiries@hp.com<br>Poison Information Center 0207771 5307 |
| 2. HAZARDS IDENTIFIC                 | CATION   |
| Emergency Overview                   | Contact with skin and eyes may result in irritation.   |
| Acute health effects                 |  |
|                                      | Any potential hazards are presumed to be due to exposure to the components.  |
| Skin contact                         | Avoid contact with skin Contact with skin may result in irritation.  |
|                                      | 1-(2-hydroxyethyl)-2-pyrrolidone<br>Contact with skin may result in irritation.  |
|                                      | <i>2-pyrrolidone</i><br>Contact with skin may result in irritation.  |
|                                      | Aliphatic diol<br>Contact with skin may result in irritation.  |
|                                      | <i>Tetraethylene glycol</i><br>Contact with skin may result in irritation.   |
| Eye contact                          | <i>1-(2-hydroxyethyl)-2-pyrrolidone</i><br>Contact with eyes may result in irritation.   |
|                                      | <i>2-pyrrolidone</i><br>Contact with eyes may result in irritation.  |
|                                      | <i>Aliphatic diol</i><br>Contact with eyes may result in irritation.   |
|                                      | <i>Tetraethylene glycol</i><br>Contact with eyes may cause irritation.   |
| Inhalation                           | Inhalation may result in respiratory irritation.   |
|                                      | <i>1-(2-hydroxyethyl)-2-pyrrolidone</i><br>Inhalation may result in respiratory irritation.  |
|                                      | <i>2-pyrrolidone</i><br>Inhalation may result in respiratory irritation.<br><i>Aliphatic diol</i>  |
|                                      | Inhalation may result in respiratory irritation.   |
|                                      | <i>Tetraethylene glycol</i><br>Inhalation may result in respiratory irritation.  |
| Ingestion                            | 1-(2-hydroxyethyl)-2-pyrrolidone<br>Ingestion may result in nausea, vomiting and diarrhea.<br>2-pyrrolidone  |
|                                      | Ingestion may result in nausea, vomiting and diarrhea.   |

| Potential health effects |  |  |
|--------------------------|--|--|
| Routes of exposure       | Potential routes of overexposure to this product are skin and eye contact  |  |
|                          | Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.        |  |
|                          | Complete toxicity data are not available for this specific formulation   |  |
| Chronic health effects   | None known.  |  |
| Carcinogenicity          | None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA. |  |
| Classification           | Not classified.  |  |
| Physical hazards         | Not classified as a physical hazard.   |  |
| Health hazards           | Not classified as a health hazard.   |  |
| Environmental hazards    | Not classified as an environmental hazard.   |  |

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

| CAS #       | Percent   | EC-No.               | Classification       |
|-------------|---|----------------------|----------------------|
| 3445-11-2   | < 10  | 222-359-4            |                      |
| 616-45-5    | <7.5  | 210-483-1            | Xi;R36/38            |
| Proprietary | < 5   | Proprietary          |                      |
| Proprietary | < 2.5   | Proprietary          |                      |
| 112-60-7    | < 5   | 203-989-9            | Xi;R36/37/38         |
| 7732-18-5   | > 65  | 231-791-2            |                      |
|             | 3445-11-2<br>616-45-5<br>Proprietary<br>Proprietary<br>112-60-7 | 3445-11-2       < 10 | 3445-11-2       < 10 |

Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

## **4. FIRST AID MEASURES**

| Inhalation<br>Skin contact | Move to fresh air. If symptoms persist, get medical attention.<br>Wash affected areas thoroughly with mild soap and water. If irritation persists get medical<br>attention.                     |
|----------------------------|---|
| Eye contact                | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Ingestion                  | If ingestion of a large amount does occur, seek medical attention.  |

## **5. FIRE-FIGHTING MEASURES**

| For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.<br>For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray. |
|---|
| None known.   |
| None known.   |
| None established.   |
| Refer to section 10.  |
|   |

## **6. ACCIDENTAL RELEASE MEASURES**

| Personal precautions      | Wear appropriate personal protective equipment.  |
|---------------------------|--|
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system.   |
| Other information         | Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations. |

## 7. HANDLING AND STORAGE

| Handling |  |
|----------|--|
| Storage  |  |

Avoid contact with skin, eyes and clothing.

Keep away from excessive heat or cold. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Additional exposure data   | Exposure limits have not been established for this product.             |  |
|----------------------------|---|--|
| Exposure controls          | Use in a well ventilated area.  |  |
| Occupational exposure cont | rols  |  |
| General                    | Use personal protective equipment to minimize exposure to skin and eye. |  |
| Hygiene measures           | Handle in accordance with good industrial hygiene and safety practice.  |  |
| 9. PHYSICAL AND CHEN       | AICAL PROPERTIES  |  |
| Appearance                 | Not available.  |  |
| Physical state             | Liquid  |  |
| _                          |   |  |

| Physical state                                    | Liquid   |
|---|--|
| Form  | Not available.   |
| Color   | Magenta  |
| Odor  | Not available.   |
| Odour threshold                                   | Not available.   |
| рН  | 8.8  |
| Boiling point                                     | Not available.   |
| Flash point                                       | > 100 °C (> 212 °F) Pensky-Martens Closed Cup US EPA Method 1020 |
| Flammability limits in air,<br>upper, % by volume | Not available.   |
| Flammability limits in air,<br>lower, % by volume | Not available.   |
| Vapor pressure                                    | Not available.   |
| Relative density                                  | Not available.   |
| Solubility (water)                                | Not available.   |
| Partition coefficient<br>(n-octanol/water)        | Not available  |
| Viscosity   | Not available.   |
| Vapor density                                     | Not available.   |
| Evaporation rate                                  | Not available.   |
| Melting point                                     | Not available.   |
| Freezing point                                    | Not available.   |
| Auto-ignition temperature                         | Not available.   |
| VOC   | < 297 g/l  |

## **10. STABILITY AND REACTIVITY**

| Hazardous decomposition<br>products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |
|-------------------------------------|---|
| Stability                           | Stable under recommended storage conditions.  |
| Materials to avoid                  | Incompatible with strong bases and oxidizing agents.  |
| Hazardous polymerization            | Will not occur.   |

## **11. TOXICOLOGICAL INFORMATION**

| Serious eye damage/eye<br>irritation | Not available.  |
|--------------------------------------|---|
| Further information                  | This ink formulation has not been tested for toxicological effects.<br>Refer to Section 2 for potential health effects and Section 4 for first aide measures. |
|                                      |   |

# **12. ECOLOGICAL INFORMATION Ecotoxicity** No information available.

|                  | This product is highly soluble in water. |
|------------------|--|
| Aquatic toxicity | No data available for this product.      |

## 13. DISPOSAL CONSIDERATIONS

| Disposal instructions | Do not allow this material to drain into sewers/water supplies.<br>Dispose of waste material according to Local, State, Federal, and Provincial Environmental  |
|-----------------------|--|
|                       | Regulations.<br>HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling<br>of HP original inkjet and LaserJet supplies. For more information and to determine if this service<br>is available in your location, please visit http://www.hp.com/recycle. |

## **14. TRANSPORT INFORMATION**

#### **Further information**

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

#### ADR

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### RID

Not regulated as dangerous goods.

## **15. REGULATORY INFORMATION**

| Labeling<br>Contains   | 1-(2-hydroxyethyl)-2-pyrrolidone, 2-pyrrolidone, Aliphatic diol, Magenta Colorant , Tetraethylene<br>glycol, Water  |
|------------------------|---|
| EC Label               | This product does not require a label according to EU Directive 1999/45/EC.   |
| Regulatory information | All chemical substances in this HP product have been notified or are exempt from notification<br>under chemical substances notification laws in the following countries: US (TSCA), EU<br>(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,<br>New Zealand, and China. |

## **16. OTHER INFORMATION**

| Wording of the R-phrases in<br>sections 2 and 3 | R36/37/38 Irritating to eyes, respiratory system and skin.<br>R36/38 Irritating to eyes and skin.   |
|---|---|
| Other information                               | This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.   |
| Disclaimer                                      | This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |
| Issue date                                      | 18-Jan-2012   |
| Manufacturer information                        | Hewlett-Packard Company<br>3000 Hanover Street<br>Palo Alto, California 94304-1112 US<br>(Direct) 1-503-494-7199<br>(Toll-free within the US) 1-800-457-4209  |

#### **Explanation of abbreviations**

| ACGIH  | American Conference of Governmental Industrial Hygienists           |
|--------|---|
|        |   |
| CAS    | Chemical Abstracts Service  |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR    | Code of Federal Regulations   |
| COC    | Cleveland Open Cup  |
| DOT    | Department of Transportation  |
| EPCRA  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| IARC   | International Agency for Research on Cancer                         |
| NIOSH  | National Institute for Occupational Safety and Health               |
| NTP    | National Toxicology Program   |
| OSHA   | Occupational Safety and Health Administration                       |
| PEL    | Permissible Exposure Limit  |
| RCRA   | Resource Conservation and Recovery Act                              |
| REC    | Recommended   |
| REL    | Recommended Exposure Limit  |
| SARA   | Superfund Amendments and Reauthorization Act of 1986                |
| STEL   | Short-term exposure limit   |
| TCLP   | Toxicity Characteristics Leaching Procedure                         |
| TLV    | Threshold Limit Value   |
| TSCA   | Toxic Substances Control Act  |
| VOC    | Volatile Organic Compounds  |
|        |   |