C9361 Series[C]-SDS_UK-EU English-07.pdf

C9361 Series[M]-SDS_UK-EU English-06.pdf

C9361 Series[Y]-SDS_UK-EU English-06.pdf



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

C9361 Series[C]

Use of the

substance/preparation

Inkjet printing

Version No.

05

Revision date

15-Dec-2012

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Cause une irritation de la peau.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkvldiol ethoxvlate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.

Material name: C9361 Series[C] 1/5

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This product is not classified according to EU Directive 1999/45/EC

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1,5-pentanediol	111-29-5	< 10	203-854-4	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi;R36/38
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn;R21/22, Xi;R38-41, N;R51/53
Ethyl alkyldiol	Proprietary	< 7.5	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Substituted phthalocyanine salt #4	Proprietary	< 5	Proprietary	
Water	7732-18-5	> 60	231-791-2	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST-AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

None known.

Specific methods

None established. Refer to section 10.

Hazardous combustion products

Material name: C9361 Series[C] 8914 Version No.: 05 Revision date: 13-Dec-2012 Print date: 15-Dec-2012

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liquid

Form Not available.

Color Cyan

Not available. Odor **Odour threshold** Not available.

pН 6.2

Boiling point Not determined

Flash point 93.3 °C (200 °F) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure **Relative density** Not available. Solubility (water) Soluble in water **Partition coefficient** Not available

(n-octanol/water)

2 cp Viscosity

Not available. Vapor density **Evaporation rate** Not determined Melting point Not available Freezing point Not available. **Auto-ignition temperature** Not available.

Specific gravity 1

VOC < 221 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stability Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

Material name: C9361 Series[C] SDS UK 3 / 5 8914 Version No.: 05 Revision date: 13-Dec-2012 Print date: 15-Dec-2012

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Further information

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =< 400 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, 2-pyrrolidone, Alkyldiol ethoxylate, Ethyl alkyldiol, Metal nitrate #2, Substituted

phthalocyanine salt #4, Water

EC label This product does not require a label according to EU Directive 1999/45/EC.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council

> concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

16. OTHER INFORMATION

Wording of the R-phrases in sections 2 and 3

R8 Contact with combustible material may cause fire. R21/22 Harmful in contact with skin and if swallowed.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Material name: C9361 Series[C] SDS UK 4/5 **Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 15-Dec-2012

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

National Institute for Occupational Safety and Health **NIOSH**

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP: <value> Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C9361 Series[C]



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

C9361 Series[M]

Use of the

substance/preparation

Inkjet printing

Version No.

05

Revision date

15-Dec-2012

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Cause une irritation de la peau.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

Contact with skin may result in irritation.

2-pyrrolidone

1,5-pentanediol

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkvldiol ethoxvlate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation. Substituted napthalenesulfonate salt #11 Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.

Material name: C9361 Series[M] SDS UK 1/5

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

Other information

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

This product is not classified according to EU Directive 1999/45/EC Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1,5-pentanediol	111-29-5	< 10	203-854-4	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi;R36/38
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn;R21/22, Xi;R38-41, N;R51/53
Ethyl alkyldiol	Proprietary	< 10	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Substituted napthalenesulfonate salt #11	Proprietary	< 5	Proprietary	
Water	7732-18-5	> 60	231-791-2	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST-AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

None known.

Specific methods Hazardous combustion None established. Refer to section 10.

products

Material name: C9361 Series[M]

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data None established.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

GeneralUse personal protective equipment to minimize exposure to skin and eye. **Hygiene measures**Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liquid

Form Not available.
Color Magenta
Odor Not available.
Odour threshold Not available.

pH 6.2

Boiling point Not determined

Flash point 93.3 °C (200 °F) Pensky-Martens Closed Cup

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressureNot determinedRelative densityNot available.Solubility (water)Soluble in waterPartition coefficientNot available

(n-octanol/water)

Viscosity

2 cp

Vapor densityNot available.Evaporation rateNot determinedMelting pointNot available.Freezing pointNot available.Auto-ignition temperatureNot available.

Specific gravity 1

VOC < 221 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons. **Stability** Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

Material name: C9361 Series[M] SDS UK

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Further information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =< 400 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, 2-pyrrolidone, Alkyldiol ethoxylate, Ethyl alkyldiol, Metal nitrate #2, Substituted

napthalenesulfonate salt #11, Water

EC label This product does not require a label according to EU Directive 1999/45/EC.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in sections 2 and 3

R8 Contact with combustible material may cause fire. R21/22 Harmful in contact with skin and if swallowed. R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 15-Dec-2012

Manufacturer information

Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9361 Series[M] SDS

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

National Institute for Occupational Safety and Health **NIOSH**

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

Toxicity Characteristics Leaching Procedure TCLP: <value>

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C9361 Series[M]



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

C9361 Series[Y]

Use of the

substance/preparation

Inkjet printing

Version No.

05

Revision date

17-Dec-2012

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Cause une irritation de la peau.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation. Substituted napthalenesulfonate salt #13 Contact with skin may result in irritation.

Eye contact *1,5-pentanediol*

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation. Substituted napthalenesulfonate salt #13 Contact with eyes may result in irritation.

Material name: C9361 Series[Y] SDS UK

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation. Substituted napthalenesulfonate salt #13 Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This product is not classified according to EU Directive 1999/45/EC

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1,5-pentanediol	111-29-5	< 10	203-854-4	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi;R36/38
Alkyldiol ethoxylate	Proprietary	< 2.5	Proprietary	Xn;R21/22, Xi;R38-41, N;R51/53
Ethyl alkyldiol	Proprietary	< 10	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Substituted napthalenesulfonate salt #13	Proprietary	< 7.5	Proprietary	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST-AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

General advice No additional information

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety None known.

Unusual fire & explosion

reasons

hazards

None known.

Material name: C9361 Series[Y]

SDS UK 8925 Version No.: 05 Revision date: 15-Dec-2012 Print date: 17-Dec-2012

Specific methods **Hazardous combustion**

products

None established Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data None established.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

Use personal protective equipment to minimize exposure to skin and eye. General **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Not available.

Physical state Liquid

Not available. **Form**

Color Yellow

Odor Not available. **Odour threshold** Not available.

6.2 рH

Boiling point Not determined

93.3 °C (200 °F) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure Relative density Not available. Soluble in water Solubility (water) **Partition coefficient** Not available

(n-octanol/water)

Viscosity 2 cp

Vapor density Not available. **Evaporation rate** Not determined Not available. **Melting point** Freezing point Not available. **Auto-ignition temperature** Not available.

Specific gravity 1

< 221 g/l VOC

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stability Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing agents.

Material name: C9361 Series[Y]

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =< 400 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, 2-pyrrolidone, Alkyldiol ethoxylate, Ethyl alkyldiol, Metal nitrate #2, Substituted

napthalenesulfonate salt #13

EC label This product does not require a label according to EU Directive 1999/45/EC.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R21/22 Harmful in contact with skin and if swallowed. R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 17-Dec-2012

Manufacturer information

Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9361 Series[Y]

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

National Institute for Occupational Safety and Health **NIOSH**

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

Toxicity Characteristics Leaching Procedure TCLP: <value>

Threshold Limit Value TLV

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: C9361 Series[Y]