

Overview

Get high-quality color, fast printing, and smart mobility and security solutions.[3]

An efficient MFP for high-quality color and productivity.[2] Save time with Smart Tasks in HP Smart app, and print and scan from your phone.[3] Get security essentials to help maintain privacy and control.

Freedom to work anywhere

Get easy printing and scanning from your mobile device, with HP Smart – best-in-class mobile print app.[3,4]

Trusted HP quality and performance

Get high-quality color and peak printing performance with Original HP Toner cartridges with JetIntelligence.

Essential security

Security essentials to help maintain privacy and control, including basic encryption and password protection.

Features





Best-in-class mobile print app[4][3,4]

Automate scanning tasks and save time^[3]





Powerful printing. Energy smart.[10]^[10]

Tackle the essentials - print, scan, copy

Achieve high speeds for all your prints

On when you need it, off when you don't

- [2] Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at http://www.hp.com/go/mobileprinting
- [3] Requires the HP Smart app download. For details on local printing requirements see http://www.hp.com/go/mobileprinting. Certain features/software are available in English language only.
- [4] Compared to OEM mobile printing apps for the majority of top-selling inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to \$429.99 USD. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at http://www.keypointintelligence.com/HPSmartApp
- [10] Based on the reduced energy use of HP LaserJet printers and cartridges with JetIntelligence introduced since 2015 compared to previous toner versions without JetIntelligence, using EnergyStar methodology.

Specifications

Print Resolution Technologies	HP ImageREt 3600
Print quality black (best)	Up to 600 x 600 dpi
Print quality color (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 16 ppm
Print speed black (ISO, letter)	Up to 17 ppm
Print Speed Color (ISO)	Up to 16 ppm
Print speed color (ISO)	Up to 17 ppm
Print speed	Print speed up to 17 ppm (black) and 17 ppm (color)
Functions	Print, Copy, Scan
Duplex printing	Manual (driver support provided)
Duty cycle (monthly, A4)	Up to 30,000 pages
Duty cycle (monthly, letter)	Up to 30,000 pages
Printer smart software features	Ethernet networking, HP ePrint, Apple AirPrint™, Mopria-certified, Google Cloud Print, HP Auto-On/Auto-Off technology, HP Smart App, Smart task shortcuts in HP Smart App, HP JetAdvantage Secure Print
Copier smart software features	Up to 99 multiple copies, Reduce/Enlarge from 25 to 400%, Contrast (lighter/darker), Optimize copy selection (with presets: autoselect, mixed, printed picture, text)
Scanner advanced features	HP Scanning software; automatic scan cropping; Scan to Google Drive/Drop box (PC); Scan to FTP(PC); Scan to Microsoft One Drive, Share Point (PC); Save as editable file (text, PDF)
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	(AMS+APJ) HP 215A Black LaserJet Toner Cartridge (~1050 yield) W2310A; HP 215A Cyan LaserJet Toner Cartridge (~850 yield) W2311A; HP 215A Yellow LaserJet Toner Cartridge (~850 yield) W2312A; HP 215A Magenta LaserJet Toner Cartridge (~850 yield) W2313A; (EMEA) HP 216A Black LaserJet Toner Cartridge (~1050 yield) W2410A; HP 216A Cyan LaserJet Toner Cartridge (~1050 yield) W2411A; HP 216A Yellow LaserJet Toner Cartridge (~850 yield) W2412A; HP 216A Magenta LaserJet Toner Cartridge (~850 yield) W2413A ^[3]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100 Base-TX network port
Network capabilities	Yes, via built-in 10/100 Base-TX Ethernet; authentication via 802.1X
Mobile printing capability	HP ePrint; Apple AirPrint™; Mobile Apps; Mopria™ Certified
Network protocols, supported	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6

Software included	No CD (Software is not included In-Box), Downloadable Software only from hp.com, http://123.hp.com/laserjet or 123.hp.com	
Compatible Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14)macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com) ^[7] (Not supportingWindows® XP (64-bit) and Windows Vista® (64-bit); "Compatible Operating Systems" are not supported with INBOX software, but downloadable from online; Full solution software available only for Windows 7 and newer; Windows Server OS install driver only; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software)	
Environmental	Mercury Free	
Energy star certified	Yes	
Energy efficiency	EPEAT® Silver	
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies	
Copy speed (black, normal quality, A4)	Up to 16 ppm	
Copy speed (color, normal quality, A4)	Up to 16 ppm	
Copy speed black (normal, letter)	Up to 17 ppm	
Copy speed color (normal, letter)	Up to 17 ppm	
Faxing	No	
Scan file format	JPG, RAW (BMP), PNG, TIFF, PDF	
Scan input modes	Front-panel copy; HP Scan software; and user application via TWAIN or WIA	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed	
Display area (imperial)	1.06 x 0.82 in	
Display area (metric)	26.9 x 20.77 mm	
Display	7 segment ICON LCD	
Minimum dimensions (W x D x H)	420 x 380 x 292.6 mm	
Minimum dimensions (W \times D \times H)	16.5 x 15.0 x 11.5 in	
Weight	15.7 kg	
Weight	34.6 lb	

Power consumption	313 watts(active printing), 7.4 watts(Ready), 0.7 watts(Sleep), 0.05 (Manual-Off), 0.05(Auto-Off/Manual-On), 1.0 watts(Auto-Off/Wake on LAN) [2]
Power supply type	Internal (Built-in) power supply
What's in the box	HP Color LaserJet Pro MFP M182n (7KW54A); Introductory HP LaserJet Color cartridges (~700 color composite (C/Y/M) yield and ~800 page yield black); Installation guide; Power cord; USB cable (AP only) ^[1]
Warranty	One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Acoustic power emissions (active scan)	6.0 B(A) (Mono); 5.4 B(A) (Color)
Acoustic power emissions (active, printing)	6.2 B(A) (Mono); 6.3 B(A) (Color)
Acoustic power emissions (ready)	2.6 B(A)
Acoustic pressure emissions bystander (active scan)	45 dB(A) (Mono); 42 dB(A) (Color)
Acoustic pressure emissions bystander (active, printing)	48 dB(A)(Mono); 49 dB(A) (Color)
Acoustic pressure emissions bystander (ready)	16 dB(A)
Automatic paper sensor	No
Bit depth	8-bit (mono); 24-bit (color)
Bottom margin (A4)	5 mm
Cable included	Yes, 1 USB (AP only); No, please purchase USB cable separately (EMEA, Americas)
Certifications and compliances	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Indonesia, Singapore, Philippines, etc.
Color scanning	Yes
Color scanning Compatible Network Operating Systems	
Compatible Network Operating	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-
Compatible Network Operating Systems	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com)
Compatible Network Operating Systems Control panel	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com) 7 segment ICON LCD with 6 buttons (Up, Down, Color Copy, Mono Copy, Setting, Cancel) and 6 indicator light (Ready, Error, CMYK toner low)
Compatible Network Operating Systems Control panel Copier scaling (ADF)	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com) 7 segment ICON LCD with 6 buttons (Up, Down, Color Copy, Mono Copy, Setting, Cancel) and 6 indicator light (Ready, Error, CMYK toner low) 25 to 400% Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper Size; Paper Type; Draft Mode; Image Adjustment; Set as New Defaults; Restore
Compatible Network Operating Systems Control panel Copier scaling (ADF) Copier settings	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com) 7 segment ICON LCD with 6 buttons (Up, Down, Color Copy, Mono Copy, Setting, Cancel) and 6 indicator light (Ready, Error, CMYK toner low) 25 to 400% Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper Size; Paper Type; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults
Compatible Network Operating Systems Control panel Copier scaling (ADF) Copier settings Copies, maximum	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing). Unix (For more information, see http://www.hp.com) 7 segment ICON LCD with 6 buttons (Up, Down, Color Copy, Mono Copy, Setting, Cancel) and 6 indicator light (Ready, Error, CMYK toner low) 25 to 400% Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper Size; Paper Type; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults Up to 99 copies

Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Count of cartons per pallet layer	6
Count of layers in pallet	NA: 5; EMEA/AP: 4
Country of origin	Made in Vietnam
Downloadable software	From 123.hp.com/laserjet: HP Easy Start (Guided Software Install for Windows); From 123.hp.com: HP Smart for Windows and Mac; From HP.com for Windows OS, Full-solution software and drivers; Basic-solution software and drivers (with installer); Product Documentation an Support; For Mobile OS See "HP Mobile Printing" (http://www8.hp.com/us/en/ads/mobility/overview.html). From In-OS appstores: HP Smart; HP recommended printer drivers and software; From HP.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Universal Print Drivers (PCL6, PS); Linux/Unix Print Drivers; SAP (PS Print Drivers); HP Web JetAdmin Software (HP SNMP Proxy Agent); HP JetAdvantage Security Manager
Driver updates	Latest supported operating systems and print drivers available at http://www.hp.com/support/ljM178MFP
Duplex ADF scanning	No
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:201 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55024:2010+A1:2015; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6
Enhanced scanning resolution	Up to 1200 x 1200 dpi
Envelope Feeder	No
Fax delayed sending	No
Fax forwarding	No
File Format Supported	PDF; JPG
Finished output handling	Sheetfeed
First copy out black (A4)	As fast as 12.2 sec
First copy out black (A4, sleep)	As fast as 12.3 sec
First copy out black (letter)	As fast as 11.7 sec
First copy out black (letter, sleep)	As fast as 11.9 sec
First copy out color (A4)	As fast as 17.9 sec
First copy out color (A4, sleep)	As fast as 18.0 sec
First copy out color (letter)	As fast as 17.4 sec
First copy out color (letter, sleep)	As fast as 17.4 sec
First page out black (A4, ready)	As fast as 11.8 sec
First page out black (A4, sleep)	As fast as 13.4 sec
First page out black (letter, ready)	As fast as 11.6 sec
First page out black (letter, sleep)	As fast as 13.2 sec
First page out color (A4, ready)	As fast as 13.8 sec

First page out color (A4, sleep)			
First page out color (letter, sleep)	First page out color (A4, sleep)	As fast as 14.8 sec	
Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Fonts and typefaces	First page out color (letter, ready)	As fast as 13.5 sec	
Http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Fonts and typefaces 84 scalable TrueType fonts. Additional Font Solutions available at http://www.hp.com/go/laserjetfonts Input capacity Up to 150 sheets (15 mm stack height) in Tray 1 Lett margin (A4) 5 mm Levels of grayscale 256 Mac compatible Yes Maximum Input Capacity (envelopes) Maximum Memory 256 MB DDR, 128 MB Flash Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum dimensions (W x D x H) Maximum autiput capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Officio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(102 x 148); BSUIS(182 x 257); BSUIS(128 x 182); 10x15cm(100 x 150); Officio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x2650m; 16K 195x273mm(195x270); 16K 184x2650m; 16K 195x273mm(195x273); Post card(IJS)(100 x 147); Double Post card (IJS) (147 x 200); Envelope B1(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Media sizes supported Media sizes supported Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Officio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(102 x 148); BSUIS)(182 x 257); BGUIS)(128 x 191); Envelope BG(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Letter(8.5 x 11); Legal(8.5 x 14); Envelope Monarch(98 x 191); Envelope BS(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Officio 15x340 mm(8.5 x 13); 16K 183x260 mm(7.2 x 10.2); 16K 184x260 mm(7.2 x 10.2); 16K 184x260 mm(7.2 x 10.2); 16K 184x260 mm(7.2 x 10.2); 16K 197x273 mm(7.2 x	First page out color (letter, sleep)	As fast as 14.6 sec	
Input capacity	First page out footnote	http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document	
Left margin (A4) 5 mm Levels of grayscale 256 Mac compatible Yes Maximum Input Capacity (envelopes) Up to 15 mm (Recommended only 5 envelopes or less at a time) Maximum Memory 256 MB DDR, 128 MB Flash Maximum dimensions (W x D x H) 16.5 x 17.1 x 11.6 in Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter (216 x 280): Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5UIS)(162 x 257); B6UIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(IIS)(100 x 147); Double Postcard(IIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope #10(105 x 241); Envelope Mon	Fonts and typefaces		
Levels of grayscale 256 Max compatible Yes Maximum Input Capacity (envelopes) Up to 15 mm (Recommended only 5 envelopes or less at a time) Maximum Memory 256 MB DDR, 128 MB Flash Maximum dimensions (W x D x H) 16.5 x 17.1 x 11.6 in Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum output capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Media size, tray 1 Letter(216 x 280); Legal(216 x 356); Executive(18 x 257); Bolis(18 x 120); As (10 x 240); Executive (18 x 220); Envelope Dul(110 x 220);	Input capacity	Up to 150 sheets (15 mm stack height) in Tray 1	
Maximum Input Capacity (envelopes) Up to 15 mm (Recommended only 5 envelopes or less at a time) Maximum Memory 256 MB DDR, 128 MB Flash Maximum dimensions (W x D x H) 16.5 x 17.1 x 11.6 in Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Media size, tray 1 Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 195x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x (Left margin (A4)	5 mm	
Maximum Input Capacity (envelopes) Up to 15 mm (Recommended only 5 envelopes or less at a time) Maximum Memory 256 MB DDR, 128 MB Flash Maximum dimensions (W x D x H) 16.5 x 17.1 x 11.6 in Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5UIS)(182 x 257); B6U(18)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 195x270mm(195x270); 16x 126x340mm(216 x 340); 16K 195x270mm(195x270); 16x 126x340mm(216 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5UIS)(182 x 257); B6UIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 197x273mm(197x273); Postcard(UIS)(100 x 147); Double Postcard(UIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 216x340 mm(8.5 x 13.4);	Levels of grayscale	256	
Maximum Memory 256 MB DDR, 128 MB Flash	Mac compatible	Yes	
Maximum dimensions (W x D x H) 16.5 x 17.1 x 11.6 in Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media sizes supported 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter (8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10	, , ,	Up to 15 mm (Recommended only 5 envelopes or less at a time)	
Maximum dimensions (W x D x H) 420 x 435 x 295 mm Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(1216 x 340); 16K 197x273mm(195x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5	Maximum Memory	256 MB DDR, 128 MB Flash	
Maximum input capacity (sheets) Up to 150 sheets (15 mm stack height) in Tray 1 Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.9); Double Postcard (JIS)(5.8 x 7.9); Envelope E0(6.4 x 9); Envelope DL(4.3	Maximum dimensions (W \times D \times H)	16.5 x 17.1 x 11.6 in	
Maximum output capacity (sheets) Up to 100 sheets (10 mm stack height) Maximum print area 206 x 346 mm Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K Media size, tray 1 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (104 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Media sizes supported Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7); 7.5); Envelope B6(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.	Maximum dimensions (W \times D \times H)	420 x 435 x 295 mm	
Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148)	Maximum input capacity (sheets)	Up to 150 sheets (15 mm stack height) in Tray 1	
Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 195x2773mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148) Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x3400 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7);	Maximum output capacity (sheets)	Up to 100 sheets (10 mm stack height)	
## Media sizes supported ## Media sizes sup	Maximum print area	206 x 346 mm	
## Media sizes supported ## 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); ## A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); ## 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K ## 195x270mm(195x270); 16K 184x260mm(184x260); 16K ## 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) ## (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); ## Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); ## A5-R(210 x 148) ## Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); ## B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 ## mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); ## 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double ## Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7);	Media size, tray 1	8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220);	
13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7);	Media sizes supported	8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS) (147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220);	
	Media sizes supported	13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7);	

10 x 15 cm; A4; Envelopes
4 x 6 in; Letter; Legal; Envelopes
76 x 127 to 216 x 356 mm
3 x 5 to 8.5 x 14 in
15 mm stack height for 20# paper(75 g/m²)
Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver; 60 to 163 g/m² (Coated/Glossy, recommended), however up to 175 g/m² Postcards and 220 g/m² HP Glossy is allowed in the driver.
16 to 43 lb (Uncoated/Matte, recommended), however up to 47 lb Postcards and 53 lb HP Matte is allowed in the driver; 16 to 43 lb (Coated/Glossy, recommended), however up to 47 lb Postcards and 59 lb HP Glossy is allowed in the driver.
60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver; 60 to 163 g/m² (Coated/Glossy, recommended), however up to 175 g/m² Postcards and 220 g/m² HP Glossy is allowed in the driver.
256 MB DDR, 128 MB Flash
Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher.
Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow)
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users 10 to 80% RH
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users 10 to 80% RH 10 to 32.5°C
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users 10 to 80% RH 10 to 32.5°C 50 to 90.5°F
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users 10 to 80% RH 10 to 32.5°C 50 to 90.5°F Up to 100 sheets (10 mm stack height)
(v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB JPG; PDF 0 to 95% RH 4 (1 each black, cyan, magenta, yellow) 1-3 Users 10 to 80% RH 10 to 32.5°C 50 to 90.5°F Up to 100 sheets (10 mm stack height) 19.56 x 14.92 x 18.34 in

Page yield footnote	Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies	
Pallet dimensions	NA: 47.24 x 39.37 x 97.63 in; EMEA/AP: 47.24 x 39.37 x 79.29 in	
Pallet dimensions (W x D x H)	NA: 1200 x 1000 x 2480 mm; EMEA/AP: 1200 x 1000 x 2014 mm	
Pallet weight	NA: 574.7 kg; EMEA/AP: 464.3 kg	
Pallet weight	NA: 1264.3 lb; EMEA/AP: 1021.4 lb	
Paper handling input, standard	150-sheet input tray	
Paper handling output, standard	100-sheet output bin	
Paper trays, maximum	1	
Paper trays, standard	1	
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier)	
Print Technology	Laser	
Print colors	Yes	
Print languages	HP PCL6; HP PCL5c; HP postscript level 3 emulation; PWG raster; PDF; PCLm; PCLm-S; URF	
Print quality black (normal)	Up to 600 x 600 dpi	
Print resolution color (normal)	Up to 600 x 600 dpi	
Print speed black (Landscape, A5)	Up to 27 ppm	
Print speed black (Portrait, A5)	Up to 5 ppm	
Print speed color (Landscape, A5)	Up to 21 ppm	
Print speed color (Portrait, A5)	Up to 5 ppm	
Print speed footnote (A5)	Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.	
Print technology	Laser	
Printer Management	HP Printer Assistant (UDC); HP Device Toolbox; HP JetAdvantage Security Manager	
Processor speed	800 MHz	
Product long name specifications	HP Color LaserJet Pro MFP M182n; up to 16 ppm A4; 17 ppm letter print; with Ethernet networking; 150 sheets std. input	
Quantity per pallet	NA: 30; EMEA/AP: 24	
RMN number	SHNGC-1603-00	
Recommended monthly page volume	150 to 1500	
Recommended operating humidity range	30 to 70% RH	
Recommended operating temperature range	59 to 80.6°F	

Recommended operating temperature range	15 to 27℃
Replacement cartridges footnote	Replacement 215A(AMS+APJ) /216A(EMEA) cartridge average composite (C/Y/M) declared yield ~850 and average black yield ~1050 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
Resolution	1200 dpi optical sensor
Right margin (A4)	5 mm
Safety	EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950-1:2005 +A1:2009+A2:2013; EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; CAN/CSA C22.2 No. 60950-1-07 2nd Ed.March 27, 2007 Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IECEE CB Bulletin.; Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007.
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 dpi
Scan size, maximum	8.5 x 11.7 in
Scan size, maximum	215.9 x 297 mm
Scan speed footnote	Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; Firewall and ACL; SNMPv3
Software scan file format	JPG, RAW (BMP), PNG, TIFF, PDF
Standard output capacity (envelopes)	10 mm stack height
Standard output capacity (transparencies)	10 mm stack height
Storage temperature range	-4 to 104°F
Storage temperature range	-20 to 40°C
SureSupply supported	Yes
Target user and print volume	For teams up to 5 users; Prints up to 1,500 pages/month
Tariff numbers	EU/AM Base HTS: 8443310000; AP Base HTS: 84433131
Telecom compliance (fax capability)	NA
Top key features	Energy Efficient; Strong Security
Top margin (A4)	5 mm
Twain version	Version 1.9 (Legacy OS); Version 2.1 (Windows 7 or higher)

Typical electricity consumption (TEC) footnote	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
Typical electricity consumption (TEC) number	BA: 0.531 kWh/Week ^[6]
UPC number	(AB2) 193905484874; (ABT) 193905484911; (ABY) 193905484928; (ACJ) 193905484881; (ACQ) 193905484935; (B13) 193905484966; (B19) 193905484942; (BAZ) 193905484959; (BBU) 193905484898; (BGM) 193905484904
Warm-up time	As fast as 59 sec
Web address for additional information	http://www.hp.com/support/ljM182MFP
What is in the box footnote	Introductory cartridges included, ~800 page yield black and ~700 page yield color composite (C/Y/M).

- [1] Introductory cartridges included, ~800 page yield black and ~700 page yield color composite (C/Y/M).
- [2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- [3] Replacement 215A(AMS+APJ) /216A(EMEA) cartridge average composite (C/Y/M) declared yield ~850 and average black yield ~1050 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- [6] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- [7] Not supportingWindows® XP (64-bit) and Windows Vista® (64-bit); "Compatible Operating Systems" are not supported with INBOX software, but downloadable from online; Full solution software available only for Windows 7 and newer; Windows Server OS install driver only; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software

Ink/Toner/Paper/Printer Supplies

HP Paper Designed for Laser Printers

HP Professional Laser Paper

HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 \times 11 in	4WN05A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV80A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV83A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
HP Professional Glossy Laser Paper 120 gsm-250 sht/A4/210 x 297 mm	CG964A

HP Laser Everyday Paper

HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm	7MV82A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm	7MV81A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A

HP Laser Toner Cartridges and Kits

HP Color Laser Toner Printer Cartridges

HP 215A Magenta Original LaserJet Toner Cartridge	W2313A
HP 215A Cyan Original LaserJet Toner Cartridge	W2311A
HP 215A Black Original LaserJet Toner Cartridge	W2310A
HP 215A Yellow Original LaserJet Toner Cartridge	W2312A

Generated by Dynamic Collateral Tool – (ww-en) – Dec 17, 2019 3:45 PM UTC+0000