
## **HANN**spree

### Experts in **Display**



# **HANN**spree

### Experts in **Display**

		, <b>,</b> , , , , , , , , , , , , , , , , ,				
Display Size	60,45cm / 23.8" Diagonal		VESA Mounting	100 x 100 mm		
Panel Type	TFT – LED Backlight		Monitor Stand	Smart Adjustable Stand ("boo	ok" type)	
Aspect Ratio	16:9		Tilt / Kensington Lock	15° ~ 70° (+1/-3°) / Yes		
Resolution (H x V)	1920 x 1080 Full HD		Display Protection	Thickness 1.2 ± 0.1 mm; Material OGS		
Brightness	250 cd/m <sup>2</sup> Monitor Brightness (Typical)		Hardness / Transmittance ≥7H Toughened hard panel		surface / ≥88%	
Contrast (Typ.)	3.000:1 (Typical)	Controls		Menù, Bri (+), Vol (-), Input/Enter, Power		
Contrast (Active)	10.000.000:1 (Active)		Color	Warm, Natural, Cool, User Mode		
Viewing Angle L/R; U/D	178° H – 178° V (CR >10)		Preset Mode	PC, Movie, Game, ECO Mode	PC, Movie, Game, ECO Modes	
Response Time	8 msec		On Screen Display	15 OSD Languages		
Pixel Pitch	0,2745 (H) x 0,2745 (V) mm		Assessor	Power Cable (1,5m); HDMI Cable (1,5m); Audio Cable (1,8m); USB 3.0 (B-A) Cable (1,8m); Warranty Card; Quick		
Touch Type	Projected Capacitive Type – 10 Point Touch		Accessory (1,8m); USB 3.0 (B-A) C Start Guide		1,8m); Warranty Card; Quick	
Display Colors	16.7M Colors		Other Features	Other Features USB 3.0 HUB: 1 Up stream,		
Horizontal Frequency	31 ~ 83 kHz		Supplier's	Supplier's Name HANNspree		
Vertical Frequency	56 ~ 75 Hz		Model Na		HT248PPB	
Max Display Frequency	1920 x 1080 @ 60Hz	HANNSPICE HT 248 PPB (HS 6137		iciency Class	A+	
Input 1	D-Sub (VGA)			e (Centimetres)	60,50	
Input 2	HDMI	A++ A+	Screen Siz	power Consumption (W)	23,80	
Input 3	Display Port	A	Annual En	ergy Consumption* (kWh)	27	
Buil-in Speakers	Yes, 1.5W x 2; Earphone Audio Out x 1	C		node Power Consumption (W)	0,19	
Power Consumption	On: 18W; Stand-by: 0,19W; Off: 0,18W	D E	Off-mode Screen Re	Power Consumption (W)	0,18 1920 x 1080	
AC Power Range	External Power Adaptor: Input: AC 100 ~ 240 Volt; 50 ~ 60 Hz Output: 12V – 3A	ENERGIA • EHEPTVR ENEPTEIA • ENERGIA				
Product Dimensions	549.84 x 49.15 x 333.2 mm (W x D x H)	ENERGY · ENERGIE ENERGI	PART. NO.:	Z		
Packing Dimensions	630 x 123 x 439 mm (W x D x H)	$\begin{pmatrix} 0 \\ \Box \end{pmatrix} \begin{pmatrix} 18 \\ Watt \end{pmatrix}$ kWh/annum	HT 248 PPB			
Net / Gross Weight	4.5 Kgs / 6.1 Kgs	60,5 23.8		∎⊾\$\$₽\$\$₄∥	711404 022524 >	
Bezel & Color Plan	Bezel: Black texture; Back cover: Black texture; Arm: Metal black	2010/1062 - 2017		per year, based on the power consumption energy consumption will depend on how t		

© 2018 HANNSpree, Inc. Specifications and design as well as accessories are subject to change without notice. Screen shots are simulated. Actual products may differ slightly from those illustrated on this promotion material. Please refer to actual samples for final selection. The products displayed on this promotion material may not be available for purchase in your particular country or locality. Please check with your local HANNspree authorized representatives for the availability of specific products in your area. All brand, product, Service names and logos are trademarks and/or registered trademarks of their respective manufactures and Companies.

**Display** Solutions

### **HANN**spree

#### Experts in **Display**

