



7670

Flexible chassis design

Power your purpose with a scalable 16" mobile workstation that is available in a thin or performance chassis.





Advanced Thermals

User Selectable Thermals Tables (USTT)
Dual Opposing Output (DOO) fan with
liquid polymer blades
Dual intake venting
Thermal insulated material, GORE™



Flexible design

Two chassis size available, determine by performance requirement

Up to 180W/240W adapter

Up to 93Whr battery

Dell Optimizer for Precision

ExpressSign-in ExpressConnect ExpressCharge ExpressDischarge ExpressResponse Intelligent Audio Reporting & Analytics

Optional 5G Mobile Broadband

Bluetooth 5.2

Sustainability

EPEAT Gold Registered 100% recycled plastics & cardboard contained in packaging

7670







Intelligent performance

Intel® Core™ i5-i9, up to 16 core (8P + 8E) (55W), up to next gen 16GB NVIDIA RTX A5500, (3) M.2 slots PCIe Gen 4 SSD (12TB)/RAID 5 support, up to 128GB of 4800MHz via CAMM, (2) Thunderbolt™ 4, (2) USB 3.2 Type A and (1) Type C Display Port

• • •

Dell Optimizer for Precision



Immersive productivity and design

Pro 2.5 keyboard, large click pad, camera shutter, proximity and ambient light sensors, chassis intrusion sensor

...

Up to 16:10, 4K (HDR500) OLED display with narrower bezel, 500nits, PremierColor, 100% DCI-P3, Touch and ComfortView Plus (LBL) options

. . .

Intel WiFi 6E 6GHz/BT5.2/vPro, 5G LTE WWAN



Mission critical reliability and security

ISV Certifications

. .

Long life battery option

. . .

MIL-STD tested

• • •

ECC and RMT Pro options

. . .

Advanced thermals (vapor chambers, DOO fans, GORE™)



7670

Dell Optimizer for Precision We make it intelligent. You make it yours.

Dell Optimizer revolutionizes the way you work by fueling the world's most intelligent PCs*. It is the only Al-based optimization software that learns and responds to the way you work and designed to automatically improve application performance, battery run-time, audio settings and privacy — all in the background while you're working.

Personalized performance made for hybrid work





Power to the creators

Dell Optimizer for Precision empowers high-end users with ExpressResponse⁶ for performance optimization of storage heavy apps. If you're a Precision user, you also have an exclusive Analytics feature for workload and system insights that help create personalized performance. You can also generate reports within Analytics to get system diagnostics and productivity gains.



Intelligent privacy anywhere

Privacy and security are a major concern – help keep sensitive data private with the world's most comprehensive suite of Intelligent Privacy features¹. Onlooker detection lets you texturize or turn on Safe Screen when an intruder is detected and Look Away Detect darkens the PC screen based on user behavior.



Extended power

ExpressCharge analyzes your power usage habits to improve PC battery utilization. It extends run times and charges your system faster when you need a boost in power.



Enhanced audio

Intelligent Audio delivers audio and mic enhancements and reduces background noise so you can fully engage in meetings with confidence, wherever you collaborate. Neural noise cancellation enables advanced artificial intelligent techniques to distinguish human speech from any unwanted noise.



Faster sign-in

Get to work faster with ExpressSignin² – the proximity sensor detects your presence to wake on approach before Windows Hello logs you in via facial recognition.



Unmatched connectivity

Optimized for the best connectivity, ExpressConnect³ provides the world's first simultaneous multi-network connection for faster data and video downloads⁴. It also enables joining the best network⁵ available and prioritizes traffic for conferencing apps, wherever you work.



Improved performance

ExpressResponse⁶ analyzes how you use your preferred apps⁷ to boost performance.



Simplified manageability

Elevate work experience with an easy-to-manage application that provides a seamless experience for both end-users and IT decision makers. Set up individual features and modules from Dell Optimizer that fit your work environment with the modular installation feature. Deployment updates and optimization of multiple PCs remotely can be done simultaneously via centralized management.



RECOMMENDED ACCESSORIES



Dell UltraSharp 38 Curved USB-C Hub Monitor -U3821DW

Experience clarity, productivity and connectivity on this 37.5" ultrawide WQHD+ curved hub monitor with 95% DCI-P3 color and integrated speakers.



Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q

Create phenomenal 4K HDR content on the world's first professional monitor with 2K mini-LED direct backlit dimming zones.*



Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Multi-task seamlessly across 3 devices with this premium full-size keyboard and sculpted mouse combo featuring programmable shortcuts and 36 months battery life.



Dell Performance Dock - WD19DCS

Dell's most powerful dock* delivers the ultimate productivity experience. Charge your system faster, support up to three displays and connect to your peripherals via a single cable with dual USB-C connectors.



Dell Premier Wireless ANC Headset - WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



Dell Pro Hybrid Briefcase Backpack 15 - PO1521HB

ACCESSORIES

CREATIVE

Protect your laptop from impact with this earth friendly backpack that is lined with EVA foam cushioning. Easily convert from backpack to briefcase mode and travel with ease.



Dell Mobile Adapter Speakerphone - MH3021P

Multiport adapter with integrated speakerphone offers an all-in-one connectivity and conferencing solution.



HTC VIVE Cosmos 3D VR Headset - MFG 99HARL000-00 Dell part AA809644

Dive into virtual reality experiences with this HTC VIVE Cosmos 3-D virtual reality headset. A simple design eliminates the need for a base station, while the flip-up display lets you quickly escape to answer calls and texts.



Dell USB-C Mobile Adapter - DA310

Compact and portable 7-in-1 USB-C mobile adapter provides superb video, data connectivity and up to 90W power pass-through to your PC.



Wacom Cintiq Pro 24 Creative Pen Display Touch - DTH-2420

Enhance your creative process with the Wacom Cintiq Pro 24. Featuring world-class color performance on one of Wacom's largest 4K screens.



3Dconnexion SpaceMouse Wireless - 3DX-700076

3Dconnexion's patented 6-Degrees-of-Freedom (6DoF) sensor is specifically designed to manipulate digital content or camera positions in industry-leading CAD applications. Simply push, pull, twist or tilt the 3Dconnexion controller cap to intuitively pan, zoom and rotate your 3D drawing.

Precision workstations

Dell Precision fixed and mobile workstations are designed with the environment in mind, using sustainable materials in our products and packaging wherever possible.







Design

1st

Workstations made with reclaimed carbon fiber and renewable bioplastic⁸.

Sustainable Materials

up to 61%

Recycled plastic in fixed workstations and up to 21% in mobile workstations⁹. Oceanbound plastic is also used in the components of select Precisions¹⁰.

Packaging Innovation

100%

Precision mobile workstations ship in packaging made from 100% recycled or renewable materials and is 100% recyclable¹¹.

ECOLABELS

35+

EPEAT registered products¹²



8.0

ENERGY STAR® throughout the portfolio

→ ENERGY STAR®

PRECISION 7670

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER Precision 7670

PROCESSOR OPTIONS¹⁴

12th Generation Intel[®] Core[™] i5-12600HX vPro[®], 18MB cache, 16 threads, 12 cores (4 P cores & 8 E cores) P cores 2.50GHz to 4.60GHz, E cores 1.80GHz to 3.30GHz, 55W

12th Generation Intel® Core TM i7-12850HX vPro $^{\otimes}$, 25MB cache, 24 threads, 16 cores (8 P cores & 8 E cores) P cores 2.10GHz to

4.80GHz, E cores 1.50GHz to 3.40GHz, 55W

12th Generation Intel® Core™ i9-12950HX vPro®, 30MB cache, 24 threads, 16 cores (8 P cores & 8 E cores) P cores 2.30GHz to

5.00GHz, E cores 1.70GHz to 3.60GHz, 55W

OPERATING SYSTEM¹

Windows 10 Home, 64-bit Windows 10 Professional, 64-bit Windows 10 Enterprise, 64-bit Windows 10 Pro Education, 64-bit Windows 10 Pro China, 64-bit Windows 11 Pro, 64-bit with DGR Windows 11 Pro National Education, 64-bit Windows 11 Home, 64-bit with DGR⁷ RedHat Enterprise Linux 8.6 Ubuntu[®] Linux[®] 20.04 (64-bit)

MEMORY OPTIONS^{1,2,3}

16GB, 1 \times 16GB, DDR5, 4800MHz, non-ECC, CAMM module 32GB, 1 \times 32GB, DDR5, 4800MHz, non-ECC, CAMM module 64GB, 1 \times 64GB, DDR5, 4800MHz, non-ECC, CAMM module 128GB, 1 x 128GB, DDR5, 3600MHz, non-ECC, CAMM module 8GB, 1 x 8GB, DDR5, 4800MHz, non-ECC, SODIMM 16GB, 1 x 16GB, DDR5, 4800MHz, ECC, SODIMM

16GB, 2×8 GB, DDR5, 4800MHz, non-ECC, SODIMM, dual-channel 32GB, 2×16 GB, DDR5, 4800MHz, ECC, SODIMM, dual-channel 32GB, 2 x 16GB, DDR5, 4800MHz, non-ECC, SODIMM, dual-channel 64GB, 2 x 32GB, DDR5, 4800MHz, non-ECC, SODIMM, dual-channel

Note: CAMM memory meets the standard of dual channel, ever exceeds it, even though it is not in a standard 2x memory chip/slot/module format. DDR4 has two 64-bit channels (dual channel) but CAMM with DDR5 has four 32-bit channels (quad channel).

PRIMARY HARD DRIVE 1,5

M.2 2230, 256GB, PCIe NVMe Gen4 x4, Class 35 SSD M.2 2280, 512GB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 1TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 2TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 4TB, PCIe NVMe Gen4 x4, Class 40 SSD M.2 2280, 512GB, PCIe NVMe Gen3 x4, Class 40 SSD, selfencrypting drive

M.2 2280, 1TB, PCle NVMe Gen3 x4, Class 40 SSD, self-encrypting

M.2 2280, 512GB, PCIe NVMe Gen4 x4, Class 40 SSD, self-

encrypting drive

M.2 2280, 1TB, PCIe NVMe Gen4 x4, Class 40 SSD, self-encrypting

GRAPHICS Integrated: Intel® UHD Graphics

Discrete: (optional)

NVIDIA® RTX A1000, 4GB, GDDR6 (thin chassis)

NVIDIA® RTX A2000, 8GB, GDDR6 (thin chassis)

NVIDIA® RTX A3000, 12GB, GDDR6 (performance chassis) NVIDIA® RTX A4500, 16GB, GDDR6 (performance chassis) NVIDIA® RTX A5500, 16GB, GDDR6 (performance chassis)

DISPLAY OPTIONS¹

16-inch, FHD+ 1920 x 1200, 60Hz, anti-glare, non-touch, 45% NTSC,

250 Nits, wide-viewing angle 16-inch, FHD+ 1920 x 1200, 60Hz, anti-glare, non-touch, 99% DCIP3,

500 nits, wide-viewing angle, LBL, WLED

16-inch, UHD+ 3840 x 2400, 60Hz, anti-glare, touch, 100% DCIP3,

400 nits, wide-viewing angle, LBL, OLED

CASE COLOR Aluminum Titan Grev

PRODUCTIVITY SOFTWARE¹

Dell Support Assist

DDRE (Dell Developed Recovery Environment) Dell Optimizer for Precision

Dell Support Center Intel® WiFi Direct

SECURITY SOFTWARE

Dell Client Command Suite Optional Dell Data Security and Management Software

Dell BIOS Verification

Optional Dell Endpoint Security and Management Software VMware Carbon Black Endpoint Standard

VMware Carbon Black Endpoint Standard + Secureworks Threat

Detection and Response Dell Encryption Enterprise Dell Encryption Personal Carbonite

VMware Workspace ONE

Absolute® Endpoint Visibility and Control

Netskope

Dell Supply Chain Defense

FEATURE TECHNICAL SPECIFICATION

WARRANTY9,10

3-year hardware service with on-site/in-home service after remote diagnosis

4-year hardware service with on-site/in-home service after remote diagnosis (Upsell)

5-year hardware service with on-site/in-home service after remote

diagnosis (Upsell)

3-year ProSupport with Next Business Day on-site service (Upsell). 4-year ProSupport with Next Business Day on-site service (Upsell) 5-year ProSupport with Next Business Day on-site service (Upsell)
3-year ProSupport Plus with Next Business Day on-site service (Upsell)
4-year ProSupport Plus with Next Business Day on-site service (Upsell)

5-year ProSupport Plus with Next Business Day on-site service (Upsell)

ACCIDENTAL DAMAGE SERVICES 3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

KEYBOARD1

English US and Canada, Standard, backlit keyboard with 10-key numeric keypad, 99 keys English UK, Standard, backlit keyboard with 10-key numeric keypad,

103 keys

Japan, Standard, backlit keyboard with 10-key numeric keypad, 106 keys

PORTS

(2) ThunderBolt™ 4 ports with (USB Type-C™) USB 3.2 Gen 2 Type-C port with DP-alt mode USB 3.2 Gen 1 port with PowerShare USB 3.2 Gen 1 port HDMI 2.0a port (UMA)/1 HDMI 2.1 port (DGPU)

RJ-45 Ethernet port

Headset (headphone and microphone combo) port

SLOTS SmartCard Reader

Nano SIM-card slot, 4FF (internal) SD-card slot Wedge-shaped lock slot

DIMENSIONS

Height: 0.98in. (24.70mm) Height (rear): 0.92in. (23.20mm) Height (front): 0.88in. (22.30mm) Width: 14.02in. (356.00mm) Depth: 10.18in. (258.34mm) Weight: 5.75lb (2.60kg)

Performance:

Height: 1.09in. (27.45mm) Height (rear): 1.03in. (25.95mm) Height (front): 0.99in. (25.05mm) Width: 14.02in. (356.00mm) Depth: 10.18in. (258.34mm) Weight: 5.90lb (2.67kg)

CAMERA

1080p at 30fps, FHD, RGB, with Omni-directional digital Microphone 1080p at 30fps, FHD, IR, with Omni-directional digital Microphone + Proximity sensor

AUDIO & SPEAKERS1

Stereo speakers with Dialog, 2W x 4 = 8W total

WIRELESS

Wireless

Intel® AX211, 2x2 MIMO, 2400Mbps, 2.40GHz/5GHz/6GHz, Wi-Fi

6E (WiFi 802.11ax), Bluetooth® 5.2

Mobile broadband:

Qualcomm SDX55 5G, Up to 3Gbps, 7x20MHz

BATTERY

6-cell, 83WHr, Lithium-ion, ExpressCharge™ 2.0 6-cell, 93WHr, Lithium-ion, ExpressCharge™ and ExpressChargeBoost

POWER OPTIONS

SEE 180W 740mm SFF 240W, 7.40mm

PRECISION 7670

FEATURE TECHNICAL SPECIFICATION

REGULATORY^{8,12} Product Safety, EMC and Environmental Datasheets:

https://www.dell.com/learn/sg/en/sgcorp1/product-info-datasheets-safety-emc-environmental

Dell Regulatory Compliance Home Page:

https://www.dell.com/learn/sg/en/sgcorp1/regulatory-compliance

Dell and the Environment:

https://www.dell.com/en-sg/dt/corporate/social-impact/advancing-sustainability/sustainable-supply-chain/ environment.htm

CHIPSET Intel® WM690

INTEL RESPONSIVENESS

Intel® Rapid Storage Technology

TECHNOLOGIES HARDWARE SECURITY

Trusted Platform Module (TPM) 2.0 discrete

FIPS 140-2 certification for TPM TCG Certification for TPM (Trusted Computing Group)

Contacted Smart Card and Control Vault 3

Contactless Smart Card, NFC, and ControlVault 3 SED SSD NVMe, SSD and HDD (Opal and non-Opal) per SDL

Finger Print Reader in Power Button tied to Control vault 3

SED (Opal 2.0 only - PCle Interface) Chassis Intrusion Detection

Battery Removal Detection RPMC SPI flash

SPI Flash Tamper Detection / Prevention Shunt Circuit

(SOLD SEPARATELY)

DOCKING Dell Performance Dock - WD19DCS

MULTIMEDIA (SOLD SEPARATELY)

Dell Premier Wireless ANC Headset - WL7022

Dell Mobile Adapter Speakerphone - MH3021F

HTC VIVE Cosmos 3D VR Headset - MFG 99HARL000-00 Dell part AA809644

RECOMMENDED ACCESSORIES

Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Dell 7-in-1 USB-C Multiport Adapter - DA310 Dell Pro Hybrid Briefcase Backpack 15 - PO1521HB Dell UltraSharp 32 HDR PremierColor Monitor - UP3221Q

Dell UltraSharp 38 Curved USB-C HUB Monitor - U3821DW 3Dconnexion SpaceMouse Wireless - 3DX-700066

Wacom Cintiq Pro 24 Creative Pen Display Touch - DTH-2420

Optional 10-Finger Touch Display Large Clickpad - no buttons INPUT

Spill Resistant Non-Backlit Keyboard Spill Resistant Backlit Keyboard

Ambient Light Sensor SENSORS

Windows Auto Brightness Accelerometer

Adaptive Thermal Performance (Lap vs. Desk mode) requires Accelerometer (NOTE: This is for thermal only.) Hall Effect Sensor

Proximity for SAR compliance (for the WWAN module) Near Field Proximity Sensor

SYSTEMS MANAGEMENT

BIOS complies to Dell SMBIOS implementation spec (DSIS) SW and Drivers MUP/DUP compliant per spec Agile S01310

Dell Power Manager (DPM)

Dell Command | Configure Version 4.0 Dell Command | Monitor 10.0

Dell Command | Update 3.0

Dell Command | Update Catalog (DCUC)
Dell Command | Deploy (DCP)
Dell Command | Deploy (DCP)
Dell Command | Integration Suite for System Center 5.0 (DCIS) with vPro®
Dell Command | Intel® VPro ™ Out of Band (DCIV)
Dell Command | PowerShell Provider 2.0

Dell Command | Deploy Driver Pack Catalog 1.0

8

Product Disclosures: pages 2-6:

- * Based on internal analysis, April 2021. Dell Optimizer available in 2020 devices, not available in OptiPlex 3000 series, Latitude 3310 2-in-1 and Latitude Chromebook Enterprise. Feature availability and functionality varies by model.
- 1 Based on Dell internal analysis of competitive PC performance software and applications. September 2021. Intelligent Privacy is available on select Dell systems and devices.
- 2 Available on Latitude 9000 and select 7000 series; Precision mobile workstations 7000 and select 5000 series. See product details for availability.
- 3 ExpressConnect available with Dell Optimizer software version 2.0 and onwards. Download the latest at https://www.dell.com/support/home.
- 4 Disclaimer: Simultaneous multi-network connection (or Connection based teaming) is a new connectivity feature under ExpressConnect. It simultaneously sends and receives data and video traffic using two or more wired or wireless connections. Based on Dell internal analysis.
- 5 Best network selection based on signal strength, channel congestion, router type and others. Network suggestions based on user credentials.
- 6 ExpressResponse must be enabled in the Applications feature. DO learns how user uses the selected application(s) over several hours. Based on Dell testing using Sysmark 2018 benchmark on a Latitude system running productivity applications; and using performance evaluation benchmarks on Precision mobile workstations running ISV applications, March 2020. Improvement will vary based on product configuration, use, application and other factors
- 7 User must input preferred apps first in order for them to be analyzed.
- 8 Based on Dell analysis, Jan 2021. 21% bioplastics in LCD coverlid.
- 9 Based on internal analysis. April 2022.
- 10 Ocean-bound plastic used in the fan and fan housing (13%) on Precision 3260 CFF and the fan housing (28%) on Precision mobile workstations 3570 & 3571.
- 11 New packaging is made with up to 95% recycled content and up to 22% renewable content in the form of FSC paper fibers. Material make up varies by product and size. Excludes optional items added to order and included in box. Paper packaging materials can be recycled via municipal recycling, where available. System bag is made from recycled plastic and can be recycled along with other thin plastics
- 12 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Product Disclosures: pages 7-8:

- 1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.
- 2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- 4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
- 5. Storage Option:GB means 1 billion bytes andTB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 6. TPM is available in selected regions.
- 7. Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.
- ${\it 8. Please \ refer \ to \ www.epeat.net \ for \ specific \ country \ registration \ rating \ and \ participation.} \\$
- 9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- 10. on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- 12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.
- 14 Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com/support.
- 15 System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- 16 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- 17 Storage Option:GB means 1 billion bytes andTB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- 18 Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.
- 19 Please refer to www.epeat.net for specific country registration rating and participation.
- 20 Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- 21 On-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 22 For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.

