

Product datasheet

Specifications



APC Back-UPS Connect 12Vdc 36W, lithium-ion, mini network ups to protect internet routers, IP cameras and more

CP12036LI

Overview

Lead time Usually in Stock

Main

| | |
|---------------------------|------------------------------------|
| Main Input Voltage | 12 V DC |
| Product or component type | Uninterruptible power supply (UPS) |
| Main Output Voltage | 12 V DC |
| Battery type | Li-Ion (Lithium-Ion) |

Complementary

Number of tare power 2 W

Batteries & Runtime

Battery recharge time 9 h

Physical

| | |
|---------------|--------------------|
| Colour | White |
| Width | 99 mm |
| Depth | 109 mm |
| Net weight | 300 g |
| mounting mode | Not rack-mountable |
| Height | 25 mm |

Output

| | |
|---------------------------------|------|
| Maximum configurable power in W | 36 W |
| Output voltage | 12 V |

Conformance

| | |
|------------------------|--|
| product certifications | CE |
| Standards | CE EN/IEC 61000-4-8 EN/IEC 61000-4-2 EN/IEC 62368-1 |

Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---------------------------------------|--------------|
| Ambient air temperature for operation | 0...40 °C |
| Relative humidity | 0...95 % |
| Operating altitude | 0...10000 ft |
| Ambient air temperature for storage | -10...50 °C |
| Storage altitude | 0...5000 m |
| IP degree of protection | < IP20 |

Packing Units

| | |
|------------------------------|----------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.300 cm |
| Package 1 Width | 11.500 cm |
| Package 1 Length | 16.300 cm |
| Package 1 Weight | 366.000 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 30.000 cm |
| Package 2 Length | 40.000 cm |
| Package 2 Weight | 3.900 kg |
| SCC14 | 10731304632396 |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 24 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Image of product / Alternate images

Alternative





