Essentials Slim GaN Charger 65W

2 x USB-C® PD 65 W

Slim, Powerful and Travel Ready.

The Verbatim Essentials Slim GaN Wall Charger 65W delivers powerful USB-C charging in an ultra-slim, lightweight design. Advanced GaN technology provides up to 65W fast charging while keeping the charger significantly smaller than traditional laptop chargers.

Featuring two USB-C PD 3.0 ports, it delivers up to 65W from a single port or intelligently shares power at up to 45W + 18W when charging two devices simultaneously, making it ideal for laptops, tablets and smartphones.

Designed for travel, it includes a foldable US plug plus interchangeable EU and UK adapters, with universal 100–240V voltage compatibility for worldwide use.

Compact enough to fit in a pocket, backpack or laptop bag, it's the perfect charger for home, office and travel.

2 x USB-C PD 3.0

Charge 2 Devices

US/EU/UK Plug

Compact Design

verbatim.com

General Information	
Approx. product dimensions LxWxH	84 x 45.5 x 14.3 mm
Product weight	90 g (125 g including adapters)
Product material	PC
Colour	Black+Grey (32080), White (32081)
Input Plug Formats	US (Type A), EU (Type C), UK (Type G)
Supported devices	Laptop, iPhone, iPad, Smartphones, Tablet PCs, MP3/MP4 players, smartwatch, etc.
RoHS REACH	Yes
Certifications	CE/UKCA/FCC
Power	
Input	100-240 V AC 50/60Hz 1.2A (Max)
Total Output	65W Max (63W max. shared)
Charging Mode	PD 3.0 (PPS)
Single Port Output	
USB-C1 PD 3.0	5-20V/3A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W max)
USB-C2 PD 3.0	5-20V/3A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W max)

Multiport Output	USB-C1 PD 3.0	USB-C2 PD 3.0
USB-C1	65W Max	-
USB-C2	-	65W Max
USB-C1+USB-C2	45W Max	18W Max

Safety	
Short circuit protect	Yes. Charging stops automatically in the event of a short circuit to protect connected devices.
Over-voltage protection	Yes
Over-current protection	Yes
Over-temperature protection	Yes

Directives	
Electromagnetic compatibility	2014/30/EC
Low voltage protection	2014/35/EC
General product safety	2001/95/EC
RoHS directive	2011/65/EC
Annex II	2015/863/EC
Test standards	EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019+A1:2021 EN 61000-3-3:2013+A1:2019+A2:2021 EN IEC 62368-1:2020+A11:2020

Storage and Operating Conditions	
Storage temperature	-25°C to +40°C
Operating temperature	0°C to +35°C
Operating humidity	20%~80% RH

PN	Description	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
30280	Verbatim Essentials Slim GaN Wall Charger 65W US/EU/UK - Grey	85044095900	023942302803	(02)00023942302803(37)06(91)864 (02)00023942302803(37)24(91)864	20023942302807 50023942302808
30281	Verbatim Essentials Slim GaN Wall Charger 65W US/EU/UK - White	85044095900	023942302810	(02)00023942302810(37)06(91)864 (02)00023942302810(37)24(91)864	20023942302814 50023942302815

Logistic Information	
Product Dimensions: L x W x H	84 x 45.5 x 14.3 mm
Product Weight:	90 g (125 g including adapters)
Units per Pack:	1
Pack Dimensions:	97 x 60 x 100 (125 with hanger) mm
Pack Weight:	192 g
Packs per Inner Carton:	6
Inner Carton Dimensions: L x W x H	380 x 103 x 115 mm
Inner Carton Weight:	1238 g
Packs per Outer Carton:	24
Outer Carton Dimensions: L x W x H	400 x 225 x 255 mm
Outer Carton Weight:	5472 g
Outer Cartons per Layer:	12
Layers per Pallet:	4
Units per Pallet:	1152

To use the integrated US plug, fold it down.
To close the plug or switch to another plug, fold it back up.



Place the EU/UK plug with the connector aligned over the pin, then press it until it clicks into place.

Pack Contents

- Verbatim Essentials Slim GaN Wall Charger 65W
- Integrated Foldable US Plug plus EU and UK Plug
- Quick Start Guide

INDOOR USE ONLY.

Warranty

2 year limited warranty

For more information, please contact your key account manager

Publication date: 23/07/2026
© 2026 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.