# **XPS 13 9310**

Setup and Specifications



### Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2020 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

# **Contents**

|  | _  |
|--|----|
| Chapter 2: Views of XPS 13 9310              |    |
| Front  |    |
| Left   |    |
| Right  |    |
| Base   |    |
| Display                                      |    |
| Bottom                                       | 9  |
| Chapter 3: Specifications of XPS 13 9310     |    |
| Dimensions and weight                        |    |
| Processor                                    |    |
| Chipset                                      |    |
| Operating system                             |    |
| Memory                                       |    |
| Internal slots                               | 12 |
| External ports                               | 12 |
| Wireless module                              | 12 |
| Audio  | 13 |
| Storage                                      | 13 |
| Media-card reader                            | 14 |
| Keyboard                                     | 14 |
| Camera                                       | 15 |
| Touchpad                                     | 15 |
| Power adapter                                | 16 |
| Battery                                      | 16 |
| Display                                      | 17 |
| Fingerprint reader                           | 18 |
| GPU—Integrated                               | 18 |
| Operating and storage environment            | 18 |
| Chapter 4: Dell low blue light display       | 19 |
| Chapter 5: Keyboard shortcuts of XPS 13 9310 | 20 |
| hanter 6: Getting help and contacting Dell   | 22 |

# Set up your XPS 13 9310

- i NOTE: The images in this document may differ from your computer, depending on the computer configuration you ordered.
- 1. Connect the power adapter to a power source and to the Thunderbolt 4 USB Type-C port with Power Delivery. Then press the power button on your computer.



- NOTE: The battery may go into power-saving mode during shipment to conserve charge on the battery. Ensure that the power adapter is connected to your computer when it is turned on for the first time.
- 2. Complete the operating system setup.

#### Table 1. Operating system setup

| Operating system | Setup instructions  |  |
|------------------|---|--|
| Windows          | Follow the on-screen instructions to complete the setup. When setting up, it is recommended that you connect to a secure network to download and install the latest Windows updates.                    |  |
| Ubuntu           | Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles SLN151664 and SLN151748 at www.dell.com/support. |  |

- 3. If Windows is installed on your computer, there are Dell apps with which you can get assistance and software updates.
  - i NOTE: Dell apps are not available on Ubuntu.

Table 2. Dell apps


| Dell app | Description |
|----------|-------------|
| Dell     | My Dell     |

Table 2. Dell apps (continued)

| Dell app | Description  |
|----------|--|
|          | Access Dell applications, help articles, and other important information about your computer. My Dell also notifies you about the warranty status, recommended accessories, and software updates for your computer.  |
|          | SupportAssist  |
| CC .     | Pro-actively checks the health of your computer's hardware and software and troubleshoots issues with the operating system. For more information about the app, see the SupportAssist documentation at <a href="https://www.dell.com/support">www.dell.com/support</a> . |
|          | NOTE: To renew or upgrade your warranty in the SupportAssist app, click the warranty expiry date.  |
|          | Dell Update  |
| <b>₹</b> | Updates your computer with critical fixes and latest device drivers. For more information about the app, see the knowledge base article SLN305843 at www.dell.com/support.   |
|          | Dell Digital Delivery  Download software applications, which are purchased but not pre-installed on your computer. For more information about the app, see the knowledge base article 153764 at www.dell.com/support.  |

## **Views of XPS 13 9310**

### **Front**



#### 1. Microphones (2)

Provide digital sound input for audio recording, voice calls, and so on.

#### 2. Power and battery-status light

Indicates the power state and battery state of the computer.

Solid white—Power adapter is connected and the battery is charging.

Solid amber—Battery charge is low or critical.

Off—Battery is fully charged.

NOTE: On certain computer models, the power and battery-status light is also used for diagnostics. For more information, see the *Troubleshooting* section in your computer's *Service Manual*.

### Left



### 1. Thunderbolt 4 USB Type-C port with Power Delivery

Supports USB4 Gen 3 Type-C, DisplayPort 2.0, Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates of up to 20 Gbps for USB4 Gen 3 and up to 40 Gbps for Thunderbolt 4. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/3 A power output that enables faster charging.

- NOTE: You can connect a Dell Docking Station to the Thunderbolt 4 ports. For more information, see the knowledge base article SLN286158 at www.dell.com/support.
- NOTE: There is a total of two Thunderbolt 4 ports on this computer. Connect the USB Type-C power adapter to only one of the two USB Type-C ports.
- i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

#### 2. microSD-card slot

Reads from and writes to the microSD card. Your computer supports the following card types:

microSecure Digital (microSD)

- microSecure Digital High Capacity (microSDHC)
- microSecure Digital Extended Capacity (microSDXC)

### Right



#### 1. Thunderbolt 4 USB Type-C port with Power Delivery

Supports USB4 Gen 3 Type-C, DisplayPort 2.0, Thunderbolt 4 and also enables you to connect to an external display using a display adapter. Provides data transfer rates of up to 20 Gbps for USB4 Gen 3 and up to 40 Gbps for Thunderbolt 4. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V/3 A power output that enables faster charging.

- NOTE: You can connect a Dell Docking Station to the Thunderbolt 4 ports. For more information, see the knowledge base article SLN286158 at www.dell.com/support.
- NOTE: There is a total of two Thunderbolt 4 ports on this computer. Connect the USB Type-C power adapter to only one of the two USB Type-C ports.
- i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

#### 2. Headset port

Connect headphones or a headset (headphone and microphone combo).

### **Base**



#### 1. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

#### 2. Left-click area

Press to left-click.

### 3. Right-click area

Press to right-click.

#### 4. Power button with fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

Place your finger on the power button to log-in with the fingerprint reader.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

### **Display**



#### 1. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

### 2. Ambient-light sensor

Detects the ambient light and automatically adjusts the keyboard backlight and display brightness.

#### 3. RGB and infrared camera

Enables you to video chat, capture photos, and record videos in RGB and infrared.

#### 4. Camera-status light

Turns on when the camera is in use.

#### 5. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

### **Bottom**



### 1. Left speaker

Provides audio output.

### 2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

### 3. Right speaker

Provides audio output.

# **Specifications of XPS 13 9310**

## **Dimensions and weight**

The following table lists the height, width, depth, and weight of your XPS 13 9310.

Table 3. Dimensions and weight

| Description     | Values  |
|-----------------|---|
| Height:         | 14.80 mm (0.58 in.)   |
| Width           | 295.70 mm (11.64 in.)   |
| Depth           | 198.70 mm (7.82 in.)  |
| Starting weight | <ul> <li>Non-touch: 1.20 kg (2.64 lb)</li> <li>Touch: 1.27 kg (2.80 lb)</li> <li>NOTE: The weight of your computer depends on the configuration ordered and manufacturing variability.</li> </ul> |

### **Processor**

The following table lists the details of the processors supported by your XPS 13 9310.

Table 4. Processor

| Description            | Option one  | Option two  | Option three  |
|------------------------|---|---|---|
| Processor type         | 11 <sup>th</sup> Generation Intel Core<br>i3-1115G4 processor | 11 <sup>th</sup> Generation Intel Core<br>i5-1135G7 processor | 11 <sup>th</sup> Generation Intel Core<br>i7-1165G7 processor |
| Processor wattage      | 15 W  | 15 W  | 15 W  |
| Processor core count   | 2   | 4   | 4   |
| Processor thread count | 4   | 8   | 8   |
| Processor speed        | Up to 4.10 GHz  | Up to 4.20 GHz  | Up to 4.70 GHz  |
| Processor cache        | 6 MB  | 8 MB  | 12 MB   |
| Integrated graphics    | Intel UHD Graphics  | Intel Iris Xe Graphics  | Intel Iris Xe Graphics  |

## Chipset

The following table lists the details of the chipset supported by your XPS 13 9310.

### Table 5. Chipset

| Description    | Values  |
|----------------|---|
| Chipset        | Integrated in the processor                     |
| Processor      | 11 <sup>th</sup> Generation Intel Core i3/i5/i7 |
| DRAM bus width | 128 bit   |
| Flash EPROM    | 32 MB (BIOS)                                    |
| PCle bus       | Up to PCle Gen 4.0 (Storage)                    |

## **Operating system**

Your XPS 13 9310 supports the following operating systems:

- Windows 10 Home (64-bit)
- Windows 10 Pro (64-bit)
- Windows 10 Pro Education (64-bit)
- Windows 10 Enterprise Ready
- Ubuntu 18.04 LTS (64-bit)

### **Memory**

The following table lists the memory specifications of your XPS 13 9310.

### Table 6. Memory specifications

| Description                     | Values  |
|---------------------------------|---|
| Memory slots                    | No memory slots  i NoTE: The memory module is integrated on the system board.   |
| Memory type                     | LPDDR4x   |
| Memory speed                    | 4267 MHz  |
| Maximum memory configuration    | 32 GB   |
| Minimum memory configuration    | 8 GB  |
| Memory configurations supported | <ul> <li>8 GB (4 x 2 GB) LPDDR4x at 4267 MHz</li> <li>16 GB (4 x 4 GB) LPDDR4x at 4267 MHz</li> <li>32 GB (4 x 8 GB) LPDDR4x at 4267 MHz</li> </ul> |

### **Internal slots**

The following table lists the internal slots of your XPS 13 9310.

### Table 7. Internal slots

| Description | Values  |  |
|-------------|---|--|
| M.2         | One M.2 2230 or M.2 2280 slot for solid-state drive   |  |
|             | NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626 at www.dell.com/support. |  |

## **External ports**

The following table lists the external ports on your XPS 13 9310.

Table 8. External ports

| Description        | Values   |  |
|--------------------|--|--|
| USB ports          | Two Thunderbolt 4 USB Type-C ports with Power Delivery  i NOTE: Connect the USB Type-C power adapter to only one of the four USB Type-C ports.  i NOTE: You can connect a Dell Docking Station to this port. For more information, see the knowledge base article SLN286158 at www.dell.com/support. |  |
| Audio port         | One headset (headphone and microphone combo) port  |  |
| Video port         | Two Thunderbolt 4 USB Type-C ports with Power Delivery  (i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.   |  |
| Media-card reader  | One microSD-card slot  |  |
| Docking port       | Supported through one of the two Thunderbolt 4 USB Type-C port with Power Delivery   |  |
| Power-adapter port | DC-IN through one of the two USB Type-C Thunderbolt 4 ports  (i) NOTE: You can connect a Dell Docking Station to this port. For more information, see the knowledge base article SLN286158 at www.dell.com/support.  |  |
| Security           | Not supported  |  |

### Wireless module

The following table lists the Wireless Local Area Network (WLAN) module specifications of your XPS 13 9310.

i NOTE: The wireless module is integrated on the system board.

Table 9. Wireless module specifications

| Description               | Option one   | Option two   |
|---------------------------|--|--|
| Model number              | Intel AX1650   | Rivet Killer AX500-DBS   |
| Transfer rate             | Up to 2400 Mbps  | Up to 1774 Mbps  |
| Frequency bands supported | 2.4 GHz/5 GHz  | 2.4 GHz/5 GHz  |
| Wireless standards        | <ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (WiFi 802.11ax)</li> </ul> | <ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (WiFi 802.11ax)</li> </ul> |
| Encryption                | <ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>   | <ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>   |
| Bluetooth                 | Bluetooth 5.1  | Bluetooth 5.1  |

### **Audio**

The following table lists the audio specifications of your XPS 13 9310.

### Table 10. Audio specifications

| Description                |                        | Values                          |
|----------------------------|------------------------|---------------------------------|
| Audio controller           |                        | Realtek ALC3281-CG              |
| Stereo conversion          |                        | Supported                       |
| Internal audio interface   | 9                      | High-definition audio interface |
| External audio interface   |                        | Universal audio jack            |
| Number of speakers         |                        | Two                             |
| Internal-speaker amplifier |                        | Supported                       |
| External volume controls   |                        | Keyboard shortcut controls      |
| Speaker output:            |                        |                                 |
|                            | Average speaker output | 2 W                             |
|                            | Peak speaker output    | 2.5 W                           |
| Subwoofer output           |                        | Not supported                   |
| Microphone                 |                        | Digital-array microphones       |

# **Storage**

This section lists the storage options on your XPS 13 9310.

Your XPS 13 9310 supports one of the following storage options:

• One M.2 2230 solid-state drive

• One M.2 2280 solid-state drive

### Table 11. Storage specifications

| Storage type               | Interface type                   | Capacity     |
|----------------------------|----------------------------------|--------------|
| M.2 2230 solid-state drive | PCle Gen3 x4 NVMe, up to 32 Gbps | Up to 256 GB |
| M.2 2280 solid-state drive | PCle Gen3 x4 NVMe, up to 32 Gbps | Up to 2 TB   |

### Media-card reader

The following table lists the media cards supported by your XPS 13 9310.

### Table 12. Media-card reader specifications

| Description                 | Values  |
|-----------------------------|---|
| Media-card type             | One microSD-card slot   |
| Media-cards supported       | <ul> <li>microSecure Digital (mSD)</li> <li>microSecure Digital High Capacity (mSDHC)</li> <li>microSecure Digital Extended Capacity (mSDXC)</li> </ul> |
| installed in your computer. |   |

## Keyboard

The following table lists the keyboard specifications of your XPS 13 9310.

### Table 13. Keyboard specifications

| Description        | Values   |  |
|--------------------|--|--|
| Keyboard type      | Standard backlit keyboard  |  |
| Keyboard layout    | QWERTY   |  |
| Number of keys     | <ul><li>United States and Canada: 79 keys</li><li>United Kingdom: 80 keys</li><li>Japan: 83 keys</li></ul>   |  |
| Keyboard size      | X = 19.05 mm key pitch<br>Y = 18.05 mm key pitch   |  |
| Keyboard shortcuts | Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate characte press Shift and the desired key. To perform secondary functions, press Fn and the desired key.  (i) NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavio in BIOS setup program.  For more information, see Keyboard shortcuts. |  |

### Camera

The following table lists the camera specifications of your XPS 13 9310.

**Table 14. Camera specifications** 

| Des   | cription                | Values                     |
|-------|-------------------------|----------------------------|
| Num   | ber of cameras          | One                        |
| Cam   | era type                | RGB and infrared HD camera |
| Cam   | era location            | Front                      |
| Cam   | era sensor type         | CMOS-sensor technology     |
| Cam   | era resolution:         |                            |
|       | Still image             | 0.92 megapixel             |
|       | Video                   | 1280 x 720 (HD) at 30 fps  |
| Infra | ared camera resolution: |                            |
|       | Still image             | 640 x 360                  |
|       | Video                   | 640 x 360 (HD) at 15 fps   |
| Diag  | onal viewing angle:     |                            |
|       | Camera                  | 77.7 degrees               |
|       | Infrared camera         | 77.7 degrees               |

(i) NOTE: The IR camera may not support Microsoft Hello features.

# **Touchpad**

The following table lists the touchpad specifications of your XPS 13 9310.

Table 15. Touchpad specifications

| Description       |            | Values   |  |
|-------------------|------------|--|--|
| Touchpad re       | esolution: |  |  |
|                   | Horizontal | 1300   |  |
|                   | Vertical   | 722  |  |
| Touchpad di       | mensions:  |  |  |
|                   | Horizontal | 112.30 mm (4.42 in.)   |  |
|                   | Vertical   | 64.15 mm (2.53 in.)  |  |
| Touchpad gestures |            | For more information about touchpad gestures available on Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com. |  |

## Power adapter

The following table lists the power adapter specifications of your XPS 13 9310.

Table 16. Power adapter specifications

| Descrip   | tion                 | Values                         |
|-----------|----------------------|--------------------------------|
| Туре      |                      | 45 W (USB Type-C)              |
| Input vo  | Itage                | 100 VAC-240 VAC                |
| Input fre | equency              | 50 Hz-60 Hz                    |
| Input cu  | rrent (maximum)      | 1.30 A                         |
| Output    | current (continuous) | 2.25 A                         |
| Rated o   | utput voltage        | 20 VDC                         |
| Tempera   | ature range:         |                                |
|           | Operating            | 0°C to 40°C (32°F to 104°F)    |
|           | Storage              | -40°C to 70°C (-40°F to 158°F) |

## **Battery**

The following table lists the battery specifications of your XPS 13 9310.

Table 17. Battery specifications

| Description   |             | Values  |  |
|---|-------------|---|--|
| Battery type  |             | 4-cell 52 WHr "smart" lithium-ion   |  |
| Battery voltag  | e           | 7.60 VDC  |  |
| Battery weigh   | t (maximum) | 0.22 kg (0.49 lb)   |  |
| Battery dimen   | sions:      |   |  |
|   | Height      | 98.60 mm (3.88 in.)   |  |
|   | Width       | 255.80 mm (10.07 in.)   |  |
| Depth   |             | 4.30 mm (0.17 in.)  |  |
| Temperature r   | range:      |   |  |
|   | Operating   | 0°C to 45°C (32°F to 113°F)   |  |
| Storage   |             | -20°C to 65°C (-4°F to 149°F)   |  |
| Battery operating time  |             | Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.                         |  |
| Battery charging time (approximate)  (i) NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. |             | <ul> <li>Express charging: 2 hours (when the computer is off)</li> <li>Standard charging: 3 hours (when the computer is off)</li> </ul> |  |

Table 17. Battery specifications (continued)

| Description   | Values         |
|---|----------------|
| For more information on the Dell Power Manager see, Me and My Dell on www.dell.com/ |                |
| Coin-cell battery   | Not applicable |

# **Display**

The following table lists the display specifications of your XPS 13 9310.

Table 18. Display specifications

| Descript                 | ion                     | Option one                   | Option two                  | Option three                |
|--------------------------|-------------------------|------------------------------|-----------------------------|-----------------------------|
| Display ty               | pe                      | Ultra High Definition (UHD+) | Full High Definition (FHD+) | Full High Definition (FHD+) |
| Display-pa               | anel technology         | Wide-Viewing Angle (WVA)     | Wide-Viewing Angle (WVA)    | Wide-Viewing Angle (WVA)    |
| Display-pa<br>(active ar | anel dimensions<br>ea): |                              |                             |                             |
|                          | Height                  | 288 mm (11.34 in.)           | 288 mm (11.34 in.)          | 288 mm (11.34 in.)          |
|                          | Width                   | 180 mm (7.09 in.)            | 180 mm (7.09 in.)           | 180 mm (7.09 in.)           |
|                          | Diagonal                | 339.60 mm (13.37 in.)        | 339.60 mm (13.37 in.)       | 339.60 mm (13.37 in.)       |
| Display-pa               | anel native             | 3840 x 2400                  | 1920 x 1200                 | 1920 x 1200                 |
| Luminanc                 | e (typical)             | 500 nits                     | 500 nits                    | 500 nits                    |
| Megapixe                 | ls                      | 9.216                        | 2.304                       | 2.304                       |
| Color gan                | nut                     | DCI-P3 90% (typical)         | sRGB 100%                   | sRGB                        |
| Pixels Per               | Inch (PPI)              | 338.67                       | 169.3                       | 169.3                       |
| Contrast                 | ratio (typ)             | 1200:1                       | 1200:1                      | 1200:1                      |
| Response                 | time (max)              | 35 ms                        | 35 ms                       | 35 ms                       |
| Refresh r                | ate                     | 60 Hz                        | 60 Hz                       | 60 Hz                       |
| Horizonta                | l view angle            | +/- 85 degrees               | +/- 85 degrees              | +/- 85 degrees              |
| Vertical v               | iew angle               | +/- 85 degrees               | +/- 85 degrees              | +/- 85 degrees              |
| Pixel pitch              | ٦                       | 0.08 mm                      | 0.15 mm                     | 0.15 mm                     |
| Power co<br>(maximun     | nsumption<br>n)         | 6.60 W                       | 2.90 W                      | 2.90 W                      |
| Anti-glare               | vs glossy finish        | Anti-reflective              | Anti-reflective             | Anti-reflective             |
| Touch op                 | tions                   | Yes                          | Yes                         | No                          |

## Fingerprint reader

The following table lists the fingerprint-reader specifications of your XPS 13 9310.

i NOTE: The fingerprint reader is located on the power button.

### Table 19. Fingerprint reader specifications

| Description                          | Values     |
|--------------------------------------|------------|
| Fingerprint-reader sensor technology | Capacitive |
| Fingerprint-reader sensor resolution | 500 PPI    |
| Fingerprint-reader sensor pixel size | 64 x 80    |

## **GPU—Integrated**

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your XPS 13 9310.

### Table 20. GPU—Integrated

| Controller             | External display support                            | Memory size          | Processor                                       |
|------------------------|---|----------------------|---|
| Intel UHD Graphics     | USB Type-C to DisplayPort adapter (sold separately) | Shared system memory | 11 <sup>th</sup> Generation Intel Core i3       |
| Intel Iris Xe Graphics | USB Type-C to DisplayPort adapter (sold separately) | Shared system memory | 11 <sup>th</sup> Generation Intel Core<br>i5/i7 |

## **Operating and storage environment**

This table lists the operating and storage specifications of your XPS 13 9310.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

**Table 21. Computer environment** 

| Description                 | Operating                                  |   |
|-----------------------------|--|---|
| Temperature range           | 0°C to 35°C (32°F to 95°F)                 | -40°C to 65°C (-40°F to 149°F)              |
| Relative humidity (maximum) | 10% to 90% (non-condensing)                | 0% to 95% (non-condensing)                  |
| Vibration (maximum)*        | 0.66 GRMS                                  | 1.30 GRMS                                   |
| Shock (maximum)             | 110 G†                                     | 160 G†                                      |
| Altitude range              | -15.2 m to 3048 m (-49.87 ft to 10,000 ft) | -15.2 m to 10668 m (-49.87 ft to 35,000 ft) |

 $<sup>^{</sup>st}$  Measured using a random vibration spectrum that simulates user environment.

 $<sup>\</sup>dagger$  Measured using a 2 ms half-sine pulse when the hard drive is in use.

# Dell low blue light display

WARNING: Prolonged exposure to blue light from the display may lead to long-term effects such as eye strain, eye fatigue, or damage to the eyes.

Blue light is a color in the light spectrum which has a short wavelength and high energy. Chronic exposure to blue light, particularly from digital sources, may disrupt sleep patterns and cause long-term effects such as eye strain, eye fatigue, or damage to the eyes.

The display on this computer is designed to minimize blue light and complies with TÜV Rheinland's requirement for low blue light displays.

Low blue light mode is enabled at the factory, so no further configuration is necessary.

To reduce the risk of eye strain, it is also recommended that you:

- Position the display at a comfortable viewing distance between 20 and 28 inches (50 and 70 cm) from your eyes.
- Blink frequently to moisten your eyes, wet your eyes with water, or apply suitable eye drops.
- Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break.
- Take an extended break for 20 minutes every two hours.

## **Keyboard shortcuts of XPS 13 9310**

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, **2** is typed out; if you press **Shift** + **2**, **@** is typed out.

The keys **F1-F12** at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing **F1** mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing fn + esc. Subsequently, multimedia control can be invoked by pressing fn and the respective function key. For example, mute audio by pressing fn + F1.

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 22. List of keyboard shortcuts

| Function key         | Redefined key (for multimedia control) | Behavior                  |
|----------------------|--|---------------------------|
| Ľ√×<br>F1            | fn + □ □× F1                           | Mute audio                |
| [                    | +, <sub>F2</sub>                       | Decrease volume           |
| <b>८७)</b> F3        | fn + <a>(¬)</a> <sub>F3</sub>          | Increase volume           |
| DII F4               | + □ ▷                                  | Play/Pause                |
| F5                   | fn + ' ' ' F5                          | Toggle keyboard backlight |
| -; <b>ċ</b> ;-<br>F6 | fn + ∴ F6                              | Decrease brightness       |
| F7                   | fn + <del>*</del>                      | Increase brightness       |

Table 22. List of keyboard shortcuts (continued)

| Function key  | Redefined key (for multimedia control) | Behavior                   |
|---------------|--|----------------------------|
| F8 F8         | fn + 🗐 F8                              | Switch to external display |
| prt sc<br>F10 | fn + prt sc                            | Print screen               |
| home<br>F11   | fn + home                              | Home                       |
| end<br>F12    | fn + end F12                           | End                        |

The **fn** key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 23. List of keyboard shortcuts

| Function key | Behavior                   |
|--------------|----------------------------|
| fn + B       | Pause/Break                |
| fn + S       | Toggle scroll lock         |
| fn + R       | System request             |
| fn + ctrl    | Open application menu      |
| fn + esc     | Toggle <b>fn</b> -key lock |

# Getting help and contacting Dell

### Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 24. Self-help resources

| Self-help resources   | Resource location  |  |
|---|--|--|
| Information about Dell products and services  | www.dell.com   |  |
| My Dell   | DELL   |  |
| Tips  | *  |  |
| Contact Support   | In Windows search, type Contact Support, and press Enter.  |  |
| Online help for operating system  | www.dell.com/support/windows   |  |
|   | www.dell.com/support/linux   |  |
| Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents. | Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support.  For more information on how to find the Service Tag for your computer, see Locate the Service Tag for your Dell Laptop. |  |
| Dell knowledge base articles for a variety of computer concerns   | <ol> <li>Go to www.dell.com/support.</li> <li>On the menu bar at the top of the Support page, select Support &gt; Knowledge Base.</li> <li>In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.</li> </ol>                            |  |

## Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- (i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.